

AR-15 ADJUSTABLE FRONT SIGHT - SAMSON MANUFACTURING CORP 1.375" ADJUSTABLE FRONT SIGHT ALUMINUM BLACK

[Rifle Parts](#) > [Sights](#) > [Front Sights](#)

Rugged Sights For Flattop AR-15s

Machined aluminum sights fit onto any Picatinny rail and offer rugged open sights for AR-15 style rifles. One-piece construction and crossbolt mounting system give rigidity and strength and help sights retain zero under hard use. Fixed Front Sight has elevation-adjustable A2 front post protected by HK-style halo that also helps with rapid target acquisition. Sights not intended for use on lower gas block rails. Sights sold separately.



Attributes

- Name: [SAMSON MANUFACTURING CORP 1.375" ADJUSTABLE FRONT SIGHT ALUMINUM BLACK](#)
- Manufacturer: [SAMSON MANUFACTURING CORP](#)
- Product no.: 100013745
- Mfr. No.: 02-00043-01
- Colour: Black
- Height: 1.375
- Material: Aluminum
- Style: Adjustable
- Weapon type: AR-15
- Delivery weight: 0.113kg
- Shipping height: 12mm
- Shipping width: 100mm
- Shipping length: 122mm

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [AR15 Adjustable Front Sight Safety Instruction Guide](#)
- [About Us](#)

AR15 Adjustable Front Sight Safety Instruction Guide

Introduction

Thank you for purchasing the AR15 Adjustable Front Sight from Samson Manufacturing Corp. This guide provides essential safety instructions, installation procedures, and usage tips to ensure safe and effective operation of your new sight. Please read this manual carefully before use.

General Safety Guidelines

- Ensure that the sight is compatible with your AR15 model before installation.
- Always handle firearms and accessories with care and follow all safety protocols.
- Inspect the sight for any damage before use. Do not use if damaged.
- Store the sight in a safe and secure location, away from children and unauthorized users.
- Regularly check for any loose components or signs of wear and tear.
- Be aware of your surroundings and ensure a safe environment when using firearms.

Specific Safety Precautions for Use

- The sights are not intended for use on lower gas block rails.
- Do not modify the sight or attempt to disassemble it.
- Always ensure that the firearm is unloaded before installing or adjusting the sight.
- Use only approved tools for installation and adjustments.
- Always wear appropriate eye protection when using firearms equipped with sights.
- Be cautious of potential recoil and ensure a firm grip on the firearm.

Instructions for Installation and Usage

1. Installation:

- Ensure the firearm is unloaded and pointed in a safe direction.
- Locate the Picatinny rail on your AR15.
- Align the sight with the desired position on the rail.
- Use the crossbolt mounting system to secure the sight firmly in place.
- Ensure the sight is tightened to prevent movement during use.
- Check alignment and make any necessary adjustments.

2. Usage:

- Adjust the elevation of the A2 front post as needed for your shooting conditions.
- Use the HKstyle halo to assist with rapid target acquisition.
- Regularly check the sight's zero to ensure accuracy.
- Practice safe shooting habits and always follow standard firearm safety rules.

Disposal Instructions

- When disposing of the sight, follow local regulations for electronic waste and metal recycling.
- Do not dispose of the sight in regular household waste.
- If the sight is damaged beyond repair, ensure it is rendered unusable before disposal.

Contact Information for Further Support

For any inquiries regarding safety, installation, or usage of the AR15 Adjustable Front Sight, please refer to the manufacturer's contact information included with your product packaging or visit the manufacturer's website.

Thank you for choosing the AR15 Adjustable Front Sight. Your safety and satisfaction are our top priorities. Always prioritize safety and responsible firearm handling.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk