

MS3® GEN2 SINGLE QD MULTI-MISSION ONE/TWO-POINT RIFLE SLING - MAGPUL MS3 GEN2 SINGLE QD ONE/TWO-POINT RIFLE SLING COYOTE

[Shooting Accessories](#) > [Slings & Sling Swivels](#) > [Slings](#)

Filling the same mission requirement as the standard MS3 Sling, the MS3 Single QD can quickly switch between one-point and two-point configuration. The MS3 Single QD maintains material construction and specifications identical to that of the standard MS3, but features a heavy-duty push-button QD Sling Swivel for the one-point (rear) weapon attachment rather than the Magpul Paraclip™. This modification allows compatibility with QD sling cups commonly found on lower receivers, receiver end plates, and buttstocks. The MS3 Single QD GEN2 incorporates a new low profile quick-adjust Slider which minimizes bulk and allows for secure, yet effortless, sling adjustment.

Webbing length has also been increased for a comfortable fit with all body types and armor configurations. Made in USA and 100% Berry Amendment compliant. NSN: MAG515-COY 1005-01-657-7616 FEATURES THE MS1® SLIDER Rapidly adjustable for length (shorter or longer) with new MS1 Slider Low-profile adjustment Slider for adding or removing sling tension in two-point mode with a single-hand MULTIPLE CONFIGURATIONS Designed for easy rapid convertability between one-point and two-point mode Heavy-duty push-button Quick Disconnect sling swivel for one-point attachment Paraclip shackle allows for fast transition between one-point and two-point configuration Cross-Bolt Lock Bar in the Paraclip allows the user to optionally lock its lever closed for extra security MAGPUL POLYMER AND INDESTRUCTIBLE HARDWARE

Lightweight heavy-duty reinforced polymer hardware Steel Paraclip lever is case hardened and finished with a QPQ salt bath nitride process for extreme resistance to wear and corrosion SNAG-FREE, HIGH DURABILITY WEBBING Custom 1.25 inch wide nylon webbing material is strong and wear resistant while remaining anti-chaff for user comfort No tails, loops, or other potential snag hazards Colored webbing has Near Infrared (NIR) treatment to reduce IR signature SPECS Length, Overall Nominal: 48-60 in. ± 5 in. adjustment Slider Adjustment Range: 10 in. Width, Webbing: 1.25" SLING MOUNTING REAR - Works with the Magpul ASAP® for optimal shoulder transitioning in one-point mode as well as with other end plates, receivers, and buttstocks that have a QD sling socket FRONT - Compatible with the Magpul RSA®, M-LOK® Paraclip™ Sling Mount, MSA®, and shotgun Forward Sling Mounts, as well as many snap-hook style sling loops* and standard or QD sling swivels for use in two-point mode * Snap-hook style sling loops with an inner diameter of at least 3/8" are required, but 9/16" and larger will provide full range of motion of the Paraclip



Attributes

- Name: [MAGPUL MS3 GEN2 SINGLE QD ONE/TWO-POINT RIFLE SLING COYOTE](#)
- Manufacturer: [MAGPUL](#)
- Product no.: 100013977
- Mfr. No.: MAG515-COY
- Colour: Coyote
- Material: Nylon
- Style: Quick Detach

- Width: 1-1/4"
- Delivery weight: 0.272kg
- Shipping height: 51mm
- Shipping width: 114mm
- Shipping length: 445mm
- UPC: 873750010717

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for MS3® GEN2 Single QD MultiMission One/TwoPoint Rifle Sling
- About Us

Safety Instruction Guide for MS3® GEN2 Single QD MultiMission One/TwoPoint Rifle Sling

Introduction

Thank you for choosing the MS3® GEN2 Single QD MultiMission One/TwoPoint Rifle Sling. This guide provides essential safety instructions to ensure the safe use and maintenance of your sling. Please read this document carefully to familiarize yourself with the product and its safe operation.

General Safety Guidelines

- Product Safety: Ensure the sling is used according to the guidelines outlined in this manual to prevent accidents and injuries.
- Enhanced Recalls: Stay informed about any product recalls. The manufacturer will provide standardized recall notices if necessary.
- Online Shopping: When purchasing online, ensure that the retailer complies with safety requirements as outlined in the EU GPSR.
- Special Consumer Focus: Extra care should be taken when using the sling around vulnerable groups, such as children.
- EU Contact Point: For any safety inquiries, refer to the manufacturer's contact information provided with your product.
- Rapid Alerts: Monitor the EU Safety Gate platform for updates on unsafe products related to this sling.

Specific Safety Precautions for Use

- Always inspect the sling before each use for any signs of wear, damage, or malfunction.
- Ensure that all attachment points are secure before using the sling.
- Use the sling only with compatible firearms and attachments as specified in the product description.
- Avoid using the sling in wet or slippery conditions unless it is designed for such use.
- Do not exceed the recommended weight limit of the sling or use it for purposes other than intended.
- Keep the sling away from children and ensure it is stored in a safe location when not in use.

Instructions for Installation and Usage

1. Installation:

- Identify the appropriate mounting points on your firearm (rear and front).
- Attach the rear of the sling to the QD sling socket or Magpul ASAP® as applicable.
- Connect the front of the sling to the compatible attachment point, such as the Magpul RSA® or MLOK® Paraclip™ Sling Mount.
- Ensure that all connections are secure and that the sling is properly adjusted for length.

2. Usage:

- To switch between onepoint and twopoint configurations, follow the manufacturer's instructions carefully.
- Adjust the sling length using the MS1 Slider for a comfortable fit.
- When using in onepoint mode, ensure that the heavyduty pushbutton QD Sling Swivel is securely attached to the weapon.
- For twopoint mode, adjust the sling tension as needed using the lowprofile adjustment Slider.

Disposal Instructions

- Dispose of the sling in accordance with local regulations regarding textile and plastic waste.
- Do not incinerate the sling, as it may release harmful substances.
- If the sling is damaged beyond use, consider recycling materials if possible.

Contact Information for Further Support

For further support or inquiries regarding safety and usage, please refer to the contact information provided with your product. Ensure that you keep the product documentation for future reference.

By following these guidelines, you can ensure safe and effective use of your MS3® GEN2 Single QD MultiMission One/TwoPoint Rifle Sling. Thank you for your attention to safety.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk