

# AR-15/M16 URX III & 3.1 FORENDS - KNIGHTS ARMAMENT AR15 URX 3.1 FOREND 13.5"

[Rifle Parts](#) > [Build Kits](#) > [Handguards & Rails](#)

The KAC URX III & 3.1 Rail is a free floating, fully modular replacement forend for the AR-15 platform. Unlike traditional quad rail designs, the URX 3.1 incorporates short sections of M1913 Picatinny rail at its front and rear ends for mounting tactical accessories, eliminating the commonly unused sections of rail for reduced overall weight and a more comfortable grip. A total of 4 integral QD sling swivel sockets are provided for ambidextrous sling compatibility. Available in 8" or 13.5" lengths. Disassembly of the rifle's gas system and removal of the factory barrel nut will be necessary. This forend uses a proprietary barrel nut that MUST be installed using a KAC URX Barrel Nut Wrench (PN: 20495, Sold Separately). For AR-15/SR-15 based platforms only; not compatible with SR-25 variants. Installation instructions, barrel nut and hardware are included.



## Attributes

- Name: [KNIGHTS ARMAMENT AR15 URX 3.1 FOREND 13.5"](#)
- Manufacturer: [KNIGHTS ARMAMENT](#)
- Product no.: 100015199
- Mfr. No.: 30325
- Colour: Black
- Length: 13.5
- Material: Aluminum
- Style: Picatinny
- Type: Free Float
- Weapon type: AR-15
- Delivery weight: 0.454kg
- Shipping height: 99mm
- Shipping width: 104mm
- Shipping length: 363mm
- UPC: 819064010463

## Item details

Made in USA

US export classification: 0A501.y.1

# Table of Contents

- Startpage
- Safety Instruction Guide for AR15/M16 URX III & 3.1 Forends
- About Us

# Safety Instruction Guide for AR15/M16 URX III & 3.1 Forends

## Introduction

Thank you for choosing the KAC URX III & 3.1 Rail for your AR15 platform. This guide provides important safety instructions and guidelines to ensure the safe use and installation of your new forend. Please read this document carefully before using the product.

## General Safety Guidelines

- **Product Safety:** Ensure that you are using the product according to the provided guidelines to avoid any risks associated with improper use.
- **Online Shopping:** If purchased online, verify that the seller meets all safety requirements as outlined by EU regulations.
- **Enhanced Recalls:** Stay informed about any product recalls or safety notices. You can check updates on the EU's Safety Gate platform.
- **Vulnerable Groups:** Keep this product out of reach of children and ensure that it is used only by individuals who are familiar with firearm safety.
- **EU Contact Point:** For any safety inquiries, please refer to the appropriate EU contact point for assistance.
- **Rapid Alerts:** Be aware of the Safety Gate system for timely updates on any unsafe products.

## Specific Safety Precautions for Use

- **Compatibility:** This forend is designed exclusively for AR15/SR15 platforms. It is NOT compatible with SR25 variants.
- **Installation:** The installation requires disassembly of the rifle's gas system and removal of the factory barrel nut. Use only the KAC URX Barrel Nut Wrench (PN: 20495) for installation.
- **Sling Swivel Sockets:** Ensure that the QD sling swivel sockets are used properly to maintain sling safety.
- **Weight Considerations:** Be aware of the weight specifications (8.6 oz for the 8" variant and 13.8 oz for the 13.5" variant) to maintain balance and handling during use.

## Instructions for Installation and Usage

### 1. Preparation:

- Ensure that the firearm is unloaded and in a safe condition before beginning installation.
- Gather all necessary tools, including the KAC URX Barrel Nut Wrench.

### 2. Disassembly:

- Carefully disassemble the rifle's gas system according to the manufacturer's instructions.
- Remove the factory barrel nut to prepare for the installation of the KAC URX forend.

### 3. Installation:

- Align the proprietary barrel nut with the rifle and secure it using the KAC URX Barrel Nut Wrench.
- Attach the URX III or 3.1 forend to the newly installed barrel nut.
- Ensure that the forend is securely fastened and that there is no movement.

### 4. Final Checks:

- Inspect the forend for any signs of improper installation or damage.
- Test the QD sling swivel sockets to ensure they are functioning correctly.

## 5. Usage:

- Use the forend as intended, ensuring that all accessories are mounted securely to the Picatinny rail sections.
- Regularly check the forend and accessories for wear and ensure that all components are functioning safely.

## Disposal Instructions

- **Disposal of Product:** When the product reaches the end of its life cycle, dispose of it in accordance with local regulations for electronic waste and materials.
- **Recycling:** Where possible, recycle materials such as aluminum and plastic to minimize environmental impact.

## Contact Information for Further Support

For any questions or concerns regarding the KAC URX III & 3.1 Forends, please refer to your local authorized dealer or the manufacturer's website for support and additional information.

Thank you for your attention to these safety guidelines. Enjoy your product safely and responsibly.

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)