

# MKIII™ 22/45™ LCI INSERT - TANDEMKROSS RUGER MKIII 22/45 LCI INSERT, BLACK

[Handgun Parts](#) > [Slide Parts](#) > [Slide Hardware](#) > [Slide Inserts](#)

This high quality steel replacement insert for the 22/45™ and Mark III™ series pistol will allow you to remove the existing plastic parts which can simplify cleaning and can reduce feeding and ejection problems. Installs in minutes; this part ships with necessary set screw and allen wrench to get the job done. Improve the appearance and make cleaning easy by upgrading your pistol today.



## Attributes

- Name: [TANDEMKROSS RUGER MKIII 22/45 LCI INSERT, BLACK](#)
- Manufacturer: [TANDEMKROSS](#)
- Product no.: 100016516
- Mfr. No.: TK04N0003BLK1
- Model: Mark III
- Weapon type: Ruger
- Delivery weight: 0.007kg
- Shipping height: 2mm
- Shipping width: 76mm
- Shipping length: 146mm
- UPC: 041609920023

## Item details

Made in USA

US export classification: 0A501.x

# Table of Contents

- [Startpage](#)
- [MKIII™ 22/45™ LCI INSERT Safety Instruction Guide](#)
- [About Us](#)

# MKIII™ 22/45™ LCI INSERT Safety Instruction Guide

## Introduction

Thank you for choosing the MKIII™ 22/45™ LCI INSERT by TANDEM KROSS. This guide provides important safety information, installation instructions, and usage guidelines to ensure the safe operation of your product. Please read this guide carefully before use.

## General Safety Guidelines

- Ensure that the product is used only as intended and in accordance with this guide.
- Regularly inspect the product for signs of wear or damage.
- Keep the product out of reach of children and vulnerable individuals.
- Report any unsafe conditions or accidents to the appropriate authorities.
- Stay informed about product recalls through the EU's Safety Gate platform.

## Specific Safety Precautions for Use

- Always ensure the firearm is unloaded before installing or removing the insert.
- Use caution when handling tools, such as the provided allen wrench, to avoid injury.
- Do not modify the insert or use it in a manner not specified in this guide.
- Ensure that all parts are securely installed before using the firearm.
- If you experience feeding or ejection problems, cease use immediately and inspect the insert.

## Instructions for Installation and Usage

### Installation Instructions

1. **Preparation:** Ensure the firearm is unloaded and the area is clear of any obstructions.
2. **Remove Existing Parts:**
  - Carefully remove the existing plastic parts from your MKIII™ 22/45™.
  - Use appropriate tools if necessary, ensuring not to damage the firearm.
3. **Install the LCI Insert:**
  - Align the MKIII™ 22/45™ LCI INSERT with the designated area of the firearm.
  - Insert the necessary set screw and tighten it using the provided allen wrench.
4. **Final Check:**
  - Ensure that the insert is securely in place and that there are no loose parts.
  - Conduct a visual inspection before using the firearm.

### Usage Instructions

- After installation, operate the firearm as per the manufacturer's guidelines.
- Regularly clean the firearm to maintain optimal performance.
- If any issues arise during operation, consult a qualified gunsmith or contact customer support.

## Disposal Instructions

- Dispose of the product in accordance with local regulations.
- Do not dispose of the product in regular household waste.
- Consider recycling options available in your area.

## **Contact Information for Further Support**

For any inquiries regarding safety, installation, or product performance, please contact your local TANDEMKROSS representative or visit their official website for more information.

Thank you for your attention to these safety instructions. By following these guidelines, you can ensure a safe and enjoyable experience with your MKIII™ 22/45™ LCI INSERT.

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)