

RECON-S NO OFFSET SCOPE MOUNT - AMERICAN DEFENSE MANUFACTURING 34MM 0 MOA SCOPE MOUNT, BLACK

[Optics & Mounting](#) > [Rings, Mounts & Bases](#) > [Mount Sets](#)

Rock-Solid Mounts With Quick-Detach System

Quick-release lever-lock system clamps solidly to flattop rail and will not work loose even under heavy recoil—the more force acting on the lever, the tighter it locks. Depress the release tab to swing the lever open, and the mount easily lifts off the rifle. Adjustable with a flat head screwdriver or even a coin for an ultra-secure, no-slip fit on almost any Picatinny or Weaver-style rail, including over- or under-sized commercial rails. Lever may be configured to lock to the front or the rear to suit the operator's preference. Large locking bar on the side of the mount engages the maximum amount of rail area, while the crossbolt and two integral locking lugs ensure rock-solid engagement of rail slots to prevent movement under recoil. Five heavy duty steel hex head screws (three on top, two on bottom) clamp the vertically split ring halves together. Cutouts in the ring sides and in the base reduce weight without sacrificing strength. Quick-Release Scope Mount one-piece base with dual-lever system provides the same solid mounting and fast removal and reattachment.



Attributes

- Name: [AMERICAN DEFENSE MANUFACTURING 34MM 0 MOA SCOPE MOUNT, BLACK](#)
- Manufacturer: [AMERICAN DEFENSE MANUFACTURING](#)
- Product no.: 100017123
- Mfr. No.: ADRECONS34STD
- Elevation: 0 MOA
- Finish: Matte Black
- Height: -
- Make: -
- Scope Tube Diameter: 34mm
- Style: Quick Detach,Picatinny
- Delivery weight: 0.288kg
- Shipping height: 57mm
- Shipping width: 89mm
- Shipping length: 197mm
- UPC: 818503012242

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for RECONS NO OFFSET SCOPE MOUNT
- About Us

Safety Instruction Guide for RECONS NO OFFSET SCOPE MOUNT

Introduction

Thank you for choosing the RECONS No Offset Scope Mount from American Defense Manufacturing. This guide provides essential safety instructions, installation procedures, and usage tips to ensure the safe and effective use of your scope mount. Please read this guide carefully before using the product.

General Safety Guidelines

- Ensure that the scope mount is compatible with your rifle and scope before installation.
- Always follow the manufacturer's instructions for installation and usage.
- Inspect the scope mount for any signs of damage or wear before each use.
- Keep the scope mount and all accessories out of reach of children.
- Do not use the scope mount if you suspect it is damaged or malfunctioning.
- Report any unsafe products or accidents to the relevant authorities.
- Regularly check for recall updates on the EU's Safety Gate platform.

Specific Safety Precautions for Use

- **Recoil Management:** The quickrelease leverlock system is designed to securely clamp to the flattop rail. However, ensure that the mount is properly tightened to prevent any movement during heavy recoil.
- **Installation Tools:** Use a flat head screwdriver or a coin for adjustments. Ensure that you do not overtighten the screws to avoid damaging the mount.
- **Locking Mechanism:** The lever can be configured to lock either to the front or rear. Confirm that it is locked in your preferred position before use.
- **Weight Considerations:** The scope mount is designed to reduce weight without sacrificing strength. Make sure the total weight of the mounted scope does not exceed the recommended limits for your rifle.
- **Environmental Conditions:** Avoid using the scope mount in extreme weather conditions that could affect its performance.

Instructions for Installation and Usage

Installation Steps

1. **Preparation:** Ensure that the rifle is unloaded and pointed in a safe direction.
2. **Select the Rail:** Choose an appropriate Picatinny or Weaverstyle rail for mounting.
3. **Position the Mount:** Align the scope mount over the selected rail slot.
4. **Secure the Mount:**
 - Use a flat head screwdriver or coin to tighten the locking screws.
 - Ensure the large locking bar engages the rail securely.
5. **Check Alignment:** Confirm that the scope mount is level and aligned with the rifle's barrel.
6. **Lock the Lever:**
 - If desired, configure the lever to lock to the front or rear.
 - Ensure it is locked tightly before proceeding.

Usage Instructions

- **Mounting the Scope:**
 - Place the scope into the rings of the mount.
 - Tighten the hex head screws (three on top, two on bottom) to secure the scope.
 - Ensure the scope is properly aligned and level.
- **Adjustments:** Make any necessary adjustments to the scope settings according to the manufacturer's

instructions.

- **Removal:**

- To remove the scope mount, depress the release tab and swing the lever open.
- Lift the mount off the rifle carefully.

Disposal Instructions

- Dispose of the scope mount and any packaging materials in accordance with local regulations.
- Do not dispose of the product in household waste. Check for local recycling options for metal and plastic components.

Contact Information for Further Support

For any inquiries or support regarding the RECONS No Offset Scope Mount, please refer to the manufacturer's website or contact their customer support.

Thank you for following these safety instructions. Your attention to detail will help ensure a safe and enjoyable experience with your new scope mount.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk