

AR-15 M-LOK RAIL COVER TYPE 1 POLYMER - MAGPUL RAIL COVER TYPE 1 M-LOK POLYMER 9.5" FOR AR-15 BLACK 2/PACK

[Rifle Parts](#) > [Forend & Handguard Parts](#) > [Handguard & Rail Accessories](#) > [Rail Covers](#)

M-LOK Type 1 Rail Covers are low-profile and light weight covers that install directly onto M-LOK compatible systems. Made of an extremely heat resistant material, these covers offer an enhanced gripping surface. At 9.5" in length they cover six full M-LOK slots but can be cut to be customized for length or combination of colors. Includes two panels.



Attributes

- Name: [MAGPUL RAIL COVER TYPE 1 M-LOK POLYMER 9.5" FOR AR-15 BLACK 2/PACK](#)
- Manufacturer: [MAGPUL](#)
- Product no.: 100017431
- Mfr. No.: MAG602-BLK
- Colour: Black
- Length: 9.5
- Material: Rubber
- Style: M-LOK
- Weapon type: AR-15
- Delivery weight: 0.05kg
- Shipping height: 38mm
- Shipping width: 38mm
- Shipping length: 165mm
- UPC: 873750006062

Item details

Made in USA

Table of Contents

- Startpage
- AR15 MLOK Rail Cover Type 1 Safety Instructions
- About Us

AR15 MLOK Rail Cover Type 1 Safety Instructions

Introduction

Thank you for choosing the AR15 MLOK Rail Cover Type 1. This product is designed to enhance the functionality and comfort of your AR15 firearm. Please read this safety instruction guide carefully to ensure safe and effective use of the rail covers.

General Safety Guidelines

- Ensure that the product is used only for its intended purpose.
- Always handle firearms with care and follow all safety protocols.
- Keep the product out of reach of children and vulnerable individuals.
- Regularly inspect the rail covers for any signs of damage or wear.
- Report any unsafe products or incidents to the appropriate authorities.
- Stay informed about recalls or safety alerts through the EU Safety Gate platform.

Specific Safety Precautions for Use

- **Heat Resistance:** The rail covers are made from a heatresistant material. Avoid exposing them to extreme heat sources to prevent damage.
- **Installation:** Ensure the rail covers are securely installed to prevent them from becoming loose during use.
- **Customization:** If you choose to cut the rail covers for a custom fit, use appropriate tools and wear safety gear to avoid injury.
- **Grip:** The enhanced gripping surface is designed for better handling. However, ensure your hands are clean and dry while using the firearm to maintain a secure grip.

Instructions for Installation and Usage

1. Preparation:

- Gather all necessary tools for installation, including a cutting tool if customization is required.
- Ensure your AR15 is unloaded and in a safe condition before proceeding.

2. Installation:

- Align the MLOK rail covers with the desired MLOK slots on your AR15.
- Press the rail covers firmly into place until you hear a click, indicating they are securely attached.
- For custom length, measure the desired length on the rail cover and cut with a sharp tool, ensuring a straight edge for proper fit.

3. Usage:

- Once installed, test the stability of the rail covers by gently pulling on them.
- Use the rail covers to enhance grip while handling the firearm.
- Regularly check the rail covers for any signs of wear or loosening.

Disposal Instructions

- Dispose of the rail covers in accordance with local regulations for plastic waste.
- Do not incinerate the product as it may release harmful substances.
- If the product is damaged, ensure it is disposed of safely to prevent injury.

Contact Information for Further Support

For any questions or concerns regarding the AR15 MLOK Rail Cover Type 1, please refer to the manufacturer's guidelines or customer service resources available through the retail platform where the product was purchased.

Thank you for your attention to these safety instructions. Your safety and satisfaction are our top priorities.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk