

# PADDED VICKERS SLING - BLUE FORCE GEAR PADDED VICKERS COMBAT SLING-OD GREEN

[Shooting Accessories](#) > [Slings & Sling Swivels](#) > [Slings](#)

Able to quickly transition from carrying a slung rifle comfortably to combat ready, the patent pending Quick Adjuster has bridged the gap between the two primary uses of weapon slings - from transporting to fighting. All Vickers Slings™ are built with precision and pride right here at home in the US with superior materials. Padded Vickers Sling™ 1.25" sling webbing 2.00" tubular webbing with closed cell foam padding Overall length is adjustable to accomodate different sized weapons, with or without body armor Maximum Sling Length - 57" with the Adjuster tightened / 67" fully extended



## Attributes

- Name: [BLUE FORCE GEAR PADDED VICKERS COMBAT SLING-OD GREEN](#)
- Manufacturer: [BLUE FORCE GEAR](#)
- Product no.: 100017896
- Mfr. No.: VCAS-200-OA-OD
- Colour: O.D. Green
- Material: Cordura
- Style: 2-point Sling
- Width: 1-1/4"
- Delivery weight: 0.272kg
- Shipping height: 409mm
- Shipping width: 84mm
- Shipping length: 104mm
- UPC: 814520017390

## Item details

Made in USA

# Table of Contents

- Startpage
- Safety Instruction Guide for Padded Vickers Sling Blue Force Gear
- About Us

# Safety Instruction Guide for Padded Vickers Sling Blue Force Gear

## Introduction

Thank you for choosing the Padded Vickers Sling by Blue Force Gear. This safety instruction guide provides essential information to ensure the safe use and maintenance of your sling. Please read this guide thoroughly before using the product to avoid any potential hazards.

## General Safety Guidelines

- Ensure the sling is used only for its intended purpose: carrying and supporting firearms.
- Regularly inspect the sling for any signs of wear, damage, or deterioration before each use.
- Do not exceed the maximum sling length of 67 inches when fully extended.
- Keep the sling away from children and vulnerable individuals to prevent accidental use.
- Follow all local laws and regulations regarding the carrying and use of firearms.

## Specific Safety Precautions for Use

- Always ensure that the weapon is unloaded before attaching or detaching the sling.
- Make sure the sling is securely attached to the weapon before use.
- Avoid using the sling in adverse weather conditions that may affect its performance.
- Do not use the sling if it shows any signs of damage, such as fraying or tearing.
- Be aware of your surroundings and ensure that the sling does not get caught on obstacles during use.

## Instructions for Installation and Usage

### 1. Installation

- Identify the attachment points on your firearm.
- Attach the sling clips to the designated points securely.
- Adjust the length of the sling using the Quick Adjuster to fit your needs.
- Ensure that the sling is tightened appropriately and does not slip during use.

### 2. Usage

- When transitioning from carrying to combat ready, ensure a smooth motion to avoid sudden jerks.
- Adjust the sling length as needed for comfort and functionality while in use.
- Always maintain a firm grip on the firearm when using the sling in a combat situation.

## Disposal Instructions

- Dispose of the sling in accordance with local regulations.
- If the sling is damaged beyond repair, consider recycling materials if possible.
- Do not dispose of the sling in regular household waste if it contains hazardous materials.

## Contact Information for Further Support

For any inquiries regarding safety or product issues, please contact the manufacturer directly through the provided customer service channels. Ensure you have the product details ready for a quicker response.

Thank you for your attention to these safety guidelines. Your safety is our priority. Enjoy using your Padded Vickers Sling responsibly!

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)