

AR-15/M4 MOE-SL MID-LENGTH HANDGUARDS - MAGPUL MOE-SL HANDGUARD M-LOK MID-LENGTH FOR AR-15 BLACK

[Rifle Parts](#) > [Build Kits](#) > [Handguards & Rails](#)

The MOE SL Hand Guard for AR-15/M4 firearms with mid-length gas system and A2 front sight* provides modular flexibility with M-LOK™ accessory slots in a lightweight, sleek, cost effective design. Designed with versatility in mind, M-LOK slots at the two, six, and ten o'clock positions allow the attachment of optional Picatinny rail sections and other accessories for mounting tactical lights, slings, grips, etc. Reinforced, heat-resistant polymer construction provides durability without the weight and expense of an aluminum rail hand guard. A large front extension and lower lip protects the user from the hot front sight gas block assembly and maximizes useable hand guard length.

FEATURES

- Narrow design replaces factory 2-piece, mid-length plastic hand guards
- Easy to install utilizing existing delta ring and ROUND front hand guard retaining cap with A2 front sight assembly*
- Slots at the two, six, and ten o'clock positions for mounting direct-attach M-LOK accessories or M-LOK 1913 Picatinny rail sections
- Reinforced, heat-resistant polymer construction
- Integral riveted aluminum heat shield
- Front lip and long side extensions shields hand from hot sight assembly



Attributes

- Name: [MAGPUL MOE-SL HANDGUARD M-LOK MID-LENGTH FOR AR-15 BLACK](#)
- Manufacturer: [MAGPUL](#)
- Product no.: 100018025
- Mfr. No.: MAG551-BLK
- Colour: Black
- Length: 10.9
- Material: Polymer
- Style: M-LOK
- Type: Drop-In
- Weapon type: AR-15
- Delivery weight: 0.34kg
- Shipping height: 64mm
- Shipping width: 76mm
- Shipping length: 330mm
- UPC: 840815101390

Item details

Made in USA
US export classification: 0A501.y.1

Table of Contents

- Startpage
- Safety Instruction Guide for AR15/M4 MOESL MidLength Handguards
- About Us

Safety Instruction Guide for AR15/M4 MOESL MidLength Handguards

Introduction

Thank you for choosing the AR15/M4 MOESL MidLength Handguards by Magpul. This guide provides essential safety instructions to ensure the safe and effective use of your product. Please read this manual carefully before installation and use.

General Safety Guidelines

- Ensure that you are familiar with the operation of your AR15/M4 firearm before installing the handguards.
- Always follow the manufacturer's guidelines and safety instructions for the firearm.
- Keep the handguards and accessories out of reach of children and vulnerable individuals.
- Regularly inspect the handguards for any signs of damage or wear.
- If you notice any defects, discontinue use immediately and consult a qualified gunsmith or the manufacturer.
- Be aware of your surroundings and ensure that you are in a safe environment when handling firearms.

Specific Safety Precautions for Use

- The handguards are designed for use with AR15/M4 firearms with a midlength gas system and A2 front sight. Ensure compatibility before installation.
- Do not exceed the manufacturer's recommended weight limit for mounted accessories.
- Avoid placing your hands near the gas block assembly during and after firing, as it can become extremely hot.
- Use only compatible MLOK accessories and follow the manufacturer's instructions for attachment.
- Ensure that the front lip and lower lip of the handguard are properly secured to prevent accidental detachment during use.
- Always wear appropriate eye and ear protection when firing your firearm.

Instructions for Installation and Usage

1. Preparation

- Gather necessary tools, including a wrench or pliers for delta ring removal.
- Ensure that your firearm is unloaded and in a safe condition before starting the installation.

2. Installation Steps

- Remove the existing factory handguards by loosening the delta ring and sliding off the handguards.
- Align the MOE SL Handguard with the delta ring and the front handguard retaining cap.
- Slide the handguard into position, ensuring it fits securely against the front sight assembly.
- Resecure the delta ring to hold the handguard in place.

3. Mounting Accessories

- Identify the MLOK slots at the two, six, and ten o'clock positions.
- Attach MLOK accessories or Picatinny rail sections according to the manufacturer's instructions.
- Ensure all accessories are tightened and secure before use.

4. PostInstallation Check

- Inspect the handguard to ensure it is firmly attached and there are no loose components.
- Test the functionality of mounted accessories to confirm they are secure.

Disposal Instructions

- Dispose of the handguards and any associated packaging materials in accordance with local regulations.
- If the product is damaged or no longer usable, consider recycling materials where applicable.
- Do not dispose of the product in regular household waste if it contains hazardous materials.

Contact Information for Further Support

For any inquiries regarding safety or product issues, please refer to the manufacturer's customer service or website for assistance.

Conclusion

By following these safety instructions, you can ensure the safe and effective use of the AR15/M4 MOESL MidLength Handguards. Always prioritize safety and consult professionals when in doubt. Enjoy your shooting experience responsibly.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk