

COLLET NECK SIZER UNDERSIZE MANDRELS - LEE PRECISION 7MM (.282") UNDERSIZE MANDREL

[Reloading](#) > [Reloading Dies](#) > [Replacement Parts & Upgrades](#)

When delivered from the factory, the collet die will grip the bullet with a light press fit with cases of average hardness. Should you desire a tighter fit, you can order one of these 0.002" undersized mandrels.



Attributes

- Name: [LEE PRECISION 7MM \(.282"\) UNDERSIZE MANDREL](#)
- Manufacturer: [LEE PRECISION](#)
- Product no.: 100018914
- Mfr. No.: 90631
- Caliber: 284/7 mm (.284)
- Cartridge: 284 Caliber, 7mm
- Diameter (in): 0.282
- Delivery weight: 0.045kg
- Shipping height: 13mm
- Shipping width: 51mm
- Shipping length: 102mm
- UPC: 734307906313

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for COLLET NECK SIZER UNDERSIZE MANDRELS LEE PRECISION 7MM \(.282"\) UNDERSIZE MANDREL](#)
- [About Us](#)

Safety Instruction Guide for COLLET NECK SIZER UNDERSIZE MANDRELS LEE PRECISION 7MM (.282") UNDERSIZE MANDREL

Introduction

Thank you for choosing the COLLET NECK SIZER UNDERSIZE MANDRELS LEE PRECISION 7MM (.282") UNDERSIZE MANDREL. This product is designed to ensure precision and safety during your reloading process. Please read this safety instruction guide carefully to understand how to use the product safely and effectively.

General Safety Guidelines

- Ensure that the product is used in accordance with the manufacturer's instructions.
- Always handle the mandrel with care to avoid injury.
- Keep the product out of reach of children and vulnerable individuals.
- Regularly inspect the mandrel for any signs of damage or wear before use.
- If you notice any defects, do not use the product and contact the manufacturer for guidance.

Specific Safety Precautions for Use

- Use the mandrel only for its intended purpose – resizing cartridge necks.
- Do not exceed the recommended sizing limits; using an undersized mandrel may lead to improper fit and potential hazards.
- Wear appropriate safety gear, such as safety glasses and gloves, when operating the mandrel.
- Ensure that your workspace is clean and free of obstructions to prevent accidents.
- Do not force the mandrel into the case; it should fit snugly without excessive pressure.

Instructions for Installation and Usage

1. Preparation:

- Ensure that all necessary tools and materials are available before beginning the resizing process.
- Clean the cases thoroughly to remove any debris or contaminants.

2. Installation:

- Insert the undersized mandrel into the collet die according to the manufacturer's instructions.
- Make sure the mandrel is securely positioned before proceeding.

3. Usage:

- Place the case into the collet die, ensuring it is properly aligned.
- Apply a gentle and even pressure to resize the neck of the case.
- If a tighter fit is desired, consider using a different undersized mandrel, but do not exceed the recommended sizing limits.

4. PostUsage:

- After use, remove the mandrel from the die and clean it to prevent corrosion.
- Store the mandrel in a safe, dry place to maintain its integrity.

Disposal Instructions

- Dispose of the product and any associated materials in accordance with local regulations.
- Do not dispose of the product in regular household waste if it is damaged or defective.
- Consider recycling options where available to minimize environmental impact.

Contact Information for Further Support

For any inquiries regarding safety, usage, or product recalls, please refer to the manufacturer's website or contact their customer service for assistance.

By adhering to these safety guidelines and instructions, you can ensure a safe and effective experience with the COLLET NECK SIZER UNDERSIZE MANDRELS LEE PRECISION 7MM (.282") UNDERSIZE MANDREL. Thank you for prioritizing safety in your reloading practices.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk