

# **SUPER CHARGING HANDLES - GEISSELE AUTOMATICS SUPER CHARGING HANDLE FOR AR-15/M16 BLACK**

[Rifle Parts](#) > [Bolt Parts](#) > [Charging Handle Parts](#) > [Charging Handles](#)

New from Geissele, the Super Charging Handle! These handles are ambidextrous and machined from 7075-T6 Aluminum. They are hard anodized in Black or DDC.



## **Attributes**

- Name: [GEISSELE AUTOMATICS SUPER CHARGING HANDLE FOR AR-15/M16 BLACK](#)
- Manufacturer: [GEISSELE AUTOMATICS](#)
- Product no.: 100018941
- Mfr. No.: 05-313B
- Finish: Black
- Hand: Ambidextrous
- Weapon type: AR-15
- Delivery weight: 0.048kg
- Shipping height: 3mm
- Shipping width: 127mm
- Shipping length: 203mm
- UPC: 854014005922

## **Item details**

Made in USA

US export classification: 0A501.x

# Table of Contents

- Startpage
- SUPER CHARGING HANDLES GEISSELE AUTOMATICS SUPER CHARGING HANDLE FOR AR15/M16 BLACK  
Safety Instruction Guide
- About Us

# **SUPER CHARGING HANDLES GEISSELE AUTOMATICS SUPER CHARGING HANDLE FOR AR15/M16 BLACK Safety Instruction Guide**

## **Introduction**

Thank you for choosing the Geissele Automatics Super Charging Handle for your AR15/M16. This product is designed to enhance the functionality of your firearm while ensuring user safety. Please read this safety instruction guide carefully to understand how to use the product safely and effectively.

## **General Safety Guidelines**

- Always treat every firearm as if it is loaded.
- Keep the firearm pointed in a safe direction at all times.
- Store this product and your firearm in a secure location, out of reach of children and unauthorized users.
- Always wear appropriate eye and ear protection when handling firearms.
- Regularly inspect your charging handle and firearm for any signs of wear or damage.
- Follow all local laws and regulations regarding firearm handling and usage.

## **Specific Safety Precautions for Use**

- Ensure that the firearm is unloaded before installing or using the charging handle.
- Do not attempt to use the charging handle if it appears damaged or malfunctioning.
- Avoid using excessive force when operating the charging handle to prevent injury or damage.
- Do not modify the charging handle in any way; alterations can compromise safety and functionality.
- Keep fingers away from the trigger until ready to fire.

## **Instructions for Installation and Usage**

### **Installation**

1. Ensure the firearm is completely unloaded.
2. Remove the existing charging handle from the upper receiver of the firearm by pulling back on the bolt carrier group.
3. Align the Geissele Super Charging Handle with the receiver and insert it into the designated slot.
4. Push the charging handle fully into place and ensure it is securely seated.
5. Reinsert the bolt carrier group into the upper receiver.

### **Usage**

- To operate the charging handle, grasp the handle firmly with one hand.
- Pull the charging handle back to the rear position to chamber a round.
- Release the handle smoothly to allow it to return to the forward position.
- Ensure the firearm is aimed in a safe direction before operating the charging handle.

## **Disposal Instructions**

- Dispose of the product in accordance with local regulations.
- If the charging handle is damaged or no longer usable, do not throw it in regular household waste. Instead, check for local recycling programs or hazardous waste disposal options.

## Contact Information for Further Support

For any inquiries or concerns regarding the Geissele Automatics Super Charging Handle, please refer to the manufacturer's website or customer service for assistance.

By following these safety instructions, you can ensure a safer and more enjoyable experience with your Geissele Automatics Super Charging Handle. Always prioritize safety and responsible firearm handling.

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)