

SUPER PRECISION AR-15 MOUNTS - GEISSELE AUTOMATICS 30MM 0 MOA 1.54" SUPER PRECISION MOUNT, DDC

[Optics & Mounting](#) > [Rings, Mounts & Bases](#) > [Mount Sets](#)

The Geissele AR-15/M4 Super Precision series of scope mounts are optimized for use with an AR-15/M4 upper. The mounting surface spans 7 picatinny sections and utilizes 4 shear lugs. These mounts use Geissele's update of the classic nut and bolt method for clamping the mount to the picatinny rail, which is the most secure method of attaching your scope to your weapon. Each nut and bolt combination provides 1,400 pounds of clamping force, much more than any lever mounting arrangement. The Geissele Super Precision Mounts are available in 7075-T6 high strength aluminum. To create a mount with the best possible return to zero Geissele machines the entire mount from a single piece of billet aluminum. This allows them to add pockets and ribs throughout the mount for added strength and rigidity. It allows them to line bore the caps to each another and then serialize the caps to the body. The line bore operation creates the best possible fit to the body of your scope so that you can apply proper torque without fear of crushing or damaging the body of your scope. Another advantage of machining from a single piece of aluminum is that Geissele is able to create a mount with cap locations that will suit a wide variety of scopes. All mounts are available in zero and 20 MOA cant options, and in either black type 3 hard coat anodize or DDC (Desert Dirt Color) type 3 hard coat anodize.



Attributes

- Name: [GEISSELE AUTOMATICS 30MM 0 MOA 1.54" SUPER PRECISION MOUNT, DDC](#)
- Manufacturer: [GEISSELE AUTOMATICS](#)
- Product no.: 100019402
- Mfr. No.: 05-404S
- Elevation: 0 MOA
- Finish: Dark Desert Color
- Height: -
- Scope Tube Diameter: 30mm
- Style: Picatinny
- Delivery weight: 0.34kg
- Shipping height: 83mm
- Shipping width: 114mm
- Shipping length: 191mm
- UPC: 817953020180

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for Geissele Automatics SUPER PRECISION AR15 MOUNTS
- About Us

Safety Instruction Guide for Geissele Automatics SUPER PRECISION AR15 MOUNTS

Introduction

Thank you for choosing the Geissele Automatics Super Precision AR15 Mount. This guide provides essential safety instructions and usage guidelines to ensure your product is used safely and effectively. Please read this guide carefully before using the product.

General Safety Guidelines

- Ensure the mount is compatible with your specific AR15/M4 upper before installation.
- Regularly inspect the mount for signs of wear or damage. Do not use if damaged.
- Store the mount in a cool, dry place away from direct sunlight to avoid degradation.
- Keep the mount out of reach of children and vulnerable individuals.
- Always follow local laws and regulations regarding firearm accessories.

Specific Safety Precautions for Use

- **Clamping Force:** Ensure that the nuts and bolts are tightened properly to achieve the recommended clamping force of 1,400 pounds. Overtightening can damage the mount or the rail.
- **Scope Compatibility:** Verify that your scope is compatible with the mount specifications, particularly the 30mm tube diameter.
- **Torque Specifications:** Use a torque wrench to apply the recommended torque settings to avoid damaging the mount or scope.
- **Zeroing the Scope:** After installation, ensure that the scope is zeroed properly before use. Follow the manufacturer's instructions for your specific scope model.
- **Avoid Modifications:** Do not alter or modify the mount in any way. Doing so can compromise its integrity and safety.

Instructions for Installation and Usage

1. Preparation:

- Gather all necessary tools, including a torque wrench and appropriate screwdrivers.
- Ensure the mounting surface is clean and free of debris.

2. Installation:

- Align the mount with the picatinny rail on your AR15/M4 upper.
- Insert the shear lugs into the rail slots.
- Using the provided nuts and bolts, secure the mount to the rail. Ensure each bolt is tightened evenly.
- Use a torque wrench to apply the recommended torque settings according to the scope manufacturer's specifications.

3. PostInstallation Check:

- Doublecheck that all bolts are secure and that the mount is firmly attached.
- Check the alignment of the scope and ensure it is properly zeroed.

4. Usage:

- Always handle your firearm responsibly and in accordance with safety guidelines.
- Regularly check the mount and scope for any signs of movement or loosening during use.

Disposal Instructions

- Dispose of the mount in accordance with local regulations.
- If the mount is damaged or no longer usable, consider recycling the aluminum material where facilities exist.

Contact Information for Further Support

For any safety inquiries or assistance, please refer to the contact information provided by your retailer or manufacturer. Ensure you have your product details ready for efficient support.

By following these safety instructions and guidelines, you can ensure a safe and effective experience with your Geissele Automatics Super Precision AR15 Mount. Thank you for your attention to safety.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk