

# **SUPER PRECISION AR-15 HYPER EXTENDED MOUNTS - GEISSELE AUTOMATICS 30MM 0 MOA HYPER EXTENDED AR-15/M4 MOUNT MATTE BLACK**

[Optics & Mounting](#) > [Rings, Mounts & Bases](#) > [Mount Sets](#)

The Geissele AR-15/M4 Super Precision series of scope mounts are optimized for use with an AR-15/M4 upper. The mounting surface spans 7 picatinny sections and utilizes 4 shear lugs. These mounts use Geissele's update of the classic nut and bolt method for clamping the mount to the picatinny rail, which is the most secure method of attaching your scope to your weapon. Each nut and bolt combination provides 1,400 pounds of clamping force, much more than any lever mounting arrangement. The Geissele Super Precision Mounts are available in 7075-T6 high strength aluminum. To create a mount with the best possible return to zero Geissele machines the entire mount from a single piece of billet aluminum. This allows them to add pockets and ribs throughout the mount for added strength and rigidity. It allows them to line bore the caps to each another and then serialize the caps to the body. The line bore operation creates the best possible fit to the body of your scope so that you can apply proper torque without fear of crushing or damaging the body of your scope. Another advantage of machining from a single piece of aluminum is that Geissele is able to create a mount with cap locations that will suit a wide variety of scopes. All mounts are available in zero and 20 MOA cant options, and either black type 3 hard coat anodize or DDC (Desert Dirt Color) type 3 hard coat anodize.



## **Attributes**

- Name: [GEISSELE AUTOMATICS 30MM 0 MOA HYPER EXTENDED AR-15/M4 MOUNT MATTE BLACK](#)
- Manufacturer: [GEISSELE AUTOMATICS](#)
- Product no.: 100019432
- Mfr. No.: 05-374B
- Elevation: 0 MOA
- Finish: Matte Black
- Scope Tube Diameter: 30mm
- Style: Picatinny
- Delivery weight: 0.345kg
- Shipping height: 83mm
- Shipping width: 114mm
- Shipping length: 203mm
- UPC: 817953020326

## **Item details**

Made in USA

# Table of Contents

- Startpage
- Safety Instruction Guide for the SUPER PRECISION AR15 HYPER EXTENDED MOUNTS
- About Us

# Safety Instruction Guide for the SUPER PRECISION AR15 HYPER EXTENDED MOUNTS

## Introduction

Thank you for choosing the Geissele Super Precision AR15 Hyper Extended Mount. This guide is designed to provide you with essential safety information and instructions to ensure safe and effective use of your product. Please read this guide carefully before installation and use.

## General Safety Guidelines

- Ensure that the mount is compatible with your specific AR15/M4 upper before installation.
- Always verify that the mount is securely attached to the picatinny rail before using your firearm.
- Regularly inspect the mount for any signs of wear, damage, or loosening.
- Keep the mount and all related equipment out of reach of children and unauthorized users.
- Use the mount only for its intended purpose as specified in this guide.
- Report any unsafe products or accidents to the relevant authorities.

## Specific Safety Precautions for Use

- Before attaching the mount, ensure that the firearm is unloaded and pointed in a safe direction.
- Use the provided clamping mechanism as instructed to avoid overtightening, which could damage the mount or the picatinny rail.
- If using optics, ensure they are properly secured and compatible with the mount specifications.
- Avoid exposing the mount to extreme temperatures or corrosive substances, as this may affect its integrity.
- If you experience any difficulty during installation or usage, consult a qualified gunsmith.

## Instructions for Installation and Usage

### 1. Preparation:

- Ensure that your firearm is unloaded and in a safe position.
- Gather necessary tools, including a torque wrench, to ensure proper installation.

### 2. Installation Steps:

- Align the mount with the desired picatinny rail section on your AR15/M4 upper.
- Insert the shear lugs into the corresponding slots on the rail.
- Using the nut and bolt combination, secure the mount to the rail:
  - Handtighten the nut onto the bolt.
  - Use a torque wrench to apply the recommended torque (as specified by the manufacturer) to ensure a secure fit.
- Check that the mount is firmly attached and does not wobble.

### 3. Usage:

- Once installed, attach your scope according to the scope manufacturer's instructions.
- Regularly check the mount's integrity and the scope's alignment before each use.

### 4. PostUse Care:

- After use, clean the mount and surrounding areas to prevent buildup of dirt and debris.

- Store the firearm and mount in a secure location.

## **Disposal Instructions**

- Dispose of any packaging materials in accordance with local regulations.
- If the mount is damaged beyond repair, contact your local waste disposal authority for guidance on proper disposal methods.

## **Contact Information for Further Support**

For any inquiries regarding safety or product information, please refer to the manufacturer's contact options provided with your product.

Thank you for your attention to these safety instructions. Your safety and the safety of others is our priority.

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)