

SUPER PRECISION AR-15 HYPER EXTENDED MOUNTS - GEISSELE AUTOMATICS 34MM 0 MOA HYPER EXTENDED AR-15/M4 MOUNT MATTE BLACK

[Optics & Mounting](#) > [Rings, Mounts & Bases](#) > [Mount Sets](#)

The Geissele AR-15/M4 Super Precision series of scope mounts are optimized for use with an AR-15/M4 upper. The mounting surface spans 7 picatinny sections and utilizes 4 shear lugs. These mounts use Geissele's update of the classic nut and bolt method for clamping the mount to the picatinny rail, which is the most secure method of attaching your scope to your weapon. Each nut and bolt combination provides 1,400 pounds of clamping force, much more than any lever mounting arrangement. The Geissele Super Precision Mounts are available in 7075-T6 high strength aluminum. To create a mount with the best possible return to zero Geissele machines the entire mount from a single piece of billet aluminum. This allows them to add pockets and ribs throughout the mount for added strength and rigidity. It allows them to line bore the caps to each another and then serialize the caps to the body. The line bore operation creates the best possible fit to the body of your scope so that you can apply proper torque without fear of crushing or damaging the body of your scope. Another advantage of machining from a single piece of aluminum is that Geissele is able to create a mount with cap locations that will suit a wide variety of scopes. All mounts are available in zero and 20 MOA cant options, and either black type 3 hard coat anodize or DDC (Desert Dirt Color) type 3 hard coat anodize.



Attributes

- Name: [GEISSELE AUTOMATICS 34MM 0 MOA HYPER EXTENDED AR-15/M4 MOUNT MATTE BLACK](#)
- Manufacturer: [GEISSELE AUTOMATICS](#)
- Product no.: 100019436
- Mfr. No.: 05-418B
- Elevation: 0 MOA
- Finish: Matte Black
- Scope Tube Diameter: 34mm
- Style: Picatinny
- Delivery weight: 0.34kg
- Shipping height: 89mm
- Shipping width: 114mm
- Shipping length: 203mm
- UPC: 817953020364

Item details

Made in USA

Table of Contents

- Startpage
- SUPER PRECISION AR15 HYPER EXTENDED MOUNTS USER SAFETY INSTRUCTIONS
- About Us

SUPER PRECISION AR15 HYPER EXTENDED MOUNTS USER SAFETY INSTRUCTIONS

Introduction

Thank you for choosing the Geissele Super Precision AR15 Hyper Extended Mounts. This guide provides essential safety information and instructions for the proper use and maintenance of your scope mount. Please read this guide carefully to ensure safe and effective use of the product.

General Safety Guidelines

- Ensure that the mount is compatible with your scope and firearm before installation.
- Always handle firearms safely and responsibly, following all local laws and regulations.
- Regularly inspect the mount for any signs of wear or damage before each use.
- Do not exceed the recommended torque specifications during installation.
- Keep the product out of reach of children and unauthorized users.
- Report any unsafe conditions or incidents to the appropriate authorities.

Specific Safety Precautions for Use

- **Hazard Identification:**
 - Improper installation may lead to scope misalignment or detachment, posing a risk of injury.
 - Using the mount with incompatible scopes may compromise safety and performance.
- **Avoiding Hazards:**
 - Always use the provided hardware to secure the mount properly.
 - Ensure that the mount is tightened according to the manufacturer's specifications.
 - Do not attempt to modify or alter the mount in any way.
- **Age Specific Warnings:**
 - This product is intended for use by individuals aged 18 and older. Ensure that minors are supervised when in proximity to firearms and related equipment.

Instructions for Installation and Usage

1. Preparation:

- Gather all necessary tools, including a torque wrench and the provided hardware.
- Ensure that your firearm is unloaded and pointed in a safe direction during installation.

2. Installation Steps:

- Position the mount on the picatinny rail of your AR15/M4 upper.
- Align the shear lugs with the rail to ensure a secure fit.
- Insert the bolts through the mount and into the rail.
- Tighten the nuts using a torque wrench to the recommended torque specifications (1,400 pounds of clamping force).
- Verify that the mount is securely attached and does not move.

3. Usage:

- After installation, check the alignment of your scope. Adjust as necessary to ensure proper sighting.
- Regularly check the mount for tightness and integrity during use, especially after extended shooting sessions.

Disposal Instructions

- Dispose of the product in accordance with local regulations for metal and aluminum waste.
- Do not dispose of the mount in regular household waste.
- Contact local recycling centers for proper disposal methods.

Contact Information for Further Support

For questions or concerns regarding the Geissele Super Precision AR15 Hyper Extended Mounts, please refer to the manufacturer's website or customer support resources.

Thank you for your attention to these safety instructions. Your safety and the safety of others depend on your adherence to these guidelines. Enjoy using your Geissele Super Precision AR15 Hyper Extended Mounts responsibly.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk