

VICKERS 2-TO-1 RED SWIVEL SLING - BLUE FORCE GEAR VICKERS 2-TO-1 RED SWIVEL SLING-BLACK

[Shooting Accessories](#) > [Slings & Sling Swivels](#) > [Slings](#)

While 2-point slings are ideal for most situations, there are times, like deploying from a vehicle or fighting in complex structures, when a 1-point sling has a clear advantage. Combining Blue Force Gear's new polymer Burnsed Socket and patented RED Swivel, the Vickers 221 Sling allows users to switch from 2-point to 1-point mode instantly by pulling on the RED Swivel knob and reinserting it in to the Burnsed Socket at the rear of the receiver. The instantaneous adjustability of the sling is still maintained in both 1 and 2 point modes. Constructed similar to the world's standard Vickers Combat Applications Sling™, a RED™ Swivel is sewn to the front of the sling towards the muzzle. A standard push button swivel and new molded Burnsed Socket are woven onto the rear allowing full adjustability of the sling for use with or without body armor. The 221™ Sling fits any weapon with two QD sling swivel sockets with the rear socket towards the end of the receiver. For SCARS, Sigs, HKs, or other weapon systems with eyelets at the rear of the receiver, a Universal Wire Loop with Push Button Socket can be added instead of the included push button socket. Sling Build: 1.25" sling webbing 2.00" tubular webbing with closed cell foam padding for padded models Invista solution dyed CORDURA® webbing ITW GhilleTex™ Acetal hardware - a military grade, low IR plastic RED™ Swivel Build: Machined steel, phosphated for maximum corrosion resistance Nylon coated, double crimped directly to 7 strand stainless steel aircraft cable Textured spheroid-conical shaped pull knob Stainless Steel internals



Attributes

- Name: [BLUE FORCE GEAR VICKERS 2-TO-1 RED SWIVEL SLING-BLACK](#)
- Manufacturer: [BLUE FORCE GEAR](#)
- Product no.: 100019656
- Mfr. No.: VCAS-2TO1-RED-125-AA-BK
- Colour: Black
- Material: Nylon
- Style: 1-point Sling, 2-point Sling
- Width: 1-1/4"
- Delivery weight: 0.172kg
- Shipping height: 38mm
- Shipping width: 152mm
- Shipping length: 152mm
- UPC: 814520019912

Item details

Made in USA

Table of Contents

- Startpage
- Vickers 2to1 Red Swivel Sling Safety Instructions
- About Us

Vickers 2to1 Red Swivel Sling Safety Instructions

Introduction

Thank you for choosing the Vickers 2to1 Red Swivel Sling from Blue Force Gear. This product is designed for versatility and ease of use in various tactical situations. To ensure your safety and the optimal performance of the sling, please read and follow these safety instructions carefully.

General Safety Guidelines

- Always inspect the sling before use for any signs of wear or damage.
- Ensure that the sling is compatible with your weapon system before installation.
- Do not exceed the weight limit of the sling; check the manufacturer's specifications.
- Keep the sling away from sharp objects, heat sources, and chemicals that may cause damage.
- Store the sling in a cool, dry place when not in use.
- Be aware of your surroundings when using the sling to avoid accidents or injuries.

Specific Safety Precautions for Use

- Ensure the sling is securely attached to the weapon before use.
- Always use the sling in accordance with the manufacturer's instructions.
- Avoid using the sling in adverse weather conditions that may affect its performance.
- Do not modify or alter the sling in any way, as this may compromise its safety and functionality.
- When transitioning between 1point and 2point modes, ensure that the RED Swivel is properly secured in the Burnsed Socket.
- Keep the sling away from children and unauthorized users.

Instructions for Installation and Usage

1. Installation:

- Identify the QD sling swivel sockets on your weapon.
- Attach the rear end of the sling to the rear QD socket.
- Attach the front end of the sling to the front QD socket.
- Ensure both connections are secure before proceeding.

2. Switching Modes:

- To switch from 2point to 1point mode, pull on the RED Swivel knob.
- Remove the RED Swivel from the current position and insert it into the Burnsed Socket at the rear of the receiver.
- Ensure that the knob is fully inserted and locked into place before use.

3. Adjusting Length:

- Use the Acetal triglides on the sling to adjust the length as needed.
- Ensure that the sling is adjusted for comfort and secure fit.

4. Usage:

- When using the sling, ensure that it is properly adjusted to prevent slippage.
- Maintain control of your weapon at all times while using the sling.

Disposal Instructions

- Dispose of the sling in accordance with local regulations.
- If the sling is damaged or no longer usable, recycle materials where possible.
- Do not dispose of the sling in regular household waste if it contains hazardous materials.

Contact Information for Further Support

For additional support and inquiries regarding safety, please refer to the manufacturer's official contact channels. Ensure that you have the product details ready for more efficient assistance.

By following these safety instructions, you can help ensure a safe and effective experience with your Vickers 2to1 Red Swivel Sling. Thank you for your attention to these guidelines.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk