

SIDELOK TRIJICON MRO MOUNT LOWER 1/3 - KINETIC DEVELOPMENT GROUP LLC SIDELOK Trijicon MRO Mount Lower 1/3 Co-Witness

The Sidelok is a revolutionary new mounting system for optics. The patented cam system locks the mount down onto picatinny without the need of tools, side levers, or huge knobs. The release system allows users to change out there optics on the fly with less hassle. The 2 levels of locks (MRO Mount) ensure the optic will not move unintentionally, maintaining zero for the shooter, and returning to zero when remounting in same position after removal. This mount utilizes a lower 1/3 co-witness.



Attributes

- Name: KINETIC DEVELOPMENT GROUP LLC SIDELOK Trijicon MRO Mount Lower 1/3 Co-Witness
- Manufacturer: KINETIC DEVELOPMENT GROUP LLC
- Product no.: 100019720
- Mfr. No.: SID5220
- Color: Matte Black
- Fits / Used For: Trijicon MRO
- Delivery weight: 0.118kg
- Shipping height: 38mm
- Shipping width: 102mm
- Shipping length: 146mm
- UPC: 851064007265

Item details

Made in USA

US export classification: 0A501.y.2.

Table of Contents

- [Startpage](#)
- [English: SIDELOK Trijicon MRO Mount Lower 1/3 CoWitness Safety Instructions](#)
- [Polski: Instrukcja Bezpieczeństwa dla Montażu SIDELOK Trijicon MRO Lower 1/3](#)

SIDELOK Trijicon MRO Mount Lower 1/3 CoWitness Safety Instructions

Introduction

Thank you for choosing the SIDELOK Trijicon MRO Mount Lower 1/3 CoWitness from Kinetic Development Group LLC. This innovative mounting system is designed to provide secure and reliable optics for your shooting needs. Please read this safety instruction guide carefully to ensure safe and effective use of the product.

General Safety Guidelines

- Ensure safe use of the mount by following all instructions in this guide.
- Be aware of potential risks associated with the use of optical mounts.
- Always inspect the mount before use to ensure it is in good condition.
- Keep the mount out of reach of children and vulnerable individuals.
- Report any unsafe conditions or accidents to the relevant authorities.
- Stay informed about product recalls through the EU's Safety Gate platform.

Specific Safety Precautions for Use

- Always ensure that the mount is securely attached to the picatinny rail before use.
- Avoid using excessive force when attaching or detaching the mount to prevent damage.
- Do not modify the mount in any way, as this may compromise its safety and functionality.
- Ensure that the optic is properly secured in the mount to maintain zero.
- If the mount or optic shows signs of wear or damage, discontinue use immediately and contact support.

Instructions for Installation and Usage

1. Installation

- Clean the picatinny rail area where the mount will be installed.
- Align the mount with the desired position on the rail.
- Press down on the mount to engage the patented cam system.
- Ensure that the mount is locked in place without the need for tools or side levers.
- Verify that the mount is securely attached by attempting to move it gently.

2. Usage

- Before each use, check that the optic is securely mounted and that the lock mechanism is engaged.
- Adjust the optic as necessary for your shooting needs, ensuring that it returns to zero after removal and remounting.
- If you need to change optics, follow the release system instructions to do so without hassle.
- After use, store the mount in a safe, dry place away from moisture and extreme temperatures.

Disposal Instructions

- Dispose of the mount according to local regulations for electronic and mechanical waste.
- Do not dispose of the mount in regular household waste.
- If you are unsure about disposal, contact your local waste management authority for guidance.

Contact Information for Further Support

For further assistance or inquiries regarding safety concerns, please reach out to the designated contact point provided with your product packaging.

Thank you for your attention to these safety instructions. Enjoy your experience with the SIDELOK Trijicon MRO Mount Lower 1/3 CoWitness!

Instrukcja Bezpieczeństwa dla Montażu SIDELOK Trijicon MRO Lower 1/3

Wprowadzenie

Dziękujemy za zakup montażu SIDELOK Trijicon MRO Lower 1/3. Niniejsza instrukcja ma na celu zapewnienie bezpieczeństwa użytkownika oraz prawidłowego montażu i użytkowania produktu. Prosimy o dokładne zapoznanie się z poniższymi informacjami.

Ogólne zasady bezpieczeństwa

- Upewnij się, że produkt jest używany zgodnie z jego przeznaczeniem.
- Przechowuj produkt w miejscu niedostępnym dla dzieci.
- Regularnie sprawdzaj stan montażu, aby upewnić się, że nie ma uszkodzeń.
- Zgłaszaj wszelkie niebezpieczne sytuacje lub wypadki odpowiednim władzom.
- Sprawdzaj aktualizacje dotyczące wycofań produktów na platformie Safety Gate UE.

Specyficzne środki ostrożności podczas użytkowania

- Używaj montażu tylko z optyką kompatybilną z Trijicon MRO.
- Nie próbuj modyfikować montażu ani używać go w sposób niezgodny z instrukcją.
- Upewnij się, że montaż jest prawidłowo zainstalowany przed każdym użyciem.
- Nie używaj montażu, jeśli zauważysz jakiegokolwiek uszkodzenia lub zużycie.

Instrukcje dotyczące instalacji i użytkowania

1. Przygotowanie do montażu

- Sprawdź, czy masz wszystkie niezbędne narzędzia i elementy montażowe.
- Upewnij się, że miejsce montażu jest czyste i suche.

2. Montaż

- Umieść montaż na szynie picatinny, upewniając się, że jest odpowiednio ustawiony.
- Naciśnij dźwignię blokującą, aby zabezpieczyć montaż na szynie. Upewnij się, że dźwignia jest całkowicie zablokowana.
- Sprawdź, czy montaż jest stabilny i nie przemieszcza się.

3. Instalacja optyki

- Umieść optykę na zamontowanym montażu.
- Skorzystaj z systemu zwalniania, aby szybko wymienić optykę, jeśli zajdzie taka potrzeba.
- Upewnij się, że optyka jest prawidłowo zamocowana i nie ma luzów.

4. Użytkowanie

- Używaj montażu zgodnie z jego przeznaczeniem.
- Regularnie sprawdzaj, czy montaż i optyka są w dobrym stanie.

Instrukcje dotyczące utylizacji

- Utylizuj produkt zgodnie z lokalnymi przepisami dotyczącymi odpadów.
- Nie wyrzucaj produktu do zwykłych śmieci, jeśli zawiera materiały niebezpieczne.

Informacje kontaktowe w celu uzyskania dalszego wsparcia

- W razie pytań lub potrzeby dodatkowych informacji, skontaktuj się z lokalnym przedstawicielem lub producentem.

Dziękujemy za przestrzeganie tych zasad bezpieczeństwa. Życzymy udanych i bezpiecznych doświadczeń z produktem SIDELOK Trijicon MRO Lower 1/3.