

#5 MAGNUM LEAD SHOT 25 LBS/BAG

[Reloading](#) > [Shot](#)

Building on 100 years of shot-making experience, the folks at Lawrence design their shot to pattern tightly and deliver deep penetration on game. Flows great through shotshell reloaders, too. Magnum Lead Shot is made out of a high-antimony alloy that gives extra hardness and helps prevent pellet deformation at high velocities and pressures. Graphite coating helps pellets to flow smoothly through the loader. Sold by the bag.



Attributes

- Name: [LAWRENCE BRAND SHOT #5 MAGNUM LEAD SHOT 25 LBS/BAG](#)
- Manufacturer: [LAWRENCE BRAND SHOT](#)
- Product no.: 100020101
- Mfr. No.: LAW#5M
- Shot Size: #5
- Delivery weight: 11.34kg
- UPC: 654367417010

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for LAWRENCE BRAND SHOT #5 MAGNUM LEAD SHOT](#)
- [About Us](#)

Safety Instruction Guide for LAWRENCE BRAND SHOT #5 MAGNUM LEAD SHOT

Introduction

Thank you for choosing LAWRENCE BRAND SHOT #5 MAGNUM LEAD SHOT. This product is designed for safe and effective use in shooting sports. To ensure your safety and the safety of others, please read and follow the guidelines provided in this instruction guide.

General Safety Guidelines

- Always handle lead shot with care and respect.
- Ensure that the product is stored in a cool, dry place away from direct sunlight.
- Keep the product out of reach of children and unauthorized individuals.
- Use protective gear, such as safety glasses and gloves, when handling lead shot.
- Be aware of your surroundings and ensure a safe shooting environment.
- Familiarize yourself with local laws and regulations regarding the use of lead shot.

Specific Safety Precautions for Use

- **Hazard Identification:** Lead exposure can be harmful. Avoid inhaling dust or fumes generated during handling. Improper use can lead to accidental discharge. Always follow safe handling practices.
- **Avoiding Hazards:** Do not eat, drink, or smoke while handling lead shot. Wash hands thoroughly after handling lead shot to remove any residue. Dispose of any unused or excess lead shot in accordance with local regulations.
- **Age-Specific Warnings:** This product is not intended for use by individuals under the age of 18 without adult supervision. Ensure that minors are educated about the safe handling and usage of lead shot.

Instructions for Installation and Usage

- **Preparation:** Ensure that your shotshell reloader is compatible with #5 lead shot. Read the manufacturer's instructions for your reloader before beginning the loading process.
- **Loading the Shotshell:** Measure the appropriate amount of lead shot according to your reloader's specifications. Carefully pour the lead shot into the shotshell, avoiding spills. Follow the reloader's instructions for sealing the shotshell securely.
- **During Use:** Always point the firearm in a safe direction. Wear appropriate hearing protection and eye protection while shooting. Ensure that the area is clear of people and obstacles before firing.
- **After Use:** Store any remaining lead shot in a secure container. Clean your equipment and workspace to prevent lead contamination.

Disposal Instructions

- Dispose of any unused lead shot in accordance with local environmental regulations.
- Do not dispose of lead shot in regular household waste.
- Check for local recycling programs or hazardous waste disposal facilities that accept lead materials.

Contact Information for Further Support

For any safety inquiries or further support, please refer to the official contact channels provided by the manufacturer. Ensure to check for any updates regarding product recalls or safety alerts through the EU's Safety Gate platform.

By following these safety instructions, you can help ensure a safe and enjoyable experience with LAWRENCE

BRAND SHOT #5 MAGNUM LEAD SHOT. Thank you for your attention to safety!

About Us

Brownells Europe

Brownells Europe - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

P.O.Box 4300
Warwick
CV34 9BR

www.brownells.eu