

# PISTOL MAXIMUM CARTRIDGE GAUGES - LYMAN PISTOL MAXIMUM CARTRIDGE GAUGE - .40 S&W

[Reloading](#) > [Measuring Tools](#) > [Case Gauges & Headspace Tools](#)

Lyman maximum cartridge gauges check all critical dimensions of pistol ammunition to insure proper functioning. These precision made gauges allow the reloader to check the case length, diameter and overall cartridge length of pistol ammunition. This inspection is considered mandatory by top competitive shooters who demand 100% reliability for their competition ammo.



## Attributes

- Name: [LYMAN PISTOL MAXIMUM CARTRIDGE GAUGE - .40 S&W](#)
- Manufacturer: [LYMAN](#)
- Product no.: 100020155
- Mfr. No.: 7832332
- Cartridge: 40 S&W
- Delivery weight: 0.077kg
- Shipping height: 28mm
- Shipping width: 66mm
- Shipping length: 127mm
- UPC: 011516723321

## Item details

Made in USA

# Table of Contents

- [Startpage](#)
- [PISTOL MAXIMUM CARTRIDGE GAUGES Safety Instruction Guide](#)
- [About Us](#)

# PISTOL MAXIMUM CARTRIDGE GAUGES Safety Instruction Guide

## Introduction

Thank you for choosing the Lyman Pistol Maximum Cartridge Gauge .40 S&W. This product is designed to ensure the safe and effective functioning of your pistol ammunition by checking critical dimensions. Please read this safety instruction guide carefully to ensure proper usage and to maintain safety standards in compliance with the EU General Product Safety Regulation (GPSR).

## General Safety Guidelines

- Always handle the cartridge gauge with care to avoid injury.
- Keep the gauge out of reach of children and vulnerable individuals.
- Regularly inspect the gauge for any signs of damage or wear.
- Use the gauge only for its intended purpose, which is to measure .40 S&W cartridge dimensions.
- Follow all local laws and regulations regarding the use of ammunition and firearm accessories.

## Specific Safety Precautions for Use

- Before using the gauge, ensure that the area is free from distractions and hazards.
- Do not use the gauge if you are under the influence of drugs or alcohol.
- Always wear appropriate safety gear, including eye protection, when handling ammunition.
- Ensure that your hands are clean and dry before handling the gauge and cartridges.
- Never attempt to measure live ammunition with the gauge; use only unloaded cartridges.
- If you notice any irregularities during measurement, stop using the gauge and consult a qualified professional.

## Instructions for Installation and Usage

### 1. Preparation:

- Ensure that you have a clean, flat surface to work on.
- Gather your unloaded .40 S&W cartridges and the Lyman cartridge gauge.

### 2. Using the Gauge:

- Hold the gauge firmly in one hand.
- Insert the cartridge into the gauge, ensuring it is fully seated.
- Check the following dimensions:
  - Case length
  - Diameter
  - Overall cartridge length
- Refer to the specifications provided for acceptable measurements.

### 3. PostUse Care:

- Remove the cartridge from the gauge after measurement.
- Store the gauge in a safe, dry place when not in use.
- Regularly clean the gauge according to the manufacturer's instructions to maintain its precision.

## **Disposal Instructions**

- Dispose of the cartridge gauge in accordance with local regulations regarding electronic and plastic waste.
- Ensure that all cartridges used with the gauge are disposed of safely and in compliance with local laws.

## **Contact Information for Further Support**

For any inquiries regarding safety, usage, or concerns about the Lyman Pistol Maximum Cartridge Gauge, please refer to the manufacturer's contact details provided with the product packaging.

By following these safety instructions, you can ensure a safe and effective experience with your Lyman Pistol Maximum Cartridge Gauge. Thank you for prioritizing safety in your reloading practices.

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)