

MOULD HANDLES - LYMAN 4 CAVITY MOULD HANDLES

[Reloading](#) > [Bullet Casting](#) > [Casting Moulds](#) > [Mould Handles](#)

Provides a secure and consistent grip on all Lyman single- and double-cavity moulds with slotted screws. Hardwood grips thoroughly insulate the hands from heat and the rugged metal frame easily attaches to the mould for a secure grip. Warning: Melting lead and casting lead objects will expose you and others in the area to lead, which is known to cause birth defects, other reproductive harm and cancer. See Instructions on Reducing Exposure supplied with product.



Attributes

- Name: [LYMAN 4 CAVITY MOULD HANDLES](#)
- Manufacturer: [LYMAN](#)
- Product no.: 100020159
- Mfr. No.: 2735794
- Delivery weight: 0.49kg
- Shipping height: 32mm
- Shipping width: 89mm
- Shipping length: 318mm
- UPC: 011516257949

Table of Contents

- Startpage
- MOULD HANDLES LYMAN 4 CAVITY MOULD HANDLES Safety Instruction Guide
- About Us

MOULD HANDLES LYMAN 4 CAVITY MOULD HANDLES Safety Instruction Guide

Introduction

Thank you for choosing the Lyman 4 Cavity Mould Handles. These handles are designed to provide a secure and consistent grip on all Lyman single and double cavity moulds. This guide contains essential safety instructions and guidelines to ensure safe and effective use of the product.

General Safety Guidelines

- Always read and understand the safety instructions before using the product.
- Ensure the product is suitable for your specific mould type.
- Keep the product out of reach of children and vulnerable individuals.
- Regularly inspect the mould handles for any signs of wear or damage before use.
- Be aware of the risks associated with melting and casting lead, including exposure to harmful substances.

Specific Safety Precautions for Use

- **Heat Protection:** The hardwood grips insulate your hands from heat; however, avoid direct contact with hot surfaces.
- **Lead Exposure:** Melting lead and casting lead objects can expose you to lead. Follow these precautions:
 - Work in a wellventilated area.
 - Use personal protective equipment (PPE) such as gloves and masks.
 - Wash hands thoroughly after handling lead materials.
- **Secure Attachment:** Ensure that the mould handles are securely attached to the mould before use to prevent accidents.
- **Proper Handling:** Handle the mould with care, especially when it is hot or contains molten lead.

Instructions for Installation and Usage

1. Installation:

- Align the mould handles with the slotted screws on the mould.
- Tighten the screws securely to ensure the handles are firmly attached.
- Check that the handles are stable and do not wobble before proceeding.

2. Usage:

- Always wear appropriate PPE when using the mould handles.
- Ensure the mould is properly heated before attempting to cast.
- Use the handles to lift and manipulate the mould with both hands for better control.
- After use, allow the mould to cool before handling it further.

Disposal Instructions

- Dispose of any damaged or wornout mould handles according to local regulations.
- Do not throw the product in regular household waste. Check for local recycling programs or hazardous waste disposal facilities.

Contact Information for Further Support

For safety inquiries or additional support, please refer to the manufacturer's contact information provided with your product packaging.

Conclusion

By following these safety instructions and guidelines, you can ensure a safe and effective experience with the Lyman 4 Cavity Mould Handles. Always prioritize safety and be aware of potential hazards when working with lead and moulds. Thank you for your attention to these important safety measures.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk