

TOP PUNCHES LYMAN/RCBS STYLE - SAEKO TOP PUNCHES LYMAN/RCBS TYPE #3032

[Reloading](#) > [Bullet Casting](#) > [Top Punches](#)

Straight shank type top punches designed to fit the Lyman and RCBS Lubrisizers and SAEKO bullets.



Attributes

- Name: [SAEKO TOP PUNCHES LYMAN/RCBS TYPE #3032](#)
- Manufacturer: [SAEKO](#)
- Product no.: 100020316
- Mfr. No.: 46509
- Delivery weight: 0.068kg
- Shipping height: 10mm
- Shipping width: 76mm
- Shipping length: 128mm
- UPC: 611760465093

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for TOP PUNCHES LYMAN/RCBS STYLE SAEKO TOP PUNCHES LYMAN/RCBS TYPE #3032
- About Us

Safety Instruction Guide for TOP PUNCHES

LYMAN/RCBS STYLE SAEKO TOP PUNCHES

LYMAN/RCBS TYPE #3032

Introduction

Thank you for choosing the TOP PUNCHES LYMAN/RCBS STYLE SAEKO TOP PUNCHES LYMAN/RCBS TYPE #3032. This guide provides essential safety instructions to ensure the safe and effective use of this product. Please read this document carefully before using the product.

General Safety Guidelines

- Ensure that the product is used only for its intended purpose as described in this guide.
- Always inspect the product for any signs of damage or wear before use.
- Keep the product out of reach of children and vulnerable individuals.
- Follow all local regulations regarding the use and disposal of this product.
- In case of any accidents or injuries, report them to the relevant authorities.
- Regularly check for updates regarding product recalls on the EU's Safety Gate platform.

Specific Safety Precautions for Use

- Use the product only with compatible Lyman and RCBS Lubrisizers and SAEKO bullets.
- Avoid using excessive force when inserting or removing the top punch from the lubrisizer.
- Wear appropriate personal protective equipment (PPE), such as gloves and safety glasses, when using the product.
- Do not modify the product in any way, as this may compromise safety and performance.
- Store the product in a dry, cool place when not in use to prevent corrosion or damage.

Instructions for Installation and Usage

1. Installation:

- Ensure the lubrisizer is disconnected from any power source before installation.
- Align the top punch with the lubrisizer's attachment point.
- Gently insert the top punch into the attachment point until it is securely in place.
- Check that the top punch is stable and does not wobble.

2. Usage:

- Load the lubrisizer with the appropriate SAEKO bullets.
- Operate the lubrisizer according to the manufacturer's instructions.
- Periodically check the top punch for any signs of wear or damage during use.
- After use, remove the top punch carefully and clean it if necessary.

Disposal Instructions

- Dispose of the product in accordance with local regulations regarding metal products.
- Do not dispose of the product in household waste.
- Consider recycling the product if possible, to minimize environmental impact.

Contact Information for Further Support

For any questions or concerns regarding the safety and use of the TOP PUNCHES LYMAN/RCBS STYLE SAECO TOP PUNCHES LYMAN/RCBS TYPE #3032, please reach out to the manufacturer or your point of purchase for assistance.

Thank you for your attention to these safety instructions. Your safety and satisfaction are our top priorities.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk