

TSR-W PICATINNY/WEAVER SCOPE RINGS - TPS PRODUCTS TSR-W ALUMINUM RINGS 1" LOW

[Optics & Mounting](#) > [Rings, Mounts & Bases](#) > [Scope Rings](#)

TSR "W" Series Rings, precisely machined from an alloy steel billet, with tolerances held to .0002", give maximum scope/ring contact. Holds scope securely against recoil. Four-screw cap lets you align the reticle, tighten the left side of the cap, then the right side without the scope rotating. Radiused edges and corners help prevent snagging while providing attractive appearance. Large, clamp-nut lets you torque rings to Weaver-style or Mil-STD 1913 (Picatinny) bases.



Attributes

- Name: [TPS PRODUCTS TSR-W ALUMINUM RINGS 1" LOW](#)
- Manufacturer: [TPS PRODUCTS](#)
- Product no.: 100020417
- Mfr. No.: 30620
- Finish: -
- Height: .785"
- Material: Aluminum
- Scope Tube Diameter: 1"
- Size: Low
- Style: -
- Delivery weight: 0.163kg
- Shipping height: 64mm
- Shipping width: 64mm
- Shipping length: 95mm
- UPC: 071611306201

Item details

Made in USA

Table of Contents

- Startpage
- TSRW Picatinny/Weaver Scope Rings Safety Instructions
- About Us

TSRW Picatinny/Weaver Scope Rings Safety Instructions

Introduction

Thank you for choosing the TSRW Picatinny/Weaver Scope Rings from TPS Products. This product is designed to provide a secure and stable mount for your scope. To ensure safe and effective use of these scope rings, please read the following safety instructions carefully.

General Safety Guidelines

- Ensure that the product is used only for its intended purpose.
- Always follow the manufacturer's instructions for installation and use.
- Regularly inspect the scope rings for any signs of wear or damage.
- Keep the product out of reach of children and unauthorized users.
- Report any unsafe products or accidents to the appropriate authorities.
- Check for recall updates on the EU's Safety Gate platform.

Specific Safety Precautions for Use

• Potential Hazards:

- Improper installation may lead to scope misalignment or detachment.
- Using the product with incompatible scopes or bases can result in damage.

• Avoiding Hazards:

- Always ensure that the scope rings are compatible with your scope and mounting base.
- Do not exceed the recommended torque settings when tightening the screws.
- Ensure that the scope is properly secured before use to avoid accidents.

Instructions for Installation and Usage

1. Installation:

- Ensure you have the necessary tools (typically a torque wrench and appropriate screwdrivers).
- Remove the scope from its packaging and inspect for any damage.
- Align the scope rings with the mounting base (Weaverstyle or Picatinny).
- Place the scope into the rings and adjust for desired eye relief.
- Tighten the screws in a crisscross pattern to ensure even pressure:
 - Start with the left side of the cap, then tighten the right side.
- Ensure that the scope remains level and does not rotate during tightening.

2. Usage:

- After installation, check that the scope is firmly attached and properly aligned.
- Regularly check the tightness of the screws, especially after heavy use or recoil.
- If you notice any movement or misalignment, recheck the installation and tighten as necessary.

Disposal Instructions

- Dispose of the product in accordance with local regulations.

- Do not dispose of the product in household waste.
- Consider recycling the aluminum components if possible.

Contact Information for Further Support

For any questions or concerns regarding the use of TSRW Picatinny/Weaver Scope Rings, please refer to the manufacturer's website or customer service for assistance.

Thank you for your attention to these safety instructions. Enjoy your shooting experience with confidence and safety!

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk