

AR-15 CLAMP ON ADJUSTABLE GAS BLOCK - SUPERLATIVE ARMS

AR-15 CLAMP ON ADJUSTABLE GAS BLOCK .625" BLACK

[Rifle Parts](#) > [Gas System Parts](#) > [Gas Blocks](#)

The Superlative Arms patented "Bleed Off", direct impingement, gas block for the AR15 platform adjusts the gas flow by bleeding the gas out of the block instead of restricting the flow like conventional adjustable blocks. Results: The pressure used in the block is reduced only to the amount required to drive the bolt carrier. The remaining gas / pressure are bled out of the block allowing the system to run much cleaner and cooler. Reduction of felt recoil. Patented adjustment detent is located outside of the block and therefore no contamination. The gas adjustment screw does not restrict the gas flow; therefore there is no erosion or seizing of the screw / no loss of detent due to carbon build up. Although it is removable, we have added a safety mechanism, which stops you from unintentionally backing the screw all the way out. When using SBR's and / or suppressors the bleed off port allows the excessive pressure to be exhausted out of the block reducing blow back.

Data: Gas Block Material: 416 SS Barrel Diameter: 0.625" Weight: 1.34 oz.

Length: 1.00" Attachment Type: Clamp on Adjustment: Front of Block

Included: Gas Block - Assembled (2) 10-32 x 3/16" Socket Head Cap Screws

(1) Gas Tube Roll Pins (1) 3/32 X 6" L-Shaped Hex Keys Installation

Instructions & QR code for video tutorial



Attributes

- Name: [SUPERLATIVE ARMS AR-15 CLAMP ON ADJUSTABLE GAS BLOCK .625" BLACK](#)
- Manufacturer: [SUPERLATIVE ARMS](#)
- Product no.: 100020567
- Mfr. No.: SABO-DI-625CM
- Inside Diameter: .625
- Material: Stainless Steel
- Style: Adjustable,Clamp-On
- Weapon type: AR-15
- Delivery weight: 0.077kg
- Shipping height: 44mm
- Shipping width: 89mm
- Shipping length: 191mm
- UPC: 850011846001

Item details

Made in USA

US export classification: 0A501.x

Table of Contents

- Startpage
- Safety Instruction Guide for AR15 Clamp On Adjustable Gas Block
- About Us

Safety Instruction Guide for AR15 Clamp On Adjustable Gas Block

Introduction

Thank you for purchasing the Superlative Arms AR15 Clamp On Adjustable Gas Block. This product is designed to enhance the performance of your AR15 platform while providing a cleaner and cooler operation. Please read this safety instruction guide carefully to ensure safe and effective use of the gas block.

General Safety Guidelines

- Always ensure the firearm is unloaded before installation or maintenance.
- Use personal protective equipment (PPE) such as safety glasses and gloves during installation.
- Follow all local laws and regulations regarding firearm modifications.
- Keep the product out of reach of children and unauthorized users.
- Regularly inspect the gas block for wear or damage before use.
- Do not use the gas block if it shows signs of damage or malfunction.
- Report any unsafe products or accidents to the relevant authorities.

Specific Safety Precautions for Use

- Ensure that the gas block is compatible with your specific AR15 configuration.
- Be aware of the potential hazards associated with firearms, including accidental discharge.
- When adjusting the gas flow, do so gradually and test the firearm in a controlled environment.
- Avoid using the gas block with excessive pressure settings that may lead to firearm failure.
- Always follow the manufacturer's recommendations for installation and usage.

Instructions for Installation and Usage

Installation Instructions

1. Gather Required Tools:

- 1032 x 3/16" Socket Head Cap Screws
- Gas Tube Roll Pins
- 3/32 X 6" LShaped Hex Keys

2. Prepare the Firearm:

- Ensure the firearm is unloaded and pointed in a safe direction.
- Remove the existing gas block if applicable.

3. Install the Gas Block:

- Align the gas block with the barrel of the firearm.
- Secure the gas block using the provided screws, ensuring it is tightly fastened.
- Insert the gas tube roll pins to secure the gas tube in place.

4. Adjust the Gas Flow:

- Locate the gas adjustment screw on the front of the block.
- Use the provided hex key to make adjustments as necessary.
- Test the adjustment in a safe environment, making further adjustments as needed.

5. Final Inspection:

- Doublecheck all connections and ensure there are no loose parts.
- Verify that the gas block is properly aligned and secured.

Usage Instructions

- After installation, perform a function check of the firearm to ensure proper operation.
- Monitor the performance of the gas block during use, paying attention to any unusual behavior such as excessive recoil or failure to cycle.
- If using SBRs or suppressors, ensure the bleedoff port is functioning correctly to reduce blowback.
- Regularly clean and maintain the gas block to prevent carbon buildup and ensure optimal performance.

Disposal Instructions

- Dispose of the gas block in accordance with local regulations regarding firearm parts.
- Do not dispose of the gas block in regular household waste.
- If the product is damaged or no longer usable, consider recycling metal components where possible.

Contact Information for Further Support

For any questions or concerns regarding this product, please consult the manufacturer's website or contact their customer support directly. Ensure that you have your product information ready for reference.

Thank you for following these safety instructions. Your safety and the safety of others is of utmost importance. Enjoy using your Superlative Arms AR15 Clamp On Adjustable Gas Block responsibly.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk