

AR-15 CLAMP ON ADJUSTABLE GAS BLOCK - SUPERLATIVE ARMS

AR-15 CLAMP ON ADJUSTABLE GAS BLOCK .625" STAINLESS

[Rifle Parts](#) > [Gas System Parts](#) > [Gas Blocks](#)

The Superlative Arms patented "Bleed Off", direct impingement, gas block for the AR15 platform adjusts the gas flow by bleeding the gas out of the block instead of restricting the flow like conventional adjustable blocks. Results: The pressure used in the block is reduced only to the amount required to drive the bolt carrier. The remaining gas / pressure are bled out of the block allowing the system to run much cleaner and cooler. Reduction of felt recoil. Patented adjustment detent is located outside of the block and therefore no contamination. The gas adjustment screw does not restrict the gas flow; therefore there is no erosion or seizing of the screw / no loss of detent due to carbon build up. Although it is removable, we have added a safety mechanism, which stops you from unintentionally backing the screw all the way out. When using SBR's and / or suppressors the bleed off port allows the excessive pressure to be exhausted out of the block reducing blow back.

Data: Gas Block Material: 416 SS Barrel Diameter: 0.625" Weight: 1.34 oz.

Length: 1.00" Attachment Type: Clamp on Adjustment: Front of Block

Included: Gas Block - Assembled (2) 10-32 x 3/16" Socket Head Cap Screws

(1) Gas Tube Roll Pins (1) 3/32 X 6" L-Shaped Hex Keys Installation

Instructions & QR code for video tutorial



Attributes

- Name: [SUPERLATIVE ARMS AR-15 CLAMP ON ADJUSTABLE GAS BLOCK .625" STAINLESS](#)
- Manufacturer: [SUPERLATIVE ARMS](#)
- Product no.: 100020568
- Mfr. No.: SABO-DI-625CS
- Inside Diameter: .625
- Material: Stainless Steel
- Style: Adjustable,Clamp-On
- Weapon type: AR-15
- Delivery weight: 0.077kg
- Shipping height: 51mm
- Shipping width: 93mm
- Shipping length: 191mm
- UPC: 850011846018

Item details

Made in USA

US export classification: 0A501.x

Table of Contents

- Startpage
- Safety Instruction Guide for AR15 Clamp On Adjustable Gas Block
- About Us

Safety Instruction Guide for AR15 Clamp On Adjustable Gas Block

Introduction

Thank you for choosing the Superlative Arms AR15 Clamp On Adjustable Gas Block. This guide provides essential safety instructions to ensure the safe and effective use of this product. Please read this manual carefully before installation and usage.

General Safety Guidelines

- Ensure that the product is used only for its intended purpose as specified in this guide.
- Always wear appropriate safety gear, including eye protection, when handling firearms and related equipment.
- Keep the product out of reach of children and unauthorized users.
- Regularly check for any signs of wear or damage to the gas block and associated components.
- Report any unsafe conditions or incidents to the appropriate authorities.

Specific Safety Precautions for Use

• Installation Precautions:

- Ensure the firearm is unloaded before installation.
- Use the proper tools as specified in the installation instructions.

• Operational Safety:

- Do not exceed the recommended gas settings as this may lead to malfunctions or damage.
- Monitor the gas block for any unusual sounds or performance issues during operation.

• Maintenance:

- Regularly clean the gas block to prevent carbon buildup and ensure optimal performance.
- Inspect the adjustment screw for signs of erosion and ensure it operates smoothly.

Instructions for Installation and Usage

1. Preparation:

- Gather the required tools: (1) 3/32 X 6" LShaped Hex Key and (2) 1032 x 3/16" Socket Head Cap Screws.
- Ensure the barrel diameter is compatible with the gas block (.625").

2. Installation Steps:

- Ensure the firearm is completely unloaded and safe to handle.
- Remove any existing gas block if applicable.
- Position the Superlative Arms gas block on the barrel, ensuring proper alignment.
- Secure the gas block using the provided socket head cap screws, tightening them evenly to avoid misalignment.
- Insert the gas tube and secure it with the roll pins as provided.

3. Adjustment:

- Locate the gas adjustment screw on the front of the block.
- Adjust the gas flow according to your specific needs, ensuring that it does not exceed the recommended settings.
- Test the adjustment in a safe environment before regular use.

4. PostInstallation:

- Conduct a function check to ensure the gas block operates correctly.
- Monitor for any leaks or unusual operation during the initial usage.

Disposal Instructions

- Dispose of the product responsibly in accordance with local regulations.
- Do not dispose of the gas block in regular household waste.
- Consider recycling options for metal components where available.

By following these safety instructions, you can help ensure a safe and enjoyable experience with your Superlative Arms AR15 Clamp On Adjustable Gas Block. Thank you for your attention to safety.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk