

AR-15 CLAMP ON ADJUSTABLE GAS BLOCK - SUPERLATIVE ARMS

AR-15 CLAMP ON ADJUSTABLE GAS BLOCK .750" STAINLESS

[Rifle Parts](#) > [Gas System Parts](#) > [Gas Blocks](#)

The Superlative Arms patented "Bleed Off", direct impingement, gas block for the AR15 platform adjusts the gas flow by bleeding the gas out of the block instead of restricting the flow like conventional adjustable blocks. Results: The pressure used in the block is reduced only to the amount required to drive the bolt carrier. The remaining gas / pressure are bled out of the block allowing the system to run much cleaner and cooler. Reduction of felt recoil. Patented adjustment detent is located outside of the block and therefore no contamination. The gas adjustment screw does not restrict the gas flow; therefore there is no erosion or seizing of the screw / no loss of detent due to carbon build up. Although it is removable, we have added a safety mechanism, which stops you from unintentionally backing the screw all the way out. When using SBR's and / or suppressors the bleed off port allows the excessive pressure to be exhausted out of the block reducing blow back.

Data: Gas Block Material: 416 SS Barrel Diameter: 0.625" Weight: 1.34 oz.

Length: 1.00" Attachment Type: Clamp on Adjustment: Front of Block

Included: Gas Block - Assembled (2) 10-32 x 3/16" Socket Head Cap Screws

(1) Gas Tube Roll Pins (1) 3/32 X 6" L-Shaped Hex Keys Installation

Instructions & QR code for video tutorial



Attributes

- Name: [SUPERLATIVE ARMS AR-15 CLAMP ON ADJUSTABLE GAS BLOCK .750" STAINLESS](#)
- Manufacturer: [SUPERLATIVE ARMS](#)
- Product no.: 100020572
- Mfr. No.: SABODI750CS
- Inside Diameter: .750
- Material: Stainless Steel
- Style: Adjustable,Clamp-On
- Weapon type: AR-15
- Delivery weight: 0.084kg
- Shipping height: 44mm
- Shipping width: 95mm
- Shipping length: 191mm
- UPC: 850011846056

Item details

Made in USA

US export classification: 0A501.x

Table of Contents

- Startpage
- Safety Instruction Guide for Superlative Arms AR15 Clamp On Adjustable Gas Block
- About Us

Safety Instruction Guide for Superlative Arms AR15 Clamp On Adjustable Gas Block

Introduction

Thank you for choosing the Superlative Arms AR15 Clamp On Adjustable Gas Block. This product has been designed to enhance the performance of your AR15 platform while ensuring safety during its use. Please read this guide carefully to understand the safety measures, installation, and maintenance procedures to ensure optimal performance and safety.

General Safety Guidelines

- Always treat your firearm as if it is loaded.
- Ensure that you are familiar with your firearm and its operation before using this gas block.
- Use only compatible components with the AR15 platform.
- Regularly inspect the gas block for any signs of wear or damage.
- Keep the gas block and surrounding areas clean to prevent malfunctions.
- Follow all local laws and regulations regarding the use of firearms and firearm accessories.
- Store this product in a dry, secure location away from children and unauthorized users.

Specific Safety Precautions for Use

- Do not attempt to modify the gas block beyond the manufacturer's specifications.
- Ensure that the gas adjustment screw is securely tightened before use.
- Avoid using excessive force when adjusting the gas flow to prevent damage.
- Always wear appropriate eye protection when firing your firearm.
- Be cautious of blowback when using Short Barrel Rifles (SBRs) or suppressors.
- If you experience any unusual behavior from your firearm, cease use immediately and consult a qualified gunsmith.

Instructions for Installation and Usage

1. Preparation

- Gather all necessary tools: (2) 1032 x 3/16" Socket Head Cap Screws, (1) Gas Tube Roll Pin, and (1) 3/32 x 6" LShaped Hex Key.

2. Installation Steps

- Ensure the firearm is unloaded and pointed in a safe direction.
- Remove the existing gas block if applicable.
- Clean the barrel surface where the gas block will be installed.
- Position the Superlative Arms gas block over the barrel, aligning it with the gas port.
- Secure the gas block using the provided screws. Tighten them evenly to ensure a secure fit.
- Install the gas tube using the gas tube roll pin, ensuring it is properly seated.
- Use the Lshaped hex key to adjust the gas flow as needed, following the manufacturer's guidelines.

3. Usage

- After installation, perform a function check to ensure the gas block operates correctly.
- Adjust the gas flow according to your specific shooting needs, ensuring the adjustment screw is not overtightened.

- Regularly check for any gas leaks or signs of wear during use.

Disposal Instructions

- Dispose of the gas block in accordance with local regulations.
- If the product is damaged or no longer in use, ensure it is rendered unusable before disposal.
- Recycle any metal components where applicable.

Contact Information for Further Support

For any questions or concerns regarding the Superlative Arms AR15 Clamp On Adjustable Gas Block, please refer to the manufacturer's website or contact their customer support for assistance.

Conclusion

Following these safety instructions will help ensure that you use the Superlative Arms AR15 Clamp On Adjustable Gas Block safely and effectively. Always prioritize safety and stay informed about best practices in firearm use and maintenance. Thank you for your attention to these important guidelines.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk