

# AR-15 SOLID ADJUSTABLE GAS BLOCK - SUPERLATIVE ARMS AR-15 SOLID ADJUSTABLE GAS BLOCK .750" STAINLESS STEEL

[Rifle Parts](#) > [Gas System Parts](#) > [Gas Blocks](#)

The Superlative Arms patented "Bleed Off", direct impingement, gas block for the AR15 platform adjusts the gas flow by bleeding the gas out of the block instead of restricting the flow like conventional adjustable blocks. Results: The pressure used in the block is reduced only to the amount required to drive the bolt carrier. The remaining gas / pressure are bled out of the block allowing the system to run much cleaner and cooler. Reduction of felt recoil. Patented adjustment detent is located outside of the block and therefore no contamination. The gas adjustment screw does not restrict the gas flow; therefore there is no erosion or seizing of the screw / no loss of detent due to carbon build up. Although it is removable, we have added a safety mechanism, which stops you from unintentionally backing the screw all the way out. When using SBR's and / or suppressors the bleed off port allows the excessive pressure to be exhausted out of the block reducing blow back.

Data: Gas Block Material: 416 SS Barrel Diameter: 0.625" Weight: 1.37 oz. Length: 1.00" Attachment Type: Solid Gas Adjustment: 30 Locked Positions, Front Of Block Bleed Off Port: Front Of Block Included: Gas Block - Assembled (2) 10-32 x 3/16" Set Screws (1) Gas Tube Roll Pins (1) 3/32 X 6" L-Shaped Hex Keys Installation Instructions & QR code for video tutorial



## Attributes

- Name: [SUPERLATIVE ARMS AR-15 SOLID ADJUSTABLE GAS BLOCK .750" STAINLESS STEEL](#)
- Manufacturer: [SUPERLATIVE ARMS](#)
- Product no.: 100020574
- Mfr. No.: SABO-DI-750SS
- Inside Diameter: .750
- Material: Stainless Steel
- Style: Adjustable
- Weapon type: AR-15
- Delivery weight: 0.086kg
- Shipping height: 44mm
- Shipping width: 95mm
- Shipping length: 191mm
- UPC: 850011846070

## Item details

Made in USA

US export classification: 0A501.x

# Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for AR15 Solid Adjustable Gas Block](#)
- [About Us](#)

# Safety Instruction Guide for AR15 Solid Adjustable Gas Block

## Introduction

Thank you for choosing the Superlative Arms AR15 Solid Adjustable Gas Block. This product is designed to improve the performance of your AR15 platform by providing adjustable gas flow. It is important to read and follow these safety instructions to ensure safe and effective use of the gas block.

## General Safety Guidelines

- Ensure that the gas block is installed correctly and securely before use.
- Always handle firearms with care and follow all safety protocols.
- Keep the gas block and its components out of reach of children and unauthorized users.
- Regularly inspect the gas block for any signs of wear or damage.
- Report any unsafe products or incidents to the appropriate authorities.
- Stay informed about recall updates on the EU Safety Gate platform.

## Specific Safety Precautions for Use

- Always wear appropriate safety gear, including eye protection, when operating firearms.
- Do not exceed the recommended gas settings for your specific firearm configuration.
- Avoid using the gas block with incompatible components or modifications.
- Ensure that the bleedoff port is not obstructed during operation.
- If using SBRs (ShortBarreled Rifles) or suppressors, monitor for excessive pressure and adjust accordingly.
- Be cautious of the adjustment screw; do not back it out completely to prevent loss or contamination.

## Instructions for Installation and Usage

### Installation

1. **Gather Required Tools:** Ensure you have the following tools ready:
  - (1) 3/32 X 6" LShaped Hex Key
  - (2) 1032 x 3/16" Set Screws
  - (1) Gas Tube Roll Pin
2. **Prepare the Barrel:** Clean the area where the gas block will be installed to ensure proper fit.
3. **Install the Gas Block:**
  - Slide the gas block onto the barrel, ensuring it is positioned correctly with respect to the gas port.
  - Secure the gas block using the provided set screws. Tighten them evenly to avoid misalignment.
  - Insert the gas tube roll pin to secure the gas tube in place.
4. **Adjusting Gas Flow:**
  - Locate the gas adjustment screw on the block.
  - Use the Lshaped hex key to adjust the gas flow. Turn clockwise to reduce gas flow and counterclockwise to increase it.
  - Make adjustments in small increments and test the firearm after each adjustment.

## **Usage**

- Before each use, inspect the gas block and ensure all components are secure.
- Fire the firearm in a safe environment, following all standard firearm safety practices.
- Monitor the performance of the gas block during use, making adjustments as necessary for optimal function.

## **Disposal Instructions**

- At the end of the product's life cycle, dispose of the gas block in accordance with local regulations regarding metal products.
- Do not dispose of the gas block in regular household waste.
- Consider recycling options for stainless steel components.

## **Contact Information for Further Support**

For any questions or concerns regarding the AR15 Solid Adjustable Gas Block, please refer to the manufacturer's contact information provided with your product purchase.

Thank you for your attention to these safety guidelines. Enjoy your enhanced shooting experience with the Superlative Arms AR15 Solid Adjustable Gas Block.

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)