

AR-15 CLAMP ON ADJUSTABLE GAS BLOCK - SUPERLATIVE ARMS

AR-15 CLAMP ON ADJUSTABLE GAS BLOCK .875" BLACK

[Rifle Parts](#) > [Gas System Parts](#) > [Gas Blocks](#)

The Superlative Arms patented "Bleed Off", direct impingement, gas block for the AR15 platform adjusts the gas flow by bleeding the gas out of the block instead of restricting the flow like conventional adjustable blocks. Results: The pressure used in the block is reduced only to the amount required to drive the bolt carrier. The remaining gas / pressure are bled out of the block allowing the system to run much cleaner and cooler. Reduction of felt recoil. Patented adjustment detent is located outside of the block and therefore no contamination. The gas adjustment screw does not restrict the gas flow; therefore there is no erosion or seizing of the screw / no loss of detent due to carbon build up. Although it is removable, we have added a safety mechanism, which stops you from unintentionally backing the screw all the way out. When using SBR's and / or suppressors the bleed off port allows the excessive pressure to be exhausted out of the block reducing blow back.

Data: Gas Block Material: 416 SS Barrel Diameter: 0.625" Weight: 1.34 oz.

Length: 1.00" Attachment Type: Clamp on Adjustment: Front of Block

Included: Gas Block - Assembled (2) 10-32 x 3/16" Socket Head Cap Screws

(1) Gas Tube Roll Pins (1) 3/32 X 6" L-Shaped Hex Keys Installation

Instructions & QR code for video tutorial



Attributes

- Name: [SUPERLATIVE ARMS AR-15 CLAMP ON ADJUSTABLE GAS BLOCK .875" BLACK](#)
- Manufacturer: [SUPERLATIVE ARMS](#)
- Product no.: 100020575
- Mfr. No.: SABO-DI-875CM
- Inside Diameter: .875
- Material: Stainless Steel
- Style: Adjustable,Clamp-On
- Weapon type: AR-15
- Delivery weight: 0.088kg
- Shipping height: 51mm
- Shipping width: 95mm
- Shipping length: 191mm
- UPC: 850011846087

Item details

Made in USA

US export classification: 0A501.x

Table of Contents

- Startpage
- Safety Instruction Guide for AR15 Clamp On Adjustable Gas Block
- About Us

Safety Instruction Guide for AR15 Clamp On Adjustable Gas Block

Introduction

Thank you for choosing the Superlative Arms AR15 Clamp On Adjustable Gas Block. This product is designed to enhance the performance of your AR15 platform while ensuring safety during usage. Please read this safety instruction guide carefully to understand how to use and maintain the gas block safely and effectively.

General Safety Guidelines

- Ensure safe use of the gas block by following all instructions provided in this guide.
- Always treat firearms and firearm components with respect and caution.
- Keep the gas block and all firearm components out of reach of children and unauthorized users.
- Familiarize yourself with the gas block's features and functions before installation and usage.
- Regularly inspect the gas block for any signs of wear or damage.
- Report any unsafe conditions or accidents to the relevant authorities.

Specific Safety Precautions for Use

- Always ensure the firearm is unloaded before installing or adjusting the gas block.
- Wear appropriate safety gear, including eye protection, when working with firearms.
- Ensure the area is clear of bystanders when testing the firearm with the installed gas block.
- Be aware of the potential for gas blowback when using the gas block with suppressors or shortbarreled rifles (SBRs).
- Do not exceed the recommended gas settings as outlined in the installation instructions.
- Regularly check for carbon buildup and clean the gas adjustment screw to ensure smooth operation.

Instructions for Installation and Usage

Installation Instructions

1. Gather Tools and Components:

- Ensure you have the following tools and components:
 - Gas Block (Assembled)
 - Two 1032 x 3/16" Socket Head Cap Screws
 - One Gas Tube Roll Pin
 - One 3/32 x 6" LShaped Hex Key

2. Prepare the Firearm:

- Ensure the firearm is completely unloaded and pointed in a safe direction.
- Remove the existing gas block if applicable.

3. Install the Gas Block:

- Position the gas block over the barrel, ensuring proper alignment with the gas port.
- Use the provided screws to securely attach the gas block to the barrel, ensuring it is clamped tightly.

4. Insert the Gas Tube:

- Insert the gas tube into the gas block and secure it with the gas tube roll pin.

5. Adjust the Gas Flow:

- Use the gas adjustment screw to set the desired gas flow. Ensure the adjustment detent is functioning properly.

6. Safety Mechanism Check:

- Verify that the safety mechanism prevents the gas adjustment screw from unintentionally backing out.

Usage Instructions

- After installation, perform a function check to ensure the gas block operates correctly.
- Adjust the gas flow as needed based on the type of ammunition used and the configuration of your firearm.
- Regularly check the gas block during use to ensure there are no leaks or issues.

Disposal Instructions

- Dispose of the gas block in accordance with local regulations regarding metal and firearm components.
- Do not dispose of in regular household waste.
- Contact local authorities for guidance on proper disposal methods for firearm components.

Contact Information for Further Support

For further support regarding the AR15 Clamp On Adjustable Gas Block, please refer to the manufacturer's website or customer service resources.

Thank you for your attention to these safety instructions. Your safety and the safety of others depend on your responsible use and maintenance of this product.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk