

AR-15 SOLID ADJUSTABLE GAS BLOCK - SUPERLATIVE ARMS AR-15 SOLID ADJUSTABLE GAS BLOCK .875" BLACK

[Rifle Parts](#) > [Gas System Parts](#) > [Gas Blocks](#)

The Superlative Arms patented "Bleed Off", direct impingement, gas block for the AR15 platform adjusts the gas flow by bleeding the gas out of the block instead of restricting the flow like conventional adjustable blocks. Results: The pressure used in the block is reduced only to the amount required to drive the bolt carrier. The remaining gas / pressure are bled out of the block allowing the system to run much cleaner and cooler. Reduction of felt recoil. Patented adjustment detent is located outside of the block and therefore no contamination. The gas adjustment screw does not restrict the gas flow; therefore there is no erosion or seizing of the screw / no loss of detent due to carbon build up. Although it is removable, we have added a safety mechanism, which stops you from unintentionally backing the screw all the way out. When using SBR's and / or suppressors the bleed off port allows the excessive pressure to be exhausted out of the block reducing blow back.

Data: Gas Block Material: 416 SS Barrel Diameter: 0.625" Weight: 1.37 oz. Length: 1.00" Attachment Type: Solid Gas Adjustment: 30 Locked Positions, Front Of Block Bleed Off Port: Front Of Block Included: Gas Block - Assembled (2) 10-32 x 3/16" Set Screws (1) Gas Tube Roll Pins (1) 3/32 X 6" L-Shaped Hex Keys Installation Instructions & QR code for video tutorial



Attributes

- Name: [SUPERLATIVE ARMS AR-15 SOLID ADJUSTABLE GAS BLOCK .875" BLACK](#)
- Manufacturer: [SUPERLATIVE ARMS](#)
- Product no.: 100020577
- Mfr. No.: SABO-DI-875SM
- Inside Diameter: .875
- Material: Stainless Steel
- Style: Adjustable
- Weapon type: AR-15
- Delivery weight: 0.086kg
- Shipping height: 57mm
- Shipping width: 95mm
- Shipping length: 191mm
- UPC: 850011846100

Item details

Made in USA

US export classification: 0A501.x

Table of Contents

- Startpage
- Safety Instruction Guide for AR15 Solid Adjustable Gas Block
- About Us

Safety Instruction Guide for AR15 Solid Adjustable Gas Block

Introduction

Thank you for choosing the Superlative Arms AR15 Solid Adjustable Gas Block. This product is designed to enhance the performance of your AR15 platform while ensuring safe operation. Please read this safety instruction guide carefully to understand how to use and install the gas block properly, ensuring a safe experience.

General Safety Guidelines

- Always follow the manufacturer's instructions for installation and usage.
- Ensure that the gas block is compatible with your specific AR15 model before use.
- Regularly inspect the gas block for any signs of wear or damage.
- Always use appropriate personal protective equipment (PPE) when handling firearms and related components.
- Keep the gas block and all firearm components out of reach of children and unauthorized users.
- In case of any malfunction or unusual behavior, cease operation immediately and consult a qualified gunsmith.

Specific Safety Precautions for Use

- Ensure the firearm is unloaded before installation or maintenance.
- Be cautious of gas pressure when adjusting the gas block; use appropriate tools to avoid injury.
- Do not attempt to disassemble or modify the gas block beyond the manufacturer's specifications.
- When using Short Barrel Rifles (SBRs) or suppressors, monitor the bleedoff port for proper function.
- Avoid using excessive force when adjusting the gas adjustment screw to prevent damage or injury.
- Always verify that the gas block is securely attached before firing the firearm.

Instructions for Installation and Usage

1. Preparation:

- Ensure that the firearm is completely unloaded and pointed in a safe direction.
- Gather all necessary tools including the provided Lshaped hex keys and set screws.

2. Installation:

- Remove the existing gas block from your AR15 if applicable.
- Align the new gas block with the barrel, ensuring it fits snugly.
- Use the provided 1032 x 3/16" set screws to secure the gas block in place.
- Ensure that the gas adjustment screw is accessible for future adjustments.

3. Gas Adjustment:

- To adjust the gas flow, turn the gas adjustment screw clockwise to decrease gas flow or counterclockwise to increase gas flow.
- Make adjustments in small increments and test fire after each adjustment to find the optimal setting.

4. PostInstallation Check:

- After installation, conduct a thorough check to ensure all components are secure and functioning properly.
- Inspect the bleedoff port for any obstructions or damage.

5. Usage:

- Fire the firearm in a safe environment, paying attention to the performance of the gas block.
- Monitor for any signs of excessive blowback or unusual operation, especially when using suppressors.

Disposal Instructions

- Dispose of the gas block according to local regulations regarding firearm components.
- Do not dispose of the gas block in regular household waste.
- If the product is damaged or no longer in use, consider recycling options available in your area.

Contact Information for Further Support

For any questions or concerns regarding the installation, usage, or safety of the AR15 Solid Adjustable Gas Block, please consult the manufacturer's website or reach out to their customer support for assistance.

By following these safety instructions, you can ensure a safe and enjoyable experience with your AR15 Solid Adjustable Gas Block. Always prioritize safety and proper handling practices when dealing with firearms and their components.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk