

AR-15 SOLID ADJUSTABLE GAS BLOCK - SUPERLATIVE ARMS AR-15 SOLID ADJUSTABLE GAS BLOCK .875" STAINLESS STEEL

[Rifle Parts](#) > [Gas System Parts](#) > [Gas Blocks](#)

The Superlative Arms patented "Bleed Off", direct impingement, gas block for the AR15 platform adjusts the gas flow by bleeding the gas out of the block instead of restricting the flow like conventional adjustable blocks. Results: The pressure used in the block is reduced only to the amount required to drive the bolt carrier. The remaining gas / pressure are bled out of the block allowing the system to run much cleaner and cooler. Reduction of felt recoil. Patented adjustment detent is located outside of the block and therefore no contamination. The gas adjustment screw does not restrict the gas flow; therefore there is no erosion or seizing of the screw / no loss of detent due to carbon build up. Although it is removable, we have added a safety mechanism, which stops you from unintentionally backing the screw all the way out. When using SBR's and / or suppressors the bleed off port allows the excessive pressure to be exhausted out of the block reducing blow back.

Data: Gas Block Material: 416 SS Barrel Diameter: 0.625" Weight: 1.37 oz. Length: 1.00" Attachment Type: Solid Gas Adjustment: 30 Locked Positions, Front Of Block Bleed Off Port: Front Of Block Included: Gas Block - Assembled (2) 10-32 x 3/16" Set Screws (1) Gas Tube Roll Pins (1) 3/32 X 6" L-Shaped Hex Keys Installation Instructions & QR code for video tutorial



Attributes

- Name: [SUPERLATIVE ARMS AR-15 SOLID ADJUSTABLE GAS BLOCK .875" STAINLESS STEEL](#)
- Manufacturer: [SUPERLATIVE ARMS](#)
- Product no.: 100020578
- Mfr. No.: SABO-DI-875SS
- Inside Diameter: .875
- Material: Stainless Steel
- Style: Adjustable
- Weapon type: AR-15
- Delivery weight: 0.091kg
- Shipping height: 51mm
- Shipping width: 76mm
- Shipping length: 178mm
- UPC: 850011846117

Item details

Made in USA

US export classification: 0A501.x

Table of Contents

- Startpage
- Safety Instruction Guide for AR15 Solid Adjustable Gas Block
- About Us

Safety Instruction Guide for AR15 Solid Adjustable Gas Block

Introduction

Thank you for choosing the Superlative Arms AR15 Solid Adjustable Gas Block. This product is designed to enhance the performance of your AR15 platform while ensuring safety during use. Please read this safety instruction guide carefully to understand how to use the product safely and effectively, in compliance with the EU General Product Safety Regulation (GPSR).

General Safety Guidelines

- Ensure that the gas block is installed correctly before use to avoid potential hazards.
- Always handle firearms and firearm accessories with extreme caution.
- Keep the gas block and all associated components out of reach of children and unauthorized users.
- Regularly inspect the gas block for signs of wear or damage. Replace if necessary.
- Report any unsafe products or incidents to the relevant authorities.

Specific Safety Precautions for Use

- **Hazard Identification:**

- Improper installation or adjustment of the gas block may lead to malfunctions.
- Failure to follow instructions may result in increased recoil or excessive gas blowback.
- Always ensure that the firearm is unloaded before performing any maintenance or adjustments.

- **Avoiding Hazards:**

- Only use the gas block with compatible AR15 platforms.
- Do not attempt to modify or disassemble the gas block beyond the provided instructions.
- Use appropriate safety gear, such as eye protection, when testing the firearm after installation.

- **Age Specific Warnings:**

- This product is not intended for use by individuals under the age of 18 without adult supervision.
- Ensure that all users are knowledgeable about firearm safety and operation.

Instructions for Installation and Usage

1. Installation Instructions:

- Gather all necessary tools: (2) 1032 x 3/16" Set Screws, (1) Gas Tube Roll Pins, (1) 3/32 X 6" LShaped Hex Keys.
- Ensure the firearm is unloaded and pointed in a safe direction.
- Remove the existing gas block if applicable.
- Position the Superlative Arms gas block on the barrel, ensuring proper alignment with the gas port.
- Secure the gas block using the provided set screws. Tighten to the manufacturer's specifications.
- Install the gas tube using the roll pins, ensuring a proper fit.
- Adjust the gas adjustment screw to the desired setting, utilizing the 30 locked positions.
- Ensure that the bleedoff port is correctly positioned at the front of the block.

2. Usage Instructions:

- After installation, test the function of the gas block by cycling the action of the firearm.
- Monitor the performance and adjust the gas flow as necessary for optimal function.
- If using SBRs or suppressors, ensure the bleedoff port is utilized to minimize blowback.

Disposal Instructions

- Dispose of the gas block and any associated components in accordance with local regulations.
- Do not dispose of the product in household waste.
- Consider recycling any metal components where possible.

Contact Information for Further Support

For safety inquiries or further assistance, please refer to the manufacturer's contact details provided with your product packaging. Always ensure that you are referring to the latest safety information and product updates.

By following these safety instructions, you can ensure a safe and effective experience with the Superlative Arms AR15 Solid Adjustable Gas Block. Thank you for prioritizing safety in your firearm use.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk