

TACTICAL TRIGGER - OVERWATCH PRECISION TACTICAL TRIGGER FOR G42-BLACK

[Handgun Parts](#) > [Trigger Group Parts](#) > [Trigger Parts](#) > [Triggers](#)

The Overwatch Precision TAC Trigger is a flat flat-faced, direct drop-in replacement for your OEM trigger. Each trigger shoe and trigger safety tab is machined in the USA out of 7075-T6 aluminum alloy, and affixed to an NP3 plated, Gen 3 OEM trigger bar by 316 Stainless Steel coiled spring pins. The trigger shoe and safety tab are both Type III hard coat anodized to MIL-A-8625 standard. The small indexing hook ensures consistent trigger finger placement, and the broad, flat face of the trigger allows a uniquely self-correcting, straight rearward press. The flat face reduces trigger reach by 0.24", making this an ideal option for smaller statured shooters. Pre-travel has been reduced as much as possible without compromising firearm safety features, resulting in a clean, crisp break, and reduced overtravel. Robar's NP3 plating provides virtually impermeable corrosion resistance and smooth, grit-free operation. Note that trigger pull weight does not change from factory weight with the use of this trigger alone.



Attributes

- Name: [OVERWATCH PRECISION TACTICAL TRIGGER FOR G42-BLACK](#)
- Manufacturer: [OVERWATCH PRECISION](#)
- Product no.: 100020734
- Mfr. No.: 27322
- Finish: Aluminum
- Model: 42
- Style: Drop-In
- Weapon type: Glock
- Delivery weight: 0.025kg
- Shipping height: 30mm
- Shipping width: 72mm
- Shipping length: 105mm
- UPC: 815854020292

Item details

Made in USA

US export classification: 0A501.c

Table of Contents

- Startpage
- Safety Instruction Guide for TACTICAL TRIGGER OVERWATCH PRECISION TACTICAL TRIGGER FOR G42BLACK
- About Us

Safety Instruction Guide for TACTICAL TRIGGER OVERWATCH PRECISION TACTICAL TRIGGER FOR G42BLACK

Introduction

Thank you for choosing the TACTICAL TRIGGER OVERWATCH PRECISION TACTICAL TRIGGER FOR G42BLACK. This guide provides essential safety instructions and information regarding the proper use, installation, and disposal of the product. Please read this guide carefully to ensure safe and effective use.

General Safety Guidelines

- Ensure that the trigger is compatible with your Glock 42 before installation.
- Always handle firearms responsibly and in accordance with local laws and regulations.
- Keep the trigger and firearm out of reach of children and unauthorized users.
- Regularly inspect your firearm and trigger for any signs of wear or damage.
- Do not modify or alter the trigger in any way as it may compromise safety and functionality.
- Report any unsafe products or accidents to the relevant authorities.

Specific Safety Precautions for Use

- Always ensure the firearm is unloaded before installing or handling the trigger.
- Use protective eyewear when working with firearms and installing components.
- Ensure that you are in a safe environment, free from distractions, when handling the trigger.
- Be aware of your surroundings and ensure that no one is in the vicinity when testing the trigger.

Instructions for Installation and Usage

1. Preparation:

- Ensure the firearm is unloaded and pointed in a safe direction.
- Gather necessary tools for installation (e.g., punch tool, hammer).

2. Installation Steps:

- Remove the OEM trigger from the Glock 42 by following the manufacturer's instructions.
- Carefully remove the trigger safety tab from the OEM trigger.
- Attach the Overwatch Precision TAC Trigger shoe to the NP3 plated, Gen 3 OEM trigger bar using the provided 316 Stainless Steel coiled spring pins.
- Ensure the trigger safety tab is securely affixed to the trigger shoe.
- Reinstall the trigger assembly back into the Glock 42, ensuring all components are properly seated and secured.

3. Testing:

- After installation, perform a function check to ensure proper operation.
- Ensure that the trigger pull weight remains consistent with factory specifications.
- Test the trigger in a controlled environment, ensuring that it functions safely and effectively.

4. Maintenance:

- Regularly clean and inspect the trigger for any signs of wear or corrosion.

- Apply appropriate lubricants as recommended by the firearm manufacturer.

Disposal Instructions

- Dispose of the trigger and any associated components in accordance with local regulations.
- Do not dispose of the trigger in regular household waste.
- Contact local waste management authorities for guidance on proper disposal methods.

Contact Information for Further Support

For any inquiries regarding safety or product support, please refer to the manufacturer's contact details provided with your product packaging or visit the official website.

By following these guidelines, you help ensure the safe use of the TACTICAL TRIGGER OVERWATCH PRECISION TACTICAL TRIGGER FOR G42BLACK. Thank you for your attention to safety.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk