

KEYMOD PICATINNY RAIL SECTIONS FLAT DARK EARTH - BRAVO COMPANY KEYMOD PICATINNY NYLON RAIL SECTION 5.5 INCH FDE

[Rifle Parts](#) > [Build Kits](#) > [Handguards & Rails](#)

Rail section is made of Lightweight Impact Resistant Polymer. Mounting hardware is made of Corrosion Resistant Stainless Steel Made to the Mil-Standard 1913 Picatinny Arsenal Specifications. Available in three Lengths: 3-inch (5 slot), 4-inch (7 slot) and 5.5-inch (11 slot) Features a Snag resistant design, while retaining Mil-Standards specs. Self-contained assembly, eliminates the possible loss of mounting hardware. Fits ALL KeyMod interface mounting surfaces.



Attributes

- Name: [BRAVO COMPANY KEYMOD PICATINNY NYLON RAIL SECTION 5.5 INCH FDE](#)
- Manufacturer: [BRAVO COMPANY](#)
- Product no.: 100020766
- Mfr. No.: BCM-KMR-1913-N5-FDE
- Colour: Flat Dark Earth
- Length: 5.5
- Material: Polymer
- Style: Keymod
- Delivery weight: 0.023kg
- Shipping height: 19mm
- Shipping width: 76mm
- Shipping length: 248mm
- UPC: 855877004572

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [KEYMOD Picatinny Rail Sections Safety Instruction Guide](#)
- [About Us](#)

KEYMOD Picatinny Rail Sections Safety Instruction Guide

Introduction

Thank you for choosing the KEYMOD Picatinny Rail Sections. This product is designed to enhance your firearm setup while ensuring safety and compliance with EU regulations. This guide provides essential safety instructions and information to help you use the product safely and effectively.

General Safety Guidelines

- Ensure the product is used only as intended and according to the manufacturer's specifications.
- Regularly inspect the rail sections for any signs of wear or damage before each use.
- Keep the rail sections out of reach of children and vulnerable individuals.
- Always wear appropriate safety gear when handling firearms or firearm accessories.
- Report any unsafe conditions or incidents to the relevant authorities.

Specific Safety Precautions for Use

- Verify that the rail section is compatible with your KeyMod interface before installation.
- Ensure all mounting hardware is securely fastened before use.
- Do not exceed the weight limit specified for mounted accessories.
- Avoid using the rail sections in extreme weather conditions that may affect performance.
- Do not attempt to modify or alter the rail sections in any way.

Instructions for Installation and Usage

1. Preparation:

- Gather all necessary tools for installation, including a torque wrench if needed.
- Ensure the firearm is unloaded and safe to work on.

2. Installation Steps:

- Position the rail section over the KeyMod interface on your firearm.
- Align the mounting holes of the rail section with the KeyMod slots.
- Insert the provided mounting hardware through the rail section and into the KeyMod slots.
- Tighten the hardware securely, ensuring not to overtighten, which may damage the rail or firearm.

3. Usage:

- Once installed, check the stability of the rail section by gently pulling on it.
- Mount any accessories as per their individual instructions, ensuring they are compatible with the rail section.
- Regularly check the tightness of the mounting hardware during use.

Disposal Instructions

- Dispose of the rail sections and any associated packaging in accordance with local regulations.
- Do not dispose of the product in regular household waste; check for recycling options.
- If the product is damaged beyond repair, contact your local waste management for proper disposal guidelines.

Contact Information for Further Support

For any inquiries or concerns regarding the KEYMOD Picatinny Rail Sections, please refer to the manufacturer's support channels.

Thank you for following these safety guidelines. Your safety and satisfaction are our top priorities. Enjoy using your KEYMOD Picatinny Rail Sections responsibly!

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk