

WRAITH HOLSTERS - GALCO INTERNATIONAL WRAITH GLOCK® 19-BLACK-LEFT HAND

[Home](#)

The Wraith's thumb break retention strap allows a very fast draw while the reinforced mouth allows an easy one-handed return to the holster. A sturdy belt channel gives the Wraith a mild butt-forward cant for easy concealment and a fast, smooth draw. Fits belts up to 1.75" wide



Attributes

- Name: [GALCO INTERNATIONAL WRAITH GLOCK® 19-BLACK-LEFT HAND](#)
- Manufacturer: [GALCO INTERNATIONAL](#)
- Product no.: 100022095
- Mfr. No.: WTH227B
- Colour: Black
- Hand: Left
- Material: Leather
- Model: 19
- Style: Outside The Waistband
- Weapon type: Glock
- UPC: 601299009714

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [Wraith Holsters Safety Instruction Guide](#)
- [About Us](#)

Wraith Holsters Safety Instruction Guide

Introduction

Thank you for choosing the Wraith Holsters Galco International Wraith Glock® 19 Black Left Hand. This safety instruction guide is designed to help you use your holster safely and effectively. Please read and follow all guidelines to ensure your safety and the safety of others.

General Safety Guidelines

- Ensure the holster is compatible with your model of Glock® 19 before use.
- Always keep the holster and firearm in a secure location away from children or unauthorized users.
- Regularly inspect the holster for any signs of wear or damage.
- Avoid exposing the holster to extreme temperatures, moisture, or chemicals that may degrade the material.
- Familiarize yourself with the proper operation of the thumb break retention strap for safe and efficient use.
- Always follow local laws and regulations regarding the carrying of firearms.

Specific Safety Precautions for Use

- When drawing your firearm from the holster, ensure that your finger is off the trigger until you are ready to shoot.
- Practice drawing from the holster in a safe and controlled environment to develop muscle memory.
- Ensure the holster is secured to your belt properly, and check that it fits snugly to prevent accidental dislodging.
- Be aware of your surroundings and ensure that no one is in close proximity when drawing or reholstering your firearm.
- If your holster becomes damaged or does not function as intended, discontinue use immediately and consult a professional.

Instructions for Installation and Usage

1. Installation

- Thread your belt through the sturdy belt channel of the holster.
- Position the holster on your left side, ensuring the grip is accessible for a righthanded draw.
- Adjust the cant of the holster to your preference, ensuring it remains secure.

2. Usage

- To draw your firearm:
 - Grip the holster firmly with your nondominant hand.
 - Use your dominant hand to release the thumb break retention strap.
 - Draw the firearm smoothly and keep your finger off the trigger until ready to engage.
- To return the firearm to the holster:
 - Ensure the firearm is pointed in a safe direction.
 - Use one hand to hold the holster open, and with the other hand, guide the firearm back into the holster.
 - Ensure the thumb break retention strap is secured after reholstering.

Disposal Instructions

- Dispose of the holster in accordance with local regulations.
- If the holster is made of leather, consider recycling or repurposing the material if possible.
- Do not dispose of the holster in regular household waste if it is damaged or contains hazardous materials.

Contact Information for Further Support

For any questions or concerns regarding the safety and use of your Wraith Holster, please consult the manufacturer's website or contact their customer support for assistance.

Thank you for prioritizing safety while using the Wraith Holsters Galco International Wraith Glock® 19 Black Left Hand. Your attention to these guidelines helps ensure a safe experience for you and those around you.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk