

AR-15 STREAMLINE MUZZLE BRAKE - FAXON FIREARMS SLIM 5.56 NATO 3-PORT MUZZLE BRAKE .620 1/2"-28 THREADS BLK

[Rifle Parts](#) > [Muzzle Devices](#) > [Flash Hiders](#)

Faxon Firearm's Streamline 3 Port Muzzle Brake is unique to the AR-15 market with an outside diameter of only .620". This allow for pinning and welding on a 14.5" barrel to give you an overall length of 16", yet still allows for gas blocks and barrels nuts to be exchanged. Made from 4150 with a QPQ finish.



Attributes

- Name: [FAXON FIREARMS SLIM 5.56 NATO 3-PORT MUZZLE BRAKE .620 1/2"-28 THREADS BLK](#)
- Manufacturer: [FAXON FIREARMS](#)
- Product no.: 100022866
- Mfr. No.: FFMD556S63PSQPQ
- Caliber: 22 Caliber (.223-.224)
- Finish: Black
- Material: Steel
- Weapon type: AR-15
- Delivery weight: 0.045kg
- Shipping height: 10mm
- Shipping width: 99mm
- Shipping length: 147mm
- UPC: 816341022331

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for AR15 Streamline Muzzle Brake
- About Us

Safety Instruction Guide for AR15 Streamline Muzzle Brake

Introduction

Thank you for purchasing the Faxon Firearms Streamline Muzzle Brake. This guide provides essential safety information, installation instructions, and usage precautions to ensure your safety and the effective performance of the product. Please read this guide carefully before use.

General Safety Guidelines

- Ensure the muzzle brake is compatible with your AR15 and the specific barrel length.
- Always handle firearms with care and follow all standard firearm safety practices.
- Store the muzzle brake in a safe location away from children and unauthorized users.
- Regularly inspect the muzzle brake for wear or damage. Do not use if damaged.
- Report any unsafe products or incidents to the appropriate authorities.
- Check the EU's Safety Gate platform for any recall updates regarding this product.

Specific Safety Precautions for Use

- Only use the muzzle brake with firearms that are chambered for 5.56 NATO.
- Ensure that the muzzle brake is properly installed before firing.
- Avoid using the muzzle brake with ammunition that exceeds the specified caliber.
- Do not attempt to modify or alter the muzzle brake in any way.
- Always wear appropriate eye and ear protection when using firearms equipped with a muzzle brake.

Instructions for Installation and Usage

Installation

1. Ensure the firearm is unloaded and pointed in a safe direction.
2. Remove the existing muzzle device, if applicable, by using the appropriate tools.
3. Clean the muzzle threads on the barrel to remove any debris or residue.
4. Align the muzzle brake with the barrel threads and screw it on handtight.
5. Use a torque wrench to tighten the muzzle brake to the manufacturer's specifications (if provided).
6. If required, pin and weld the muzzle brake to a 14.5" barrel to achieve the overall length of 16".
7. Confirm that the muzzle brake is securely attached before use.

Usage

- Always verify that the firearm is unloaded before installing or adjusting the muzzle brake.
- Before firing, ensure that the area is clear of obstructions and that you are in a safe environment.
- When firing, maintain a proper grip and stance to manage recoil effectively.
- After use, clean the muzzle brake to ensure optimal performance and longevity.

Disposal Instructions

- Dispose of the muzzle brake in accordance with local regulations.
- Do not dispose of the muzzle brake in regular household waste.
- Consider recycling options for metal components if available.

Contact Information for Further Support

For any inquiries regarding safety, installation, or usage of the AR15 Streamline Muzzle Brake, please refer to your retailer or the manufacturer's website for assistance.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk