

# TRIJICON RMR LEAP MOUNT - SCALARWORKS TRIJICON RMR 1.57" LEAP/04 QD MOUNT BLACK

[Optics & Mounting](#) > [Electronic Sights](#) > [Mounting Hardware](#)

The SCALARWORKS Trijicon RMR LEAP Mount, the ultimate compliment to the Trijicon RMR. A proprietary ball-detent mechanism and precision guided telescoping clamp holds zero on every re-installation, and under the heaviest recoil; Guaranteed. Lightest Quick-Detach Trijicon RMR mount in existence, and the only one CNC Machined from ultra-high-strength 7075-T6 Aluminum. Streamlined profile free of protruding levers and knobs: Won't rap your knuckles, or get caught on clothing, gear, and surroundings. Strength and light weight through superior engineering; now you can have your cake and eat it too.



## Attributes

- Name: [SCALARWORKS TRIJICON RMR 1.57" LEAP/04 QD MOUNT BLACK](#)
- Manufacturer: [SCALARWORKS](#)
- Product no.: 100023313
- Mfr. No.: SW0410
- Colour: Matte Black
- Fits / Used For: -
- Delivery weight: 0.098kg
- Shipping height: 56mm
- Shipping width: 84mm
- Shipping length: 114mm
- UPC: 856481007010

## Item details

Made in USA

# Table of Contents

- [Startpage](#)
- [TRIJICON RMR LEAP MOUNT SCALARWORKS Safety Instruction Guide](#)
- [About Us](#)

# TRIJICON RMR LEAP MOUNT SCALARWORKS

## Safety Instruction Guide

### Introduction

Thank you for choosing the SCALARWORKS Trijicon RMR LEAP Mount. This guide provides important safety instructions to ensure the safe and effective use of your product. Please read this guide carefully before installation and use.

### General Safety Guidelines

- Ensure that the product is used only for its intended purpose.
- Keep the mount away from children and vulnerable individuals.
- Regularly check the mount for any signs of wear or damage.
- Do not attempt to modify or repair the mount yourself.
- Always follow the installation and usage instructions provided in this guide.

### Specific Safety Precautions for Use

- **Installation Precautions:**

- Ensure the firearm is unloaded before installing the mount.
- Use appropriate tools to avoid damaging the mount or firearm.

- **Usage Precautions:**

- Ensure that the mount is securely attached before each use.
- Avoid using the mount in extreme conditions that may compromise its integrity.

- **Handling Precautions:**

- Handle the mount with care to avoid dropping or damaging it.
- Store the mount in a dry, cool place when not in use.

### Instructions for Installation and Usage

#### 1. Installation:

- Ensure the firearm is unloaded and pointed in a safe direction.
- Remove any existing mounts or optics from the firearm.
- Align the SCALARWORKS Trijicon RMR LEAP Mount with the mounting surface on the firearm.
- Use the provided screws and tools to secure the mount. Ensure it is tightened to the manufacturer's specifications.
- Check that the mount is level and securely attached before proceeding.

#### 2. Usage:

- Once installed, attach the Trijicon RMR optic to the mount following the optic's specific installation instructions.
- Confirm that the optic is securely attached and properly zeroed before use.
- Regularly check the mount and optic for any movement or loosening during use.

## **Disposal Instructions**

- Dispose of the product in accordance with local regulations.
- Do not dispose of the mount in regular household waste.
- Consider recycling options for metal components if available.

## **Contact Information for Further Support**

For any questions or concerns regarding the SCALARWORKS Trijicon RMR LEAP Mount, please refer to the manufacturer's website or contact customer support for assistance.

By following these safety guidelines and instructions, you can ensure a safe and effective experience with your SCALARWORKS Trijicon RMR LEAP Mount. Thank you for your attention to safety.

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)