

BATTLE RAIL MLOCK HANDGUARD - BATTLE ARMS DEVELOPMENT INC. RIGID RAIL 15" HANDGUARD M-LOK

[Rifle Parts](#) > [Build Kits](#) > [Handguards & Rails](#)

Minimal Weight, Minimal Bulk Accessory Mounting Platform

Battle Arms Development's Rigidrail M-LOK Handguard is designed to give you just the right balance between weight, strength, and accessory mounting versatility. Its open, skeletonized configuration enables fast, thorough dissipation of barrel heat, even during long rapid-fire operations (but you'll probably want to wear gloves!). M-LOK slots at 3, 6, 9 and 12 o'clock positions open up plenty of accessory mounting options. Short Picatinny rail sections positioned along the top at the front and rear give you mounting points for backup sights or other accessories. The Battle Arms Development Rigidrail M-LOK Handguard allows the barrel to free-float, so it will not apply any accuracy-compromising stress to the barrel. Machined 6061 T6 aluminum construction for superb strength - Tough, non-reflective hardcoat anodized finish for added surface strength Four (front/rear pairs on each side) anti-rotational QD sling swivel sockets Comes with proprietary nut (wrench included) machined from extra-strong 7075 aluminum Bronze barrel nut finish provides a unique visual contrast visible through the Rigidrail's open latticework No barrel nut shims required With a generous 1.315" I.D., the Battle Arms Development Rigidrail M-LOK Handguard has clearance for most low-profile gas blocks and will not make contact with the gas tube. It even has a tapped hole at the 6 o'clock position on the forward underside for mounting a bipod or additional sling attachment point.



Attributes

- Name: [BATTLE ARMS DEVELOPMENT INC. RIGID RAIL 15" HANDGUARD M-LOK](#)
- Manufacturer: [BATTLE ARMS DEVELOPMENT INC.](#)
- Product no.: 100023896
- Mfr. No.: BAD-RR15-MLOK
- Colour: Black
- Length: 15
- Material: Aluminum
- Style: M-LOK
- Type: Free Float
- Weapon type: AR-15
- Delivery weight: 0.499kg
- Shipping height: 89mm
- Shipping width: 89mm
- Shipping length: 419mm
- UPC: 810033781780

Item details

Made in USA

US export classification: 0A501.y.1

Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for BATTLERAIL MLOCK HANDGUARD](#)
- [About Us](#)

Safety Instruction Guide for BATTLERAIL MLOCK HANDGUARD

Introduction

Thank you for choosing the BATTLERAIL MLOCK HANDGUARD by Battle Arms Development Inc. This guide provides essential safety instructions to ensure the proper use and maintenance of your handguard. Please read this document carefully before installation and use to maximize safety and performance.

General Safety Guidelines

- **Product Safety:** This handguard is designed for use with AR15 platforms and must be used in accordance with the manufacturer's specifications. Ensure that all components are compatible and properly installed.
- **Enhanced Recalls:** In the unlikely event of a product recall, follow the instructions provided in the recall notice to ensure your safety.
- **Online Shopping:** When purchasing online, ensure that you are buying from authorized retailers that comply with EU safety regulations.
- **Special Consumer Focus:** This product is intended for adult users. Keep it out of reach of children and vulnerable individuals.
- **EU Contact Point:** For any safety inquiries, refer to the manufacturer's contact information provided with your product.
- **Rapid Alerts:** Stay informed about product safety updates through the EU's Safety Gate platform.

Specific Safety Precautions for Use

- **Installation:**
 - Ensure that the handguard is installed by a qualified individual or gunsmith. Improper installation can lead to malfunctions or accidents.
 - Always check that the handguard is securely fastened before use.
- **Usage:**
 - Wear appropriate safety gear, including eye and ear protection, when operating your firearm.
 - Do not exceed the recommended weight limit for accessories mounted on the handguard.
 - Ensure that the barrel is freefloating and does not make contact with the handguard during operation.
- **Maintenance:**
 - Regularly inspect the handguard for signs of wear or damage.
 - Clean the handguard as per the manufacturer's recommendations to maintain its integrity and performance.

Instructions for Installation and Usage

1. Installation:

- Gather all necessary tools, including the proprietary nut wrench provided with your handguard.
- Remove the existing handguard from your AR15 platform, ensuring that the firearm is unloaded and safe to handle.
- Position the new BATTLERAIL MLOCK HANDGUARD onto the barrel nut, ensuring that it aligns with the antirotational QD sling swivel sockets.
- Secure the handguard using the proprietary nut, tightening it according to the manufacturer's specifications.
- Verify that the handguard is properly installed by checking for any movement or misalignment.

2. Usage:

- Before firing, ensure that all accessories are securely mounted and that the handguard is free of obstructions.
- After extended use, allow the handguard to cool before handling, as it may become hot due to barrel heat.
- If you notice any unusual behavior during operation (e.g., excessive heat, misalignment), cease use immediately and consult a professional.

Disposal Instructions

- Dispose of the BATTLERAIL MLOCK HANDGUARD in accordance with local regulations.
- Do not dispose of the handguard in regular household waste. Instead, take it to a recycling center that accepts aluminum products.
- Ensure that all components are properly recycled to minimize environmental impact.

Contact Information for Further Support

For further assistance or inquiries regarding the BATTLERAIL MLOCK HANDGUARD, please refer to the contact information provided with your product packaging.

Thank you for prioritizing safety and performance with your BATTLERAIL MLOCK HANDGUARD. Enjoy your experience and stay safe!

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk