

AR-15/AR 308 HI-SPEED NATIONAL MATCH TRIGGER SET - GEISSELE AUTOMATICS HI-SPEED NATIONAL MATCH 2-STAGE CURVED TRIGGER SET FOR AR-15

[Rifle Parts](#) > [Triggers Parts](#) > [Triggers](#)

User-Adjustable, Adaptable Premium Trigger

Geissele's Hi-Speed National Match AR-15 Trigger combines their exceptional match-grade trigger with their Service Rifle, Designated Marksman Rifle, and Match Rifle Spring sets. Geissele's adjustable Hi-Speed National Match AR-15 Trigger is designed for competition, hunting, and tactical sniper use, where exact trigger pull weight is essential for success. The trigger comes with three spring sets, each applicable to a different type of shooting. The Hi-Speed Service Spring is designed for NRA High Power Service Rifle competition and is approved for use in CMP sanctioned competitions. Easily switch to the Hi-Speed Designated Marksman Rifle spring set for tactical and military shooting where trigger pull weight is not regulated. Hi-Speed Match spring set can be adjusted to low pull weights for enhanced trigger control, letting the shooter wring every ounce of accuracy out of his rifle Service Rifle pull: 3.2-5 lbs. (1st), .5 to 1.5 lbs. (2nd), 4.5 lbs. min. (total) DMR pull: 2.5 to 3.6 lbs. (1st), .5 to 1.5 lbs. (2nd), 3 to 5.1 lbs. (total) Match Rifle pull: 1.5 to 2.5 lbs. (1st), 8 oz. to 14 oz. (2nd), 1.9 to 3.4 lbs. (total) With the Geissele Hi-Speed National Match Trigger in your AR-15, you can easily adjust the triggers first and second stage weight, as well as total pull weight and overtravel to your exact preference.



Attributes

- Name: [GEISSELE AUTOMATICS HI-SPEED NATIONAL MATCH 2-STAGE CURVED TRIGGER SET FOR AR-15](#)
- Manufacturer: [GEISSELE AUTOMATICS](#)
- Product no.: 100024775
- Mfr. No.: 05-181
- Style: 2-Stage
- Weapon type: AR-15
- Delivery weight: 0.159kg
- Shipping height: 44mm
- Shipping width: 102mm
- Shipping length: 133mm
- UPC: 854014005182

Item details

Made in USA

US export classification: 0A501.c

Table of Contents

- Startpage
- Safety Instruction Guide for Geissele HiSpeed National Match Trigger Set
- About Us

Safety Instruction Guide for Geissele HiSpeed National Match Trigger Set

Introduction

Thank you for choosing the Geissele HiSpeed National Match Trigger Set for your AR15. This product is designed to enhance your shooting experience by providing adjustable trigger pull weights for various shooting applications. However, safety is paramount when handling firearms and their components. This guide provides essential safety instructions to ensure safe use and compliance with the EU General Product Safety Regulation (GPSR).

General Safety Guidelines

- Always treat your firearm as if it is loaded.
- Keep the firearm pointed in a safe direction at all times.
- Ensure that the trigger is not pulled until you are ready to shoot.
- Store the firearm and trigger components securely, out of reach of children and unauthorized users.
- Regularly inspect the trigger and firearm for any signs of wear or damage.
- Follow all local laws and regulations regarding firearms and their components.
- Report any unsafe products or accidents to the appropriate authorities.

Specific Safety Precautions for Use

• Hazard Identification:

- Improper installation may lead to accidental discharge.
- Adjustments to trigger pull weight should only be made by knowledgeable individuals.
- Ensure that the firearm is unloaded before installation or adjustment.

• Avoiding Hazards:

- Always perform adjustments in a controlled environment where no one is in the line of fire.
- Use appropriate tools and follow the installation instructions carefully.
- If unsure about any adjustments or installations, consult a qualified gunsmith.

• Age and Audience Specific Warnings:

- This product is intended for use by individuals aged 18 years and older.
- Ensure that all users are trained and knowledgeable about firearm safety and operation.

Instructions for Installation and Usage

• Installation Instructions:

1. Ensure that the AR15 is completely unloaded.
2. Disassemble the firearm according to the manufacturer's instructions.
3. Remove the existing trigger assembly.
4. Install the Geissele HiSpeed National Match Trigger by following the included installation manual.
5. Ensure all components are securely fastened and properly aligned.

• Usage Instructions:

- After installation, adjust the trigger pull weight according to your preference using the provided

spring sets.

- For Service Rifle use, set the pull weight between 3.2 lbs. (1st stage), 0.5 to 1.5 lbs. (2nd stage).
- For Designated Marksman Rifle use, set the pull weight between 2.5 to 3.6 lbs. (1st stage), 0.5 to 1.5 lbs. (2nd stage).
- For Match Rifle use, set the pull weight between 1.5 to 2.5 lbs. (1st stage), 8 oz. to 14 oz. (2nd stage).
- Test the trigger in a safe environment to ensure it functions correctly before use in any shooting scenario.

Disposal Instructions

- Dispose of the Geissele HiSpeed National Match Trigger Set responsibly.
- Follow local regulations for the disposal of firearm components.
- Do not throw the product in regular household waste.
- If unsure about proper disposal methods, contact local authorities for guidance.

Contact Information for Further Support

For any inquiries regarding safety or product support, please consult the manufacturer's website or contact your local authorized dealer. Make sure to have your product details ready for a more efficient response.

By adhering to these safety guidelines and instructions, you can ensure a safe and enjoyable experience with your Geissele HiSpeed National Match Trigger Set. Always prioritize safety and responsible firearm use.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk