

ATLAS S-ONE M-LOK FREE FLOATING HANDGUARD FOR AR-15 - AERO PRECISION ATLAS S-ONE 14.94" HANDGUARD M-LOK FREE FLOAT FOR AR-15 FDE

[Rifle Parts](#) > [Build Kits](#) > [Handguards & Rails](#)

Not Your Average Handguard

The ATLAS S-ONE is the newest addition to the Aero Precision Handguard lineup. Machined from 6061-T6 Aluminum, the S-ONE line of handguards are designed with size and weight in mind, providing the perfect handguard for your lightweight build. Aero's proprietary ATLAS attachment system is a durable and dependable mounting platform, maintaining a slim profile while still providing the strength and stability customers have grown to love from Aero Precision handguards. Actual Handguard Lengths: 7.3", 9.3", 10.3", 12.7", 15" -- Aero Precision rail lengths measure from end to end. This is the point of contact at the receiver to the end of the last picatinny slot at the muzzle. Available in M-LOK profiles with 7.3", 9.3", 10.3", 12.7" and 14.94 (Actual Length 15") options. ATLAS The new Aero Taper Lock Attachment System (ATLAS) is both functional and aesthetically pleasing. It features 2 mirrored tapered locking nuts that provide evenly distributed clamping pressure across a custom engineered barrel nut with use of a turnbuckle screw. A ratcheting detent further secures the design while providing positive registration during installation. By design, the even pressure of the ATLAS system avoids distortion of the handguard often seen with current applications during installation. All hardware mounting parts are included with the purchase of an ATLAS Handguard. **LIGHTWEIGHT BY DESIGN M-LOK**
Handguard Weights: 7.3" - 4.86 oz / 9.3" - 5.47 oz / 10.3" - 6.0 oz / 12.7" - 7.00 oz / 15" - 7.95 oz Mounting Hardware Weight: 1.9 oz (same across all S-ONE Handguard options) FEATURES: Front and rear picatinny rail Eliminated center of top rail for weight reduction Indexing grooves in 12:00 position for positive grip control Quick disconnect sling socket at the 3, 6 and 9 o'clock positions Compatible with low profile gas blocks 1.3" Inside diameter 1.5" Outside diameter Compatible with mil-spec AR15 upper receivers and barrels NOT Compatible with M4E1 Enhanced Upper Receivers ATLAS Handguards are designed to match seamlessly with Aero's M4E1 Threaded Upper Receivers. Additionally, they are compatible with any Mil-Spec AR-15 upper receivers as well. However, they may not be compatible with billet upper receivers due to indexing tabs. Save when you buy them as a combo. Please note: The ATLAS Handguards are NOT compatible with Aero's M4E1 Enhanced Upper Receiver.



Attributes

- Name: [AERO PRECISION ATLAS S-ONE 14.94" HANDGUARD M-LOK FREE FLOAT FOR AR-15 FDE](#)
- Manufacturer: [AERO PRECISION](#)
- Product no.: 100025708
- Mfr. No.: APRA500115A
- Colour: Flat Dark Earth
- Length: 15
- Material: Aluminum
- Style: M-LOK
- Type: Free Float
- Delivery weight: 0.567kg

- Shipping height: 89mm
- Shipping width: 89mm
- Shipping length: 470mm
- UPC: 815421021257

Item details

Made in USA

US export classification: 0A501.y.1

Table of Contents

- Startpage
- ATLAS SONE MLOK Free Floating Handguard Safety Instructions
- About Us

ATLAS SONE MLOK Free Floating Handguard Safety Instructions

Introduction

Thank you for purchasing the ATLAS SONE MLOK Free Floating Handguard for AR15. This guide provides essential safety instructions and guidelines to ensure safe and effective use of your new handguard. Please read this document carefully before installation and use.

General Safety Guidelines

- Ensure that all components are in good condition before use.
- Always follow the manufacturer's instructions for installation and usage.
- Keep the handguard and all accessories out of reach of children and vulnerable individuals.
- Regularly inspect the handguard for any signs of wear or damage.
- If you notice any defects or issues, discontinue use immediately and seek assistance.

Specific Safety Precautions for Use

- Do not exceed the manufacturer's recommended weight limit for attachments on the handguard.
- Ensure that the handguard is securely mounted before using the firearm.
- Avoid using the handguard in extreme environmental conditions unless specified.
- Use only compatible accessories designed for MLOK profiles to avoid compromising safety.
- Be cautious when handling firearms; always treat them as if they are loaded.

Instructions for Installation and Usage

1. Preparation

- Gather all necessary tools for installation, including a torque wrench.
- Ensure you have a clean, welllit workspace.

2. Installation Steps

- Remove the existing handguard from your AR15 upper receiver.
- Clean the upper receiver to remove any debris or residue.
- Align the ATLAS SONE handguard with the upper receiver, ensuring proper fit.
- Use the provided mounting hardware to secure the handguard.
- Tighten the mounting hardware to the manufacturer's recommended torque specifications.

3. PostInstallation Checks

- Verify that the handguard is securely attached and does not move.
- Check for any gaps between the handguard and the upper receiver.
- Ensure all accessories are properly attached and secured.

4. Usage

- Familiarize yourself with the handguard's features, including the front and rear picatinny rail and quick disconnect sling sockets.
- Practice safe firearm handling techniques at all times.

Disposal Instructions

- Dispose of the handguard and any associated components in accordance with local regulations.
- Do not dispose of the handguard in regular household waste.
- Contact your local waste management facility for proper disposal methods.

Contact Information for Further Support

For any questions or concerns regarding the ATLAS SONE MLOK Free Floating Handguard, please refer to the manufacturer's website or customer service for assistance.

By following these guidelines, you can ensure the safe and effective use of your ATLAS SONE MLOK Free Floating Handguard. Thank you for your attention to safety and responsible firearm handling.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk