

RUGER® MARK SERIES "SHADOW" PICATINNY RAIL - TANDEMROSS RUGER MK SERIES "SHADOW" PICATINNY RAIL-GREY

[Optics & Mounting](#) > [Rings, Mounts & Bases](#) > [Handgun Bases](#)

Provides More Optic Mounting Options - Won't Mess Up Gun's Aesthetics

The Tandemross Shadow Picatinny Rail for Ruger® Mark series and 22/45™ pistols gives you greater flexibility in your choice of optic and in where you position it on your pistol. Eight MIL-STD Picatinny cross-slots give you plenty of leeway in positioning a red dot or other sight for optimal eye relief. Other features of the Shadow Picatinny Rail: Cutout on underside minimizes risk of interference ejected shell casings. Shorter, trimmer & better looking than factory optic rail. Solid & secure - precision-machined aluminum, hardcoat anodized finish. Mounting screws included. Available in Matte Black or Matte Gray to match - or contrast with - your gun's finish. Tandemross designed the Shadow Picatinny Rail so you can install it on your Ruger® Mark series or 22/45™ pistol without removing your gun's "iron" sights. With a quick-release mount on your optic, you can switch back to shooting with iron sights in seconds. The Shadow Picatinny Rail fits factory drilled and tapped receivers on the following Ruger® .22 LR pistols: Mark II™ Mark II™ 22/45™ Mark III™ Mark III™ 22/45™ Mark III™ 22/45™ Lite Mark IV™ Target Mark IV™ Hunter Mark IV™ Competition Mark IV™ 22/45™ Lite



Attributes

- Name: [TANDEMROSS RUGER MK SERIES "SHADOW" PICATINNY RAIL-GREY](#)
- Manufacturer: [TANDEMROSS](#)
- Product no.: 100025730
- Mfr. No.: TK05N0014GRY1
- Colour: Grey
- Material: Aluminum
- Model: Mark II, Mark IV, 22/45, Mark III, Mark I
- Number of Bases: 1-Piece
- Style: Picatinny
- Weapon type: Ruger
- Delivery weight: 0.045kg
- Shipping height: 25mm
- Shipping width: 76mm
- Shipping length: 102mm
- UPC: 769498483749

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for RUGER® MARK SERIES "SHADOW" PICATINNY RAIL
- About Us

Safety Instruction Guide for RUGER® MARK SERIES "SHADOW" PICATINNY RAIL

Introduction

Thank you for choosing the Tandemkross Shadow Picatinny Rail for your Ruger® Mark series and 22/45™ pistols. This guide provides important safety instructions to ensure safe and effective use of the product in compliance with the EU General Product Safety Regulation (GPSR). Please read this guide carefully before installation and use.

General Safety Guidelines

- **Product Safety:** Ensure safe use of the Picatinny Rail by following all instructions. This product is designed for nonfood use and complies with EU safety standards.
- **Enhanced Recalls:** Be aware of the possibility of recalls. If you receive a recall notice, follow the instructions provided for safe return or remedy.
- **Online Shopping:** If purchased online, ensure that the retailer complies with safety regulations equivalent to those of physical stores.
- **Special Consumer Focus:** This product is not intended for use by children. Keep it out of reach of minors.
- **EU Contact Point:** For safety inquiries, ensure you have access to an EUbased contact for assistance.
- **Rapid Alerts:** Stay informed about product safety updates through the EU's Safety Gate platform.

Specific Safety Precautions for Use

- **Installation Precautions:**
 - Always ensure the firearm is unloaded before installing the Picatinny Rail.
 - Use appropriate tools to avoid damaging the firearm or the rail.
- **Usage Precautions:**
 - Regularly inspect the rail for signs of wear or damage.
 - Ensure that all mounting screws are securely fastened before use.
- **Handling Precautions:**
 - Always treat your firearm as if it is loaded.
 - Follow all local laws and regulations regarding firearm handling and use.
- **Storage Precautions:**
 - Store the firearm and Picatinny Rail in a secure location, away from unauthorized access.

Instructions for Installation and Usage

1. Installation:

- Ensure the firearm is unloaded.
- Align the Picatinny Rail with the factorydrilled and tapped receiver on your Ruger® pistol.
- Secure the rail using the provided mounting screws. Ensure they are tightened properly.
- Check that the rail is firmly attached and does not move.

2. Usage:

- After installation, mount your chosen optic onto the Picatinny Rail.
- Adjust the optic for optimal eye relief and sight alignment.
- If necessary, use a quickrelease mount for easy switching between the optic and iron sights.
- Regularly check the optic and rail for secure attachment during use.

Disposal Instructions

- Dispose of the Picatinny Rail in accordance with local regulations regarding aluminum products.
- Do not dispose of the product in regular household waste. Check for local recycling options or hazardous waste facilities if applicable.

Contact Information for Further Support

- For any questions or concerns regarding the Tandemkross Shadow Picatinny Rail, please refer to the contact information provided by your retailer or manufacturer.

By following these safety instructions, you can ensure a safe and enjoyable experience with your Tandemkross Shadow Picatinny Rail. Thank you for your attention to these important guidelines.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk