

TRITIUM LIME LUMI ROUND OUTLINE FRONT SIGHTS FOR GLOCK® - AMERIGLO GREEN TRITIUM LIME LUMI ROUND OUTLINE FRONT .165"H .125"W

[Handgun Parts](#) > [Sights](#) > [Front Sights](#)

Tritium Front Sight for Glock® Green Tritium LumiGreen Outline FRONT SIGHT



Attributes

- Name: [AMERIGLO GREEN TRITIUM LIME LUMI ROUND OUTLINE FRONT .165"H .125"W](#)
- Manufacturer: [AMERIGLO](#)
- Product no.: 100026592
- Mfr. No.: GL-212T-GRC
- Colour: Green
- Height: .165
- Outline: Lime
- Style: Tritium
- Weapon type: Glock
- Width: .125
- Delivery weight: 0.023kg
- Shipping height: 25mm
- Shipping width: 89mm
- Shipping length: 152mm
- UPC: 644406910381

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for TRITIUM LIME LUMI ROUND OUTLINE FRONT SIGHTS FOR GLOCK®
- About Us

Safety Instruction Guide for TRITIUM LIME LUMI ROUND OUTLINE FRONT SIGHTS FOR GLOCK®

Introduction

Thank you for choosing the TRITIUM LIME LUMI ROUND OUTLINE FRONT SIGHTS for your Glock® firearm. This guide provides important safety instructions and guidelines to ensure the safe use and maintenance of your product. Please read this document carefully before installation and use.

General Safety Guidelines

- Ensure you are familiar with your Glock® firearm and its operation before installing the sights.
- Always handle firearms safely and responsibly.
- Keep the product out of reach of children and vulnerable individuals.
- Regularly inspect the sights for any signs of damage or wear.
- If you notice any defects or issues, discontinue use and seek professional assistance.

Specific Safety Precautions for Use

- The Tritium front sight contains radioactive material. Handle with care and avoid damaging the sight.
- Do not attempt to disassemble or modify the sight.
- Ensure proper installation to prevent any malfunction or misalignment that may affect firearm performance.
- Use only compatible Glock® models for installation.
- Always wear appropriate eye protection when handling firearms.

Instructions for Installation and Usage

1. Installation:

- Ensure your firearm is unloaded and pointed in a safe direction.
- Remove the existing front sight from your Glock® using the appropriate tools.
- Align the Tritium front sight with the sight dovetail on your Glock®.
- Securely fasten the sight in place, ensuring it is properly aligned and does not move.
- Check the sight alignment before using the firearm.

2. Usage:

- Familiarize yourself with the sight's features before use.
- Practice shooting in a controlled environment to ensure accuracy with the new sight.
- Regularly check the sight for proper alignment and functionality.

Disposal Instructions

- Dispose of the Tritium front sight in accordance with local regulations regarding radioactive materials.
- Do not dispose of the sight in regular household waste.
- Contact local waste management authorities for guidance on safe disposal methods.

Contact Information for Further Support

For any inquiries or concerns regarding the TRITIUM LIME LUMI ROUND OUTLINE FRONT SIGHTS, please refer to the manufacturer's contact information provided with your product packaging.

By following these safety instructions and guidelines, you can ensure a safe and effective experience with your TRITIUM LIME LUMI ROUND OUTLINE FRONT SIGHTS for Glock®. Thank you for prioritizing safety and responsible firearm usage.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk