

2 CAVITY RIFLE BULLET MOLDS - LEE PRECISION 30 CALIBER (0.309") 230GR ROUND NOSE DOUBLE CAVITY MOLD

[Reloading](#) > [Bullet Casting](#) > [Casting Moulds](#) > [Rifle Moulds](#)

All Lee mould blocks are made from aluminum because of its exceptional moulding qualities. All mould cavities are CNC machined for unmatched roundness and size control. All hollow base moulds are single cavity only as they have a self centering, automatic core pin for the fastest possible moulding. All moulds include handles and sprue plates.



Attributes

- Name: [LEE PRECISION 30 CALIBER \(0.309"\) 230GR ROUND NOSE DOUBLE CAVITY MOLD](#)
- Manufacturer: [LEE PRECISION](#)
- Product no.: 100026897
- Mfr. No.: 90307
- Bullet Weight (Grains): 230
- Caliber: 30 Caliber
- Cavities: -
- Diameter (in): 0.309
- Delivery weight: 0.454kg
- Shipping height: 76mm
- Shipping width: 51mm
- Shipping length: 279mm
- UPC: 734307903077

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for 2 Cavity Rifle Bullet Molds
- About Us

Safety Instruction Guide for 2 Cavity Rifle Bullet Molds

Introduction

Thank you for choosing the 2 Cavity Rifle Bullet Molds by Lee Precision. This guide provides essential safety instructions and guidelines to ensure the safe use of your product in compliance with the EU General Product Safety Regulation (GPSR). Please read this guide carefully before using the product.

General Safety Guidelines

- Ensure the product is used only for its intended purpose.
- Keep the mold out of reach of children and vulnerable individuals.
- Always inspect the mold for any signs of damage before use.
- Store the mold in a dry, cool place to prevent corrosion.
- Follow all local laws and regulations regarding the use of bullet molds.

Specific Safety Precautions for Use

- Always wear appropriate personal protective equipment (PPE), including safety goggles and heatresistant gloves, when using the mold.
- Ensure that the work area is wellventilated to avoid inhalation of fumes.
- Never leave the mold unattended while heating or cooling.
- Use caution when handling hot materials to prevent burns.
- Do not exceed the recommended temperature for melting lead or other materials.
- Avoid using the mold if you are tired, distracted, or under the influence of drugs or alcohol.

Instructions for Installation and Usage

Installation

- Before use, ensure that all components are included and in good condition.
- Attach the handles securely to the mold before heating.
- Ensure that the sprue plate is functioning properly and is aligned with the mold cavities.

Usage

1. Preheat the mold according to the manufacturer's recommendations.
2. Melt the lead or other casting material in a suitable melting pot.
3. Carefully pour the molten material into the mold cavities, avoiding overfilling.
4. Allow the mold to cool before removing the bullets.
5. Use a suitable tool to open the sprue plate and extract the bullets safely.
6. Clean the mold after each use to maintain its condition.

Disposal Instructions

- Dispose of any waste materials, including leftover lead and sprue, in accordance with local regulations.
- Do not dispose of lead in regular household waste.
- Consider recycling options for metal materials when possible.

Contact Information for Further Support

For any safety inquiries or support regarding the use of this product, please refer to the manufacturer's contact

information provided with your purchase. Ensure you have the product details ready when seeking assistance.

Conclusion

By following these safety guidelines and instructions, you can ensure the safe and effective use of your 2 Cavity Rifle Bullet Molds. Always prioritize safety and compliance with local regulations for a positive experience. Thank you for choosing Lee Precision.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk