

DROP-IN TRIGGER FOR GLOCK® RED - DROP-IN TRIGGER FOR GLOCK® 9/40, RED

[Handgun Parts](#) > [Trigger Group Parts](#) > [Trigger Parts](#) > [Triggers](#)

Smooth, Consistent Pull & Short, Crisp Reset - RED Finish Available ONLY from Brownells

Installing a Red Flat-Faced Trigger Kit from Agency Arms is the quickest, easiest way to make a major upgrade to the performance of your Glock. By a special arrangement with the folks at Agency, Brownells is the ONLY place where you want get this special edition of the flat-faced trigger with an eye-catching, red anodized finish on the trigger shoe. The Red Flat-Face Trigger is a drop-in upgrade - meaning you can do it yourself in a few minutes - that gives your Glock a noticeably smoother trigger pull with minimal pre-travel and a short, snappy, positive reset. Easy, fast drop-in installation Function of critical factory safety lever in trigger face is fully maintained Sturdy all-aluminum trigger shoe has excellent, stable feel Flat face gives the shooter excellent control through entire pull arc Distinct tactile & audible signal when trigger is reset Separate models for Gen1-4 standard frame pistols, new Gen5 pistols, and the G43 Many precision shooters prefer the flat-faced trigger shoe since it reduces the contact area between the finger and trigger. This gives you better control throughout the pull and lets you control perceived pull weight by positioning your finger higher or lower on the shoe for the precise amount of leverage. A "toe" at the bottom of the shoe serves as an indexing point so you won't put your finger TOO far down. The Red Flat-Face Trigger Kit for Glock is available in 3 configurations: Gen1-4 fits Generation 1 through 4 standard frame pistols chambered in 9mm, .357 SIG and .40 S&W. There's a separate model just for the G43, and the Gen5 model fits ONLY the recent Gen5 G17, 19, 19X, 26 and 34 pistols.



Attributes

- Name: [DROP-IN TRIGGER FOR GLOCK® 9/40, RED](#)
- Manufacturer: [AGENCY ARMS](#)
- Product no.: 100027936
- Mfr. No.: DIT2-9-RED
- Finish: Red
- Make: Glock
- Model: 37,17,19,22,26,35,24,32,23,34,33,27,31
- Style: Drop-In
- Delivery weight: 0.204kg
- Shipping height: 152mm
- Shipping width: 76mm
- Shipping length: 13mm

Item details

Made in USA

US export classification: 0A501.c

Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for DROPIN TRIGGER FOR GLOCK® RED](#)
- [About Us](#)

Safety Instruction Guide for DROPIN TRIGGER FOR GLOCK® RED

Introduction

Thank you for choosing the DROPIN TRIGGER FOR GLOCK® RED. This guide provides essential safety instructions and installation information to ensure the safe use of your product. Please read this guide carefully before use.

General Safety Guidelines

- Ensure that you are familiar with your Glock® firearm and its operation before installing the trigger.
- Always treat your firearm as if it is loaded, even if you believe it to be empty.
- Keep the firearm pointed in a safe direction at all times.
- Store the trigger and firearm in a secure location, out of reach of children and unauthorized users.
- Regularly inspect your trigger and firearm for any signs of wear or damage.
- Do not use the trigger if you notice any defects or if it does not fit your firearm correctly.
- Always wear appropriate eye and ear protection when handling firearms.
- Follow all local laws and regulations regarding firearm modifications and usage.

Specific Safety Precautions for Use

- This trigger is designed for use with Glock® models 37, 17, 19, 22, 23, 24, 34, 35, 26, 27, 31, 32, 33, and G43.
- The Red FlatFace Trigger is a dropin upgrade, but it is essential to ensure compatibility with your specific model.
- Avoid using the trigger in environments where it may be exposed to extreme temperatures, moisture, or corrosive substances.
- Do not attempt to modify the trigger or firearm beyond the manufacturer's specifications.
- If you experience any malfunctions while using the trigger, cease use immediately and consult a qualified gunsmith.

Instructions for Installation and Usage

1. Preparation:

- Ensure that your firearm is unloaded and pointed in a safe direction.
- Gather necessary tools, including a punch or small hammer, and a clean workspace.

2. Installation Steps:

- Remove the slide from your Glock® firearm according to the manufacturer's instructions.
- Carefully remove the factory trigger and safety lever from the trigger assembly.
- Install the Red FlatFace Trigger by following these steps:
 - Align the trigger shoe with the trigger bar.
 - Ensure that the safety lever is properly positioned in the trigger face.
 - Secure the trigger assembly back into the firearm.
- Reassemble the slide and ensure everything is functioning correctly.

3. Testing:

- After installation, perform a function check to ensure the trigger operates smoothly.
- Check for a smooth trigger pull and audible reset.

- If any issues arise during testing, consult a qualified gunsmith.

Disposal Instructions

- Dispose of any packaging materials responsibly, following local recycling guidelines.
- If you need to dispose of the trigger, do so in compliance with local laws regarding firearm components.
- Do not throw away the trigger in regular household waste. Contact local authorities for proper disposal methods.

Contact Information for Further Support

For further assistance or inquiries regarding safety, installation, or product performance, please refer to the official website or contact the manufacturer directly.

By following these safety guidelines and instructions, you can ensure a safe and enjoyable experience with your DROPIN TRIGGER FOR GLOCK® RED. Thank you for your attention to safety.

About Us

Brownells Austria

Brownells - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

www.brownells.at