

AR-15 CARBINE BUFFER SPRING - LUTH-AR AR-15 CARBINE BUFFER SPRING

[Rifle Parts](#) > [Receiver Parts](#) > [Recoil Parts](#) > [Recoil Springs](#)

Luth-AR Factory replacement 223 Carbine Buffer Spring. Fits standard AR-15 rifles.



Attributes

- Name: [LUTH-AR AR-15 CARBINE BUFFER SPRING](#)
- Manufacturer: [LUTH-AR](#)
- Product no.: 100028014
- Mfr. No.: BS-10A
- Weapon type: AR-15
- Delivery weight: 0.091kg
- Shipping height: 25mm
- Shipping width: 25mm
- Shipping length: 279mm
- UPC: 859819007140

Item details

Made in USA

Table of Contents

- Startpage
- AR15 Carbine Buffer Spring Safety Instruction Guide
- About Us

AR15 Carbine Buffer Spring Safety Instruction Guide

Introduction

Thank you for purchasing the LuthAR AR15 Carbine Buffer Spring. This guide provides essential safety instructions and guidelines for the safe use and installation of your buffer spring. Please read this document carefully to ensure proper handling and operation.

General Safety Guidelines

- Ensure that you are familiar with the operation of AR15 rifles before using this product.
- Always treat firearms as if they are loaded, even if you believe they are not.
- Use this buffer spring only with compatible AR15 rifles.
- Keep this product out of reach of children and unauthorized users.
- Regularly inspect the buffer spring for wear or damage before use.
- Report any unsafe products or incidents to the appropriate authorities.

Specific Safety Precautions for Use

- Only use the buffer spring in a safe and controlled environment.
- Wear appropriate safety gear, including eye protection, when handling firearms.
- Do not modify the buffer spring or any related components.
- Follow all local laws and regulations regarding firearms and ammunition.
- If you experience any malfunctions while using your firearm, cease use immediately and consult a qualified gunsmith.

Instructions for Installation and Usage

1. Preparation:

- Ensure the firearm is unloaded and the safety is engaged.
- Gather necessary tools, including a wrench and a punch tool.

2. Installation:

- Remove the existing buffer spring from the buffer tube by following the manufacturer's instructions.
- Insert the LuthAR buffer spring into the buffer tube, ensuring it is seated correctly.
- Reassemble the buffer assembly and ensure all components are secure.
- Test the action of the firearm to ensure proper function.

3. Usage:

- After installation, perform a function check to ensure everything operates smoothly.
- When firing, maintain proper shooting stance and control of the firearm.
- Regularly clean and maintain the buffer spring and associated components to ensure longevity and safe operation.

Disposal Instructions

- Dispose of the buffer spring in accordance with local regulations.
- Do not dispose of the buffer spring in regular household waste.

- If the buffer spring is damaged or no longer usable, contact a local recycling center for proper disposal methods.

Contact Information for Further Support

For any questions or concerns regarding the LuthAR AR15 Carbine Buffer Spring, please refer to the manufacturer's official website or contact their customer support.

Thank you for prioritizing safety and compliance while using your LuthAR AR15 Carbine Buffer Spring. Your attention to these guidelines helps ensure a safe and enjoyable shooting experience.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk