

WFT 2 TRIMMER - LITTLE CROW GUNWORKS. 17 REMINGTON FIREBALL TRIM CHAMBER

[Reloading](#) > [Case Preparation](#) > [Case Trimming](#) > [Case Trimmers](#)

The WFT 2 is the next generation of WFT trimmers. The two main improvements are the ability to trim up to 45 caliber and interchange trim chambers. The WFT 2 has a half inch shaft and requires a half inch chuck to drive it. The feature most customers asked for was the ability to interchange trim chambers. Instead of press fitting the trim chambers, like the original WFT, the trim chambers on the WFT 2 are a slight slip fit in bearing with a groove cut for an O-ring which creates a press fit. Changing out trim chambers is accomplished by removing the cutter and pushing out the trim chamber with the knock-out dowel that is provided. Installing the trim chamber is accomplished by setting the trim chamber on a flat surface and steadily pushing the housing onto the trim chamber. Setting the cutter depth is easily adjusted by placing a "master case" in the trim chamber and sliding the cutter up to the case mouth and tightening down the set screws. Trimming is just as precise and clean as with our original trimmer. The trim chamber selection on the WFT 2 is by specific cartridge, but still trims by case family-just order the largest chamber in the family that you intend to trim. This unit and its inserts do not chamfer or deburr the case mouth of the cartridge case as it is trimmed. If you can't find the cartridge you need, please contact our Special Order Department at 800-741-0015



Attributes

- Name: [LITTLE CROW GUNWORKS. 17 REMINGTON FIREBALL TRIM CHAMBER](#)
- Manufacturer: [LITTLE CROW GUNWORKS.](#)
- Product no.: 100028164
- Mfr. No.: LCG-WFT2-17 FIR
- Cartridge: 17 Remington Fireball
- Delivery weight: 0.018kg
- Shipping height: 25mm
- Shipping width: 51mm
- Shipping length: 102mm

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [WFT 2 Trimmer Little Crow Gunworks Safety Instruction Guide](#)
- [About Us](#)

WFT 2 Trimmer Little Crow Gunworks Safety Instruction Guide

Introduction

Thank you for choosing the WFT 2 Trimmer from Little Crow Gunworks. This guide provides essential safety instructions to ensure the safe and effective use of your trimmer. Please read this manual carefully before using the product.

General Safety Guidelines

- Ensure that the product is used only for its intended purpose.
- Always wear appropriate personal protective equipment (PPE), including safety glasses and gloves, when operating the trimmer.
- Keep the work area clean and welllit to avoid accidents.
- Ensure that children and pets are kept at a safe distance when using the trimmer.
- Do not use the trimmer if you are tired, under the influence of drugs or alcohol, or not fully attentive.
- Regularly inspect the trimmer for wear and damage. Do not use a damaged trimmer.
- Report any unsafe conditions or incidents to the appropriate authorities.

Specific Safety Precautions for Use

- Ensure that the trimmer is securely attached to a stable work surface before use.
- Only use the trimmer with the appropriate trim chambers designed for your specific cartridge.
- Always disconnect the trimmer from the power source when changing trim chambers or making adjustments.
- Do not attempt to modify or repair the trimmer yourself. Contact a qualified service technician for repairs.
- Avoid wearing loose clothing or jewelry that could become caught in the trimmer.
- Always keep hands and other body parts clear of the cutting area while the trimmer is in operation.
- If the trimmer makes unusual noises or vibrations, stop using it immediately and check for issues.

Instructions for Installation and Usage

1. Installation of Trim Chamber

- Place the trimmer on a flat surface.
- Remove the cutter from the trimmer.
- Use the provided knockout dowel to push out the existing trim chamber.
- Insert the new trim chamber by placing it on the flat surface and pushing the housing onto it until secure.

2. Setting Cutter Depth

- Place a “master case” in the trim chamber.
- Adjust the cutter up to the case mouth.
- Tighten the set screws to secure the cutter in place.

3. Trimming Process

- Ensure that the trimmer is powered off before starting.
- Power on the trimmer and feed the cartridge case into the trim chamber.
- Allow the trimmer to complete the trimming process.
- Power off the trimmer after use and clean the area.

Disposal Instructions

- Dispose of the trimmer and its components in accordance with local regulations.
- Do not dispose of electrical components in regular household waste.
- Consult local waste management authorities for proper disposal methods.

Contact Information for Further Support

For any safety inquiries or additional support regarding the WFT 2 Trimmer, please refer to the contact information provided on the product packaging or the manufacturer's website.

By following these safety instructions, you can ensure a safe and effective experience with your WFT 2 Trimmer. Thank you for your attention to safety.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk