

# WFT 2 TRIMMER - LITTLE CROW GUNWORKS. 17 REMINGTON TRIM CHAMBER

[Reloading](#) > [Case Preparation](#) > [Case Trimming](#) > [Case Trimmers](#)

The WFT 2 is the next generation of WFT trimmers. The two main improvements are the ability to trim up to 45 caliber and interchange trim chambers. The WFT 2 has a half inch shaft and requires a half inch chuck to drive it. The feature most customers asked for was the ability to interchange trim chambers. Instead of press fitting the trim chambers, like the original WFT, the trim chambers on the WFT 2 are a slight slip fit in bearing with a groove cut for an O-ring which creates a press fit. Changing out trim chambers is accomplished by removing the cutter and pushing out the trim chamber with the knock-out dowel that is provided. Installing the trim chamber is accomplished by setting the trim chamber on a flat surface and steadily pushing the housing onto the trim chamber. Setting the cutter depth is easily adjusted by placing a "master case" in the trim chamber and sliding the cutter up to the case mouth and tightening down the set screws. Trimming is just as precise and clean as with our original trimmer. The trim chamber selection on the WFT 2 is by specific cartridge, but still trims by case family-just order the largest chamber in the family that you intend to trim. This unit and its inserts do not chamfer or deburr the case mouth of the cartridge case as it is trimmed. If you can't find the cartridge you need, please contact our Special Order Department at 800-741-0015



## Attributes

- Name: [LITTLE CROW GUNWORKS. 17 REMINGTON TRIM CHAMBER](#)
- Manufacturer: [LITTLE CROW GUNWORKS.](#)
- Product no.: 100028166
- Mfr. No.: LCG-WFT2-17 REM
- Cartridge: 17 Remington
- Delivery weight: 0.018kg
- Shipping height: 25mm
- Shipping width: 51mm
- Shipping length: 102mm

## Item details

Made in USA

# Table of Contents

- [Startpage](#)
- [WFT 2 Trimmer Safety Instruction Guide](#)
- [About Us](#)

# WFT 2 Trimmer Safety Instruction Guide

## Introduction

Thank you for choosing the WFT 2 Trimmer from Little Crow Gunworks. This guide provides essential safety instructions to ensure the safe and effective use of your trimmer. Please read all instructions carefully before using the product.

## General Safety Guidelines

- Ensure safe use of the WFT 2 Trimmer by following these guidelines:
  - Always wear appropriate personal protective equipment (PPE) such as safety glasses and gloves.
  - Keep the work area clean and welllit to prevent accidents.
  - Do not use the trimmer if you are tired or under the influence of drugs or alcohol.
  - Store the trimmer in a dry, secure location out of reach of children.
  - Regularly inspect the trimmer for any signs of wear or damage before use.
  - Do not modify the trimmer or use it for unintended purposes.

## Specific Safety Precautions for Use

- When operating the WFT 2 Trimmer, follow these precautions:
  - Always ensure the trimmer is securely attached to a compatible halfinch chuck before use.
  - Do not attempt to trim cases that exceed the maximum caliber specifications.
  - Use the provided knockout dowel to change trim chambers; do not use excessive force.
  - Avoid placing fingers near the cutter during operation.
  - Ensure the cutter is properly adjusted to avoid overtrimming or damaging the case.
  - If you experience any unusual noise or vibration during operation, stop immediately and inspect the trimmer.

## Instructions for Installation and Usage

- Follow these steps for proper installation and usage of the WFT 2 Trimmer:
  - 1. Installation of Trim Chamber:**
    - Place the trim chamber on a flat surface.
    - Align the housing with the trim chamber.
    - Steadily push the housing onto the trim chamber until secure.
  - 2. Setting Cutter Depth:**
    - Insert a "master case" into the trim chamber.
    - Slide the cutter up to the case mouth.
    - Tighten the set screws to secure the cutter in place.
  - 3. Trimming Process:**
    - Ensure the trimmer is connected to a power source.
    - Insert the case into the trim chamber.
    - Activate the trimmer and allow it to complete the trimming process.
    - Remove the trimmed case and inspect for accuracy.
  - 4. Changing Trim Chambers:**
    - Remove the cutter from the trimmer.
    - Use the knockout dowel to push out the existing trim chamber.
    - Follow the installation steps to insert the new trim chamber.

## Disposal Instructions

- Dispose of the WFT 2 Trimmer and its components responsibly:
  - Do not dispose of the trimmer in regular household waste.

- Check local regulations for electronic waste disposal.
- Recycle any plastic or metal components if possible.

## **Contact Information for Further Support**

- For safety inquiries or assistance with your WFT 2 Trimmer, please reach out to your local distributor or authorized service center.

## **Conclusion**

By following these safety instructions, you can ensure a safe and enjoyable experience with your WFT 2 Trimmer. Always prioritize safety and consult this guide whenever you have questions about the proper use and maintenance of your product. Thank you for your attention to these important safety guidelines.

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)