

WFT 2 TRIMMER - LITTLE CROW GUNWORKS. 225 WINCHESTER TRIM CHAMBER

[Reloading](#) > [Case Preparation](#) > [Case Trimming](#) > [Case Trimmers](#)

The WFT 2 is the next generation of WFT trimmers. The two main improvements are the ability to trim up to 45 caliber and interchange trim chambers. The WFT 2 has a half inch shaft and requires a half inch chuck to drive it. The feature most customers asked for was the ability to interchange trim chambers. Instead of press fitting the trim chambers, like the original WFT, the trim chambers on the WFT 2 are a slight slip fit in bearing with a groove cut for an O-ring which creates a press fit. Changing out trim chambers is accomplished by removing the cutter and pushing out the trim chamber with the knock-out dowel that is provided. Installing the trim chamber is accomplished by setting the trim chamber on a flat surface and steadily pushing the housing onto the trim chamber. Setting the cutter depth is easily adjusted by placing a "master case" in the trim chamber and sliding the cutter up to the case mouth and tightening down the set screws. Trimming is just as precise and clean as with our original trimmer. The trim chamber selection on the WFT 2 is by specific cartridge, but still trims by case family-just order the largest chamber in the family that you intend to trim. This unit and its inserts do not chamfer or deburr the case mouth of the cartridge case as it is trimmed. If you can't find the cartridge you need, please contact our Special Order Department at 800-741-0015



Attributes

- Name: [LITTLE CROW GUNWORKS. 225 WINCHESTER TRIM CHAMBER](#)
- Manufacturer: [LITTLE CROW GUNWORKS.](#)
- Product no.: 100028183
- Mfr. No.: LCG-WFT2-225 WIN
- Cartridge: 225 Winchester
- Delivery weight: 0.018kg
- Shipping height: 25mm
- Shipping width: 51mm
- Shipping length: 102mm

Item details

Made in USA

Table of Contents

- Startpage
- WFT 2 Trimmer Little Crow Gunworks Safety Instruction Guide
- About Us

WFT 2 Trimmer Little Crow Gunworks Safety Instruction Guide

Introduction

Thank you for choosing the WFT 2 Trimmer from Little Crow Gunworks. This guide provides essential safety instructions and operational guidelines to ensure the safe and effective use of your trimmer. Please read this manual carefully before use.

General Safety Guidelines

- Ensure the trimmer is used only for its intended purpose as described in the product specifications.
- Always wear appropriate personal protective equipment (PPE), including safety glasses and gloves, when operating the trimmer.
- Keep the work area clean and welllit to avoid accidents.
- Do not operate the trimmer in wet or damp conditions.
- Ensure that all components are securely attached before use to prevent injury.
- Regularly inspect the trimmer for any signs of damage or wear. Do not use if damaged.
- Keep out of reach of children and unauthorized users.
- Report any unsafe conditions or incidents to the appropriate authorities.

Specific Safety Precautions for Use

- Always ensure that the trimmer is powered off and unplugged when changing trim chambers or performing maintenance.
- Use the provided knockout dowel to safely remove and install trim chambers.
- Do not attempt to modify the trimmer or use nonapproved accessories or attachments.
- Be cautious when adjusting the cutter depth; ensure fingers and other body parts are clear of the cutting area.
- Avoid wearing loose clothing that may become caught in the trimmer during operation.
- Do not exceed the recommended trimming capacity of the trimmer.
- Store the trimmer in a dry place and cover it when not in use to prevent dust accumulation.

Instructions for Installation and Usage

1. Installation of Trim Chamber

- Place the trim chamber on a flat surface.
- Align the housing with the trim chamber.
- Steadily push the housing onto the trim chamber until it is securely fitted.

2. Setting the Cutter Depth

- Insert a “master case” into the trim chamber.
- Slide the cutter up to the case mouth.
- Tighten the set screws to secure the cutter in place.

3. Trimming Process

- Ensure the trimmer is properly connected to a halfinch chuck.
- Power on the trimmer and begin the trimming process.
- Monitor the trimming closely to ensure precision and safety.

4. Changing Trim Chambers

- Power off the trimmer and unplug it.
- Remove the cutter from the trimmer.
- Use the knockout dowel to push out the existing trim chamber.
- Follow the installation steps to insert a new trim chamber.

Disposal Instructions

- Dispose of the trimmer and any accessories in accordance with local regulations.
- Do not dispose of electronic components in regular waste. Check for designated electronic waste disposal facilities.
- Remove batteries (if applicable) and recycle them according to local guidelines.

Contact Information for Further Support

For any inquiries regarding safety, product usage, or to report unsafe products, please reach out to the designated support channels provided by your retailer or manufacturer.

Thank you for ensuring your safety and the safety of others while using the WFT 2 Trimmer. Your adherence to these guidelines helps maintain a safe and efficient working environment.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk