

WFT 2 TRIMMER - LITTLE CROW GUNWORKS. 25-06 ACKLEY IMPROVED TRIM CHAMBER

[Reloading](#) > [Case Preparation](#) > [Case Trimming](#) > [Case Trimmers](#)

The WFT 2 is the next generation of WFT trimmers. The two main improvements are the ability to trim up to 45 caliber and interchange trim chambers. The WFT 2 has a half inch shaft and requires a half inch chuck to drive it. The feature most customers asked for was the ability to interchange trim chambers. Instead of press fitting the trim chambers, like the original WFT, the trim chambers on the WFT 2 are a slight slip fit in bearing with a groove cut for an O-ring which creates a press fit. Changing out trim chambers is accomplished by removing the cutter and pushing out the trim chamber with the knock-out dowel that is provided. Installing the trim chamber is accomplished by setting the trim chamber on a flat surface and steadily pushing the housing onto the trim chamber. Setting the cutter depth is easily adjusted by placing a "master case" in the trim chamber and sliding the cutter up to the case mouth and tightening down the set screws. Trimming is just as precise and clean as with our original trimmer. The trim chamber selection on the WFT 2 is by specific cartridge, but still trims by case family-just order the largest chamber in the family that you intend to trim. This unit and its inserts do not chamfer or deburr the case mouth of the cartridge case as it is trimmed. If you can't find the cartridge you need, please contact our Special Order Department at 800-741-0015



Attributes

- Name: [LITTLE CROW GUNWORKS. 25-06 ACKLEY IMPROVED TRIM CHAMBER](#)
- Manufacturer: [LITTLE CROW GUNWORKS.](#)
- Product no.: 100028184
- Mfr. No.: LCG-WFT2-25/06
- Cartridge: 25-06 Remington
- Delivery weight: 0.018kg
- Shipping height: 25mm
- Shipping width: 51mm
- Shipping length: 102mm

Item details

Made in USA

Table of Contents

- Startpage
- WFT 2 Trimmer Little Crow Gunworks Safety Instruction Guide
- About Us

WFT 2 Trimmer Little Crow Gunworks Safety Instruction Guide

Introduction

Thank you for choosing the WFT 2 Trimmer from Little Crow Gunworks. This guide provides important safety instructions to ensure the safe and effective use of your trimmer. Please read this guide carefully before using the product.

General Safety Guidelines

- Ensure that the trimmer is used only for its intended purpose, which is to trim cartridge cases.
- Always wear appropriate personal protective equipment (PPE), such as safety glasses and gloves, while operating the trimmer.
- Keep the workspace clean and free from distractions to avoid accidents during operation.
- Ensure that all tools and accessories are in good condition before use.
- Never leave the trimmer unattended while it is in operation.
- Store the trimmer in a dry, safe place out of reach of children and pets.
- Be aware of your surroundings and ensure that no one is in close proximity while using the trimmer.

Specific Safety Precautions for Use

- Always use the trimmer in a wellventilated area to avoid inhaling dust or debris produced during trimming.
- Do not attempt to modify the trimmer or use it with accessories that are not recommended by the manufacturer.
- Ensure that the chuck is securely tightened before starting the trimmer to prevent any accidents.
- Do not exceed the maximum caliber limit of 45 caliber as indicated in the product specifications.
- When changing trim chambers, always disconnect the trimmer from the power source to prevent accidental operation.
- Use the provided knockout dowel to safely remove and install trim chambers without using excessive force.
- Regularly inspect the trimmer for any signs of wear or damage. If any issues are found, do not use the trimmer until it has been repaired or replaced.

Instructions for Installation and Usage

1. Setting Up the Trimmer:

- Securely attach the WFT 2 trimmer to a halfinch chuck.
- Ensure that the work surface is stable and level.

2. Installing the Trim Chamber:

- Place the trim chamber on a flat surface.
- Align the housing with the trim chamber and steadily push the housing onto the trim chamber until it is seated properly.

3. Adjusting the Cutter Depth:

- Insert a “master case” into the trim chamber.
- Slide the cutter up to the case mouth and tighten the set screws to secure the cutter in place.

4. Trimming Process:

- Power on the trimmer and carefully feed the cartridge case into the trim chamber.
- Allow the trimmer to operate until the desired trim length is achieved.
- Power off the trimmer before removing the trimmed case.

5. Changing Trim Chambers:

- Disconnect the trimmer from the power source.
- Remove the cutter by loosening the set screws.
- Use the knockout dowel to push out the trim chamber.
- Follow the installation steps to insert a new trim chamber.

Disposal Instructions

- Dispose of any packaging materials in accordance with local regulations.
- When the trimmer reaches the end of its life cycle, ensure it is disposed of properly. Check with local authorities for electronic waste disposal guidelines.

Contact Information for Further Support

For any questions or concerns regarding the WFT 2 Trimmer or safety instructions, please refer to the manufacturer's website or contact their customer support for assistance.

Conclusion

Following these safety instructions will help ensure a safe and effective experience with your WFT 2 Trimmer. Always prioritize safety and do not hesitate to reach out for support if needed. Thank you for your attention to these important guidelines.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk