

# **WFT 2 TRIMMER - LITTLE CROW GUNWORKS. 26 NOSLER TRIM CHAMBER**

[Reloading](#) > [Case Preparation](#) > [Case Trimming](#) > [Case Trimmers](#)

The WFT 2 is the next generation of WFT trimmers. The two main improvements are the ability to trim up to 45 caliber and interchange trim chambers. The WFT 2 has a half inch shaft and requires a half inch chuck to drive it. The feature most customers asked for was the ability to interchange trim chambers. Instead of press fitting the trim chambers, like the original WFT, the trim chambers on the WFT 2 are a slight slip fit in bearing with a groove cut for an O-ring which creates a press fit. Changing out trim chambers is accomplished by removing the cutter and pushing out the trim chamber with the knock-out dowel that is provided. Installing the trim chamber is accomplished by setting the trim chamber on a flat surface and steadily pushing the housing onto the trim chamber. Setting the cutter depth is easily adjusted by placing a "master case" in the trim chamber and sliding the cutter up to the case mouth and tightening down the set screws. Trimming is just as precise and clean as with our original trimmer. The trim chamber selection on the WFT 2 is by specific cartridge, but still trims by case family-just order the largest chamber in the family that you intend to trim. This unit and its inserts do not chamfer or deburr the case mouth of the cartridge case as it is trimmed. If you can't find the cartridge you need, please contact our Special Order Department at 800-741-0015



## **Attributes**

- Name: [LITTLE CROW GUNWORKS. 26 NOSLER TRIM CHAMBER](#)
- Manufacturer: [LITTLE CROW GUNWORKS.](#)
- Product no.: 100028188
- Mfr. No.: LCG-WFT2-26 NOSLER
- Cartridge: 26 Nosler
- Delivery weight: 0.018kg
- Shipping height: 25mm
- Shipping width: 51mm
- Shipping length: 102mm

## **Item details**

Made in USA

# Table of Contents

- Startpage
- WFT 2 Trimmer Little Crow Gunworks Safety Instructions
- About Us

# WFT 2 Trimmer Little Crow Gunworks Safety Instructions

## Introduction

Thank you for choosing the WFT 2 Trimmer from Little Crow Gunworks. This manual provides important safety instructions and guidelines to ensure safe and effective use of the product. Please read this guide carefully before using the trimmer.

## General Safety Guidelines

- Ensure safe use of the WFT 2 Trimmer and its components.
- Follow all safety precautions to minimize risks associated with trimming operations.
- Be aware that this product is designed for trimming cartridge cases only; improper use may lead to injury or product damage.
- Keep the trimmer and its components out of reach of children and vulnerable individuals.
- Always wear appropriate personal protective equipment (PPE) such as safety glasses and gloves when using the trimmer.
- Inspect the trimmer and its components regularly for wear and damage. Do not use if any part is damaged or malfunctioning.
- If you experience any discomfort or unusual reactions while using the trimmer, stop immediately and consult a professional.

## Specific Safety Precautions for Use

- **Electrical Safety:** Ensure that your power source is compatible with the trimmer's requirements. Use a properly rated halfinch chuck to drive the trimmer.
- **Trimming Operation:**
  - Always secure the cartridge case properly in the trim chamber before trimming.
  - Do not attempt to trim cases that exceed the specified caliber limit of 45 caliber.
  - Avoid wearing loose clothing or jewelry that could become entangled in the trimmer during operation.
- **Changing Trim Chambers:**
  - Follow the provided instructions carefully when changing trim chambers to avoid injury.
  - Use the knockout dowel provided to remove and install trim chambers safely.
- **Cutter Depth Adjustment:**
  - Adjust the cutter depth only when the trimmer is powered off.
  - Ensure the master case is properly placed in the trim chamber before adjusting the cutter.

## Instructions for Installation and Usage

### 1. Installation of the Trimmer:

- Place the WFT 2 Trimmer on a stable, flat surface.
- Attach the trimmer to a compatible halfinch chuck securely.

### 2. Changing Trim Chambers:

- Power off the trimmer.
- Remove the cutter from the trimmer.
- Use the provided knockout dowel to push out the existing trim chamber.
- Insert the new trim chamber by placing it on a flat surface and pushing the housing onto the chamber until it is fully seated.

### **3. Setting Cutter Depth:**

- Insert a master case into the trim chamber.
- Slide the cutter up to the case mouth.
- Tighten the set screws to secure the cutter in place.

### **4. Trimming Process:**

- Ensure that the cartridge case is securely held in the trim chamber.
- Power on the trimmer and begin the trimming operation.
- Monitor the trimming process to ensure precision and safety.

### **5. PostUse Care:**

- Power off the trimmer after use.
- Clean the trimmer and its components to remove any debris or residue.
- Store the trimmer in a dry and safe location.

## **Disposal Instructions**

- Dispose of the trimmer and its components in accordance with local regulations.
- Do not dispose of the trimmer in regular household waste. Check for local recycling programs or hazardous waste disposal options.
- Ensure that any batteries or electronic components are disposed of properly to prevent environmental harm.

## **Contact Information for Further Support**

For any questions or concerns regarding the WFT 2 Trimmer, please reach out to the appropriate support channels provided by Little Crow Gunworks. Ensure you have the product details ready to facilitate assistance.

Thank you for your attention to these safety instructions. Enjoy using your WFT 2 Trimmer safely and effectively!

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)