

WFT 2 TRIMMER - LITTLE CROW GUNWORKS. 270 WEATHERBY MAGNUM TRIM CHAMBER

[Reloading](#) > [Case Preparation](#) > [Case Trimming](#) > [Case Trimmers](#)

The WFT 2 is the next generation of WFT trimmers. The two main improvements are the ability to trim up to 45 caliber and interchange trim chambers. The WFT 2 has a half inch shaft and requires a half inch chuck to drive it. The feature most customers asked for was the ability to interchange trim chambers. Instead of press fitting the trim chambers, like the original WFT, the trim chambers on the WFT 2 are a slight slip fit in bearing with a groove cut for an O-ring which creates a press fit. Changing out trim chambers is accomplished by removing the cutter and pushing out the trim chamber with the knock-out dowel that is provided. Installing the trim chamber is accomplished by setting the trim chamber on a flat surface and steadily pushing the housing onto the trim chamber. Setting the cutter depth is easily adjusted by placing a "master case" in the trim chamber and sliding the cutter up to the case mouth and tightening down the set screws. Trimming is just as precise and clean as with our original trimmer. The trim chamber selection on the WFT 2 is by specific cartridge, but still trims by case family-just order the largest chamber in the family that you intend to trim. This unit and its inserts do not chamfer or deburr the case mouth of the cartridge case as it is trimmed. If you can't find the cartridge you need, please contact our Special Order Department at 800-741-0015



Attributes

- Name: [LITTLE CROW GUNWORKS. 270 WEATHERBY MAGNUM TRIM CHAMBER](#)
- Manufacturer: [LITTLE CROW GUNWORKS.](#)
- Product no.: 100028191
- Mfr. No.: LCG-WFT2-270 WBY
- Cartridge: 270 Weatherby Magnum
- Delivery weight: 0.018kg
- Shipping height: 25mm
- Shipping width: 51mm
- Shipping length: 102mm

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [WFT 2 Trimmer Little Crow Gunworks Safety Instructions](#)
- [About Us](#)

WFT 2 Trimmer Little Crow Gunworks Safety Instructions

Introduction

Thank you for choosing the WFT 2 Trimmer from Little Crow Gunworks. This product is designed for trimming cartridge cases safely and efficiently. Please read this safety instruction guide carefully to ensure proper use and to minimize any risks associated with the operation of the trimmer.

General Safety Guidelines

- Always read and understand the user manual before operating the trimmer.
- Ensure that the trimmer is used only for its intended purpose, which is trimming cartridge cases.
- Keep the trimmer out of reach of children and vulnerable individuals.
- Inspect the trimmer and its components for any damage before use. Do not use if damaged.
- Wear appropriate personal protective equipment (PPE), such as safety glasses and gloves, while operating the trimmer.
- Ensure that the working area is clean, dry, and welllit to prevent accidents.
- Do not operate the trimmer in wet or damp conditions.
- Ensure that all safety features are functioning properly before use.
- Do not leave the trimmer unattended while it is in operation.
- Report any unsafe conditions or incidents to the relevant authorities.

Specific Safety Precautions for Use

- Always use the trimmer with a compatible halfinch chuck.
- Ensure that the trim chamber is securely installed before operating the trimmer.
- Do not attempt to modify or repair the trimmer yourself. Contact a qualified technician for repairs.
- Avoid wearing loose clothing or jewelry that may get caught in the trimmer.
- Keep hands and other body parts away from the cutting area during operation.
- Use the provided knockout dowel to change trim chambers safely.
- When adjusting the cutter depth, ensure that the trimmer is powered off.
- Do not exceed the recommended caliber for trimming (up to .45 caliber).
- Do not use the trimmer for any other purposes than trimming cartridge cases.

Instructions for Installation and Usage

1. Installation of Trim Chamber:

- Place the trim chamber on a flat surface.
- Align the housing with the trim chamber.
- Steadily push the housing onto the trim chamber until it is securely in place.

2. Changing Trim Chambers:

- Power off the trimmer.
- Remove the cutter from the trimmer.
- Use the knockout dowel provided to push out the trim chamber.
- Follow the installation steps to install a new trim chamber.

3. Setting Cutter Depth:

- Place a "master case" in the trim chamber.

- Slide the cutter up to the case mouth.
- Tighten down the set screws to secure the cutter in position.

4. Trimming Process:

- Ensure the trimmer is properly set up and that the cutter depth is adjusted.
- Power on the trimmer and carefully feed the cartridge case into the trim chamber.
- Allow the trimmer to complete the trimming process.
- Power off the trimmer after use.

Disposal Instructions

- Dispose of the trimmer and its components in accordance with local regulations.
- Do not dispose of the trimmer in regular household waste.
- Contact local waste management authorities for information on proper disposal methods.

Contact Information for Further Support

For any inquiries regarding safety, usage, or support, please refer to the manufacturer's contact information included in the product packaging or on the official website.

By following these safety instructions, you can ensure a safe and effective operation of the WFT 2 Trimmer. Always prioritize safety and consult the user manual for any specific questions or concerns. Thank you for your attention to these important guidelines.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk