

WFT 2 TRIMMER - LITTLE CROW GUNWORKS. 30-378 WEATHERBY MAGNUM TRIM CHAMBER

[Reloading](#) > [Case Preparation](#) > [Case Trimming](#) > [Case Trimmers](#)

The WFT 2 is the next generation of WFT trimmers. The two main improvements are the ability to trim up to 45 caliber and interchange trim chambers. The WFT 2 has a half inch shaft and requires a half inch chuck to drive it. The feature most customers asked for was the ability to interchange trim chambers. Instead of press fitting the trim chambers, like the original WFT, the trim chambers on the WFT 2 are a slight slip fit in bearing with a groove cut for an O-ring which creates a press fit. Changing out trim chambers is accomplished by removing the cutter and pushing out the trim chamber with the knock-out dowel that is provided. Installing the trim chamber is accomplished by setting the trim chamber on a flat surface and steadily pushing the housing onto the trim chamber. Setting the cutter depth is easily adjusted by placing a "master case" in the trim chamber and sliding the cutter up to the case mouth and tightening down the set screws. Trimming is just as precise and clean as with our original trimmer. The trim chamber selection on the WFT 2 is by specific cartridge, but still trims by case family-just order the largest chamber in the family that you intend to trim. This unit and its inserts do not chamfer or deburr the case mouth of the cartridge case as it is trimmed. If you can't find the cartridge you need, please contact our Special Order Department at 800-741-0015



Attributes

- Name: [LITTLE CROW GUNWORKS. 30-378 WEATHERBY MAGNUM TRIM CHAMBER](#)
- Manufacturer: [LITTLE CROW GUNWORKS.](#)
- Product no.: 100028197
- Mfr. No.: LCG-WFT2-30-378 WBY
- Cartridge: 30-378 Weatherby Magnum
- Delivery weight: 0.136kg

Item details

Made in USA

Table of Contents

- Startpage
- WFT 2 Trimmer Safety Instruction Guide
- About Us

WFT 2 Trimmer Safety Instruction Guide

Introduction

Thank you for choosing the WFT 2 Trimmer by Little Crow Gunworks. This guide provides essential safety instructions and guidelines to ensure the safe and effective use of your trimmer. Please read this document carefully before using the product.

General Safety Guidelines

- Ensure the trimmer is used in accordance with the manufacturer's instructions.
- Keep the trimmer out of reach of children and vulnerable individuals.
- Always wear appropriate personal protective equipment (PPE), such as safety glasses and gloves, when operating the trimmer.
- Inspect the trimmer and its components for damage before each use. Do not use if any parts are worn or damaged.
- Ensure that the workspace is clean and free of obstructions to prevent accidents.
- Do not attempt to modify the trimmer or its components in any way.

Specific Safety Precautions for Use

- Always use the trimmer in a wellventilated area to avoid inhaling dust particles.
- Do not operate the trimmer while under the influence of drugs or alcohol.
- Keep hands and other body parts away from the cutting area while the trimmer is in use.
- Use the provided knockout dowel to change trim chambers safely.
- Ensure that the cutter is properly secured before starting the trimmer.
- Do not exceed the specified caliber limits (up to 45 caliber) when using the trimmer.
- If you experience any unusual noise or vibration, stop using the trimmer immediately and inspect it for issues.

Instructions for Installation and Usage

1. Installation of Trim Chamber:

- Place the trim chamber on a flat surface.
- Align the housing with the trim chamber.
- Steadily push the housing onto the trim chamber until it is securely fitted.

2. Setting Cutter Depth:

- Insert a “master case” into the trim chamber.
- Slide the cutter up to the case mouth.
- Tighten the set screws to secure the cutter in place.

3. Trimming Process:

- Insert the cartridge case into the trim chamber.
- Ensure that the trimmer is connected to a compatible halfinch chuck.
- Activate the trimmer and proceed with trimming.
- After trimming, remove the cartridge case and inspect for any burrs or imperfections.

4. Changing Trim Chambers:

- Turn off the trimmer and disconnect it from the power source.

- Remove the cutter.
- Use the knockout dowel to push out the trim chamber.
- Follow the installation instructions to insert a new trim chamber.

Disposal Instructions

- Dispose of any worn or damaged components in accordance with local regulations.
- Do not dispose of electronic components in regular household waste.
- Contact your local waste management authorities for information on proper disposal methods.

Contact Information for Further Support

For additional support, please refer to the manufacturer's website or contact the customer service department for assistance with any inquiries or issues related to the WFT 2 Trimmer.

Conclusion

By following the safety instructions outlined in this guide, you can ensure a safe and effective experience with the WFT 2 Trimmer. Always prioritize safety and do not hesitate to seek assistance if needed. Thank you for your attention and safe trimming!

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk