

WFT 2 TRIMMER - LITTLE CROW GUNWORKS. 30-40 Krag TRIM CHAMBER

[Reloading](#) > [Case Preparation](#) > [Case Trimming](#) > [Case Trimmers](#)

The WFT 2 is the next generation of WFT trimmers. The two main improvements are the ability to trim up to 45 caliber and interchange trim chambers. The WFT 2 has a half inch shaft and requires a half inch chuck to drive it. The feature most customers asked for was the ability to interchange trim chambers. Instead of press fitting the trim chambers, like the original WFT, the trim chambers on the WFT 2 are a slight slip fit in bearing with a groove cut for an O-ring which creates a press fit. Changing out trim chambers is accomplished by removing the cutter and pushing out the trim chamber with the knock-out dowel that is provided. Installing the trim chamber is accomplished by setting the trim chamber on a flat surface and steadily pushing the housing onto the trim chamber. Setting the cutter depth is easily adjusted by placing a "master case" in the trim chamber and sliding the cutter up to the case mouth and tightening down the set screws. Trimming is just as precise and clean as with our original trimmer. The trim chamber selection on the WFT 2 is by specific cartridge, but still trims by case family-just order the largest chamber in the family that you intend to trim. This unit and its inserts do not chamfer or deburr the case mouth of the cartridge case as it is trimmed. If you can't find the cartridge you need, please contact our Special Order Department at 800-741-0015



Attributes

- Name: [LITTLE CROW GUNWORKS. 30-40 Krag TRIM CHAMBER](#)
- Manufacturer: [LITTLE CROW GUNWORKS.](#)
- Product no.: 100028198
- Mfr. No.: LCG-WFT2-30/40
- Cartridge: 30-40 Krag
- Delivery weight: 0.018kg
- Shipping height: 25mm
- Shipping width: 51mm
- Shipping length: 102mm

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [WFT 2 Trimmer Safety Instruction Guide](#)
- [About Us](#)

WFT 2 Trimmer Safety Instruction Guide

Introduction

Thank you for choosing the WFT 2 Trimmer from Little Crow Gunworks. This guide provides important safety information and instructions to ensure the safe and effective use of your trimmer. Please read this guide carefully before using the product.

General Safety Guidelines

- Ensure safe use of the WFT 2 Trimmer by following all instructions.
- Always use the trimmer in a wellventilated area.
- Keep the trimmer out of reach of children and vulnerable individuals.
- Regularly inspect the trimmer for any signs of wear or damage before use.
- Do not attempt to modify the trimmer or its components.
- Use only the recommended trim chambers for your specific cartridge.
- If you are unsure about any aspect of using the trimmer, seek assistance from a knowledgeable individual or professional.

Specific Safety Precautions for Use

- **Personal Protective Equipment (PPE):** Always wear appropriate PPE, including safety glasses and gloves, to protect yourself from debris and sharp edges.
- **Handling:** Handle the trimmer with care. Ensure that the cutter is retracted when not in use.
- **Trimming Process:**
 - Ensure the trimmer is securely attached to a stable surface.
 - Do not exceed the recommended trimming capacity of 45 caliber.
 - Keep hands clear of the cutting area during operation.
- **Changing Trim Chambers:**
 - Always remove the cutter before changing trim chambers.
 - Use the provided knockout dowel to safely remove and install trim chambers.
- **Emergency Procedures:** In case of an emergency or injury, seek medical assistance immediately.

Instructions for Installation and Usage

1. Setup:

- Ensure you have a compatible halfinch chuck to drive the trimmer.
- Place the trimmer on a flat, stable surface.

2. Changing Trim Chambers:

- Remove the cutter by loosening the set screws.
- Use the knockout dowel to push out the current trim chamber.
- Insert the new trim chamber by placing it on the flat surface and pushing the housing onto it until secure.

3. Setting Cutter Depth:

- Place a "master case" in the trim chamber.
- Slide the cutter up to the case mouth.
- Tighten the set screws to secure the cutter at the desired depth.

4. Trimming:

- Power on the trimmer and begin the trimming process.
- Monitor the trimming closely to ensure precision and safety.

5. PostUse:

- Unplug the trimmer after use.
- Clean the trimmer and store it in a dry place.

Disposal Instructions

- Dispose of the trimmer and its components in accordance with local regulations.
- Do not dispose of the trimmer in regular household waste.
- Consider recycling options for any metal or plastic parts.

Contact Information for Further Support

For any inquiries or concerns regarding the WFT 2 Trimmer, please refer to the contact information provided by the manufacturer. Always ensure you have the latest updates and safety information related to your product.

By following these guidelines, you can ensure the safe and effective use of your WFT 2 Trimmer. Thank you for your attention to safety and enjoy your trimming experience!

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk