

# **WFT 2 TRIMMER - LITTLE CROW GUNWORKS. 300 H&H TRIM CHAMBER**

[Reloading](#) > [Case Preparation](#) > [Case Trimming](#) > [Case Trimmers](#)

The WFT 2 is the next generation of WFT trimmers. The two main improvements are the ability to trim up to 45 caliber and interchange trim chambers. The WFT 2 has a half inch shaft and requires a half inch chuck to drive it. The feature most customers asked for was the ability to interchange trim chambers. Instead of press fitting the trim chambers, like the original WFT, the trim chambers on the WFT 2 are a slight slip fit in bearing with a groove cut for an O-ring which creates a press fit. Changing out trim chambers is accomplished by removing the cutter and pushing out the trim chamber with the knock-out dowel that is provided. Installing the trim chamber is accomplished by setting the trim chamber on a flat surface and steadily pushing the housing onto the trim chamber. Setting the cutter depth is easily adjusted by placing a "master case" in the trim chamber and sliding the cutter up to the case mouth and tightening down the set screws. Trimming is just as precise and clean as with our original trimmer. The trim chamber selection on the WFT 2 is by specific cartridge, but still trims by case family-just order the largest chamber in the family that you intend to trim. This unit and its inserts do not chamfer or deburr the case mouth of the cartridge case as it is trimmed. If you can't find the cartridge you need, please contact our Special Order Department at 800-741-0015



## **Attributes**

- Name: [LITTLE CROW GUNWORKS. 300 H&H TRIM CHAMBER](#)
- Manufacturer: [LITTLE CROW GUNWORKS.](#)
- Product no.: 100028200
- Mfr. No.: LCG-WFT2-300 H&H
- Cartridge: 300 H&H Magnum
- Delivery weight: 0.018kg
- Shipping height: 25mm
- Shipping width: 51mm
- Shipping length: 102mm

## **Item details**

Made in USA

# Table of Contents

- Startpage
- WFT 2 Trimmer Little Crow Gunworks Safety Instruction Guide
- About Us

# WFT 2 Trimmer Little Crow Gunworks Safety Instruction Guide

## Introduction

Thank you for choosing the WFT 2 Trimmer by Little Crow Gunworks. This guide provides essential safety instructions to ensure the safe use of the product. Please read this guide carefully before using the trimmer to understand how to operate it safely and effectively.

## General Safety Guidelines

- Ensure that the trimmer is used only for its intended purpose, which is trimming cartridge cases.
- Always wear appropriate personal protective equipment (PPE), including safety glasses and hearing protection, when operating the trimmer.
- Keep the work area clean and welllit to prevent accidents.
- Do not operate the trimmer in wet or damp conditions.
- Ensure that all components are securely attached before use.
- Be aware of your surroundings and keep bystanders at a safe distance while operating the trimmer.
- Regularly inspect the trimmer for any signs of wear or damage. Do not use if damaged.
- Store the trimmer in a secure location out of reach of children and pets.

## Specific Safety Precautions for Use

- Before starting, ensure that the trimmer is disconnected from the power source.
- Always use the appropriate trim chamber for the cartridge you are working with.
- Do not attempt to modify or alter the trimmer or its components.
- When changing trim chambers, follow the provided instructions carefully to avoid injury.
- Ensure that the cutter is properly adjusted to avoid excessive trimming, which can lead to damage or injury.
- Never place your hands or fingers near the cutter while the trimmer is in operation.
- If you experience any unusual noises or vibrations while operating the trimmer, stop immediately and inspect for issues.

## Instructions for Installation and Usage

### 1. Installation of Trim Chamber:

- Place the trim chamber on a flat surface.
- Align the housing with the trim chamber.
- Steadily push the housing onto the trim chamber until it is securely in place.

### 2. Setting Cutter Depth:

- Insert a "master case" into the trim chamber.
- Slide the cutter up to the case mouth.
- Tighten down the set screws to secure the cutter in position.

### 3. Trimming Process:

- Connect the trimmer to a halfinch chuck.
- Ensure that the cutter is properly adjusted and secure.
- Power on the trimmer and begin the trimming process.
- Monitor the trimming closely to ensure precision and cleanliness.

#### **4. Changing Trim Chambers:**

- Disconnect the trimmer from the power source.
- Remove the cutter by loosening the set screws.
- Use the knockout dowel provided to push out the trim chamber.
- Follow the installation steps to replace with a new trim chamber.

## **Disposal Instructions**

- Dispose of the trimmer and its components in accordance with local regulations.
- Do not dispose of the trimmer in regular household waste.
- Check with local waste management authorities for proper disposal methods.

## **Contact Information for Further Support**

For any questions or concerns regarding the WFT 2 Trimmer, please refer to the manufacturer's website or contact their customer service for assistance.

By following these safety instructions, you can ensure the safe and effective use of the WFT 2 Trimmer. Thank you for your attention to these guidelines, and happy trimming!

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)