

WFT 2 TRIMMER - LITTLE CROW GUNWORKS. 308 NORMA MAGNUM TRIM CHAMBER

[Reloading](#) > [Case Preparation](#) > [Case Trimming](#) > [Case Trimmers](#)

The WFT 2 is the next generation of WFT trimmers. The two main improvements are the ability to trim up to 45 caliber and interchange trim chambers. The WFT 2 has a half inch shaft and requires a half inch chuck to drive it. The feature most customers asked for was the ability to interchange trim chambers. Instead of press fitting the trim chambers, like the original WFT, the trim chambers on the WFT 2 are a slight slip fit in bearing with a groove cut for an O-ring which creates a press fit. Changing out trim chambers is accomplished by removing the cutter and pushing out the trim chamber with the knock-out dowel that is provided. Installing the trim chamber is accomplished by setting the trim chamber on a flat surface and steadily pushing the housing onto the trim chamber. Setting the cutter depth is easily adjusted by placing a "master case" in the trim chamber and sliding the cutter up to the case mouth and tightening down the set screws. Trimming is just as precise and clean as with our original trimmer. The trim chamber selection on the WFT 2 is by specific cartridge, but still trims by case family-just order the largest chamber in the family that you intend to trim. This unit and its inserts do not chamfer or deburr the case mouth of the cartridge case as it is trimmed. If you can't find the cartridge you need, please contact our Special Order Department at 800-741-0015



Attributes

- Name: [LITTLE CROW GUNWORKS. 308 NORMA MAGNUM TRIM CHAMBER](#)
- Manufacturer: [LITTLE CROW GUNWORKS.](#)
- Product no.: 100028205
- Mfr. No.: LCG-WFT2-308 NORMA MAG
- Cartridge: 308 Norma Mag
- Delivery weight: 0.018kg
- Shipping height: 25mm
- Shipping width: 51mm
- Shipping length: 102mm

Item details

Made in USA

Table of Contents

- Startpage
- WFT 2 Trimmer Little Crow Gunworks Safety Instruction Guide
- About Us

WFT 2 Trimmer Little Crow Gunworks Safety Instruction Guide

Introduction

Thank you for choosing the WFT 2 Trimmer from Little Crow Gunworks. This guide provides essential safety instructions and usage guidelines to ensure the safe and effective operation of your trimmer. Please read this manual carefully before using the product.

General Safety Guidelines

- Always read and understand the safety instructions before using the trimmer.
- Ensure that the trimmer is used only for its intended purpose, which is trimming cases for reloading ammunition.
- Keep the trimmer out of reach of children and vulnerable individuals.
- Always wear appropriate personal protective equipment (PPE), such as safety glasses and gloves, when operating the trimmer.
- Regularly inspect the trimmer for any signs of damage or wear before each use. Do not use a damaged trimmer.
- Do not operate the trimmer in wet or damp conditions.
- Ensure the work area is clean and free from clutter to avoid accidents.
- Be aware of your surroundings and ensure that no one is in close proximity while operating the trimmer.
- Follow all local laws and regulations regarding the use of reloading equipment.

Specific Safety Precautions for Use

• Personal Safety:

- Always wear safety glasses to protect your eyes from debris.
- Use gloves to protect your hands from sharp edges and metal shavings.

• Equipment Safety:

- Ensure the trimmer is securely mounted in a half inch chuck before operation.
- Do not attempt to modify or alter the trimmer in any way.
- Use only the specified trim chambers for the respective cartridge sizes.

• Operational Safety:

- Always keep hands and fingers clear of moving parts during operation.
- Never leave the trimmer running unattended.
- If the trimmer becomes jammed, turn it off and disconnect it from the power source before attempting to clear the jam.

Instructions for Installation and Usage

Installation

1. Mounting the Trimmer:

- Securely attach the WFT 2 Trimmer to a half inch chuck.
- Ensure that the trimmer is stable and will not move during operation.

2. Installing Trim Chambers:

- Place the trim chamber on a flat surface.
- Align the housing over the trim chamber and steadily push it onto the chamber.
- Ensure the O-ring is properly seated to create a press fit.

Usage

1. Setting the Cutter Depth:

- Insert a "master case" into the trim chamber.
- Slide the cutter up to the case mouth.
- Tighten down the set screws to secure the cutter in place.

2. Trimming Cases:

- Power on the trimmer and feed the case into the trim chamber.
- Allow the trimmer to operate until the case is trimmed to the desired length.
- Remove the trimmed case and inspect it for quality.

3. Changing Trim Chambers:

- Turn off the trimmer and disconnect it from the power source.
- Remove the cutter.
- Use the provided knockout dowel to push out the trim chamber.
- Install a new trim chamber as described above.

Disposal Instructions

- Dispose of any metal shavings or debris in accordance with local waste disposal regulations.
- If the trimmer or its components are no longer usable, check with local recycling programs for appropriate disposal methods.
- Do not dispose of the trimmer in regular household waste.

Contact Information for Further Support

For any inquiries regarding safety, usage, or support, please reach out to the designated contact point for assistance. Ensure you have your product details available for reference.

Thank you for following these safety instructions. Your safety is our priority, and we hope you enjoy using the WFT 2 Trimmer from Little Crow Gunworks.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk